

Product datasheet for **SC210658**

HCC1 (RBM39) (NM_184234) Human 3' UTR Clone

Product data:

Product Type:	3' UTR Clones
Symbol:	HCC1
Synonyms:	CAPER; CAPERalpha; FSAP59; HCC1; RNPC2
Mammalian Cell	Neomycin
Selection:	
Vector:	pMirTarget (PSI00062)
ACCN:	NM_184234
Insert Size:	2000 bp



Insert Sequence:

>SC210658 3'UTR clone of NM_184234

The sequence shown below is from the reference sequence of NM_184234. The complete sequence of this clone may contain minor differences, such as SNPs.

Blue=Stop Codon Red=Cloning site

```

GGCAAGTTGGACGCCCCGAAGATCCGCGAGATTCTCATTAAGGCCAAGAAGGGCGGAAAGATCGCCGTG
TAACAATTGGCAGAGCTCAGAATTCAGCGATCGCC
ACACAGCTACTGGTTCCAAGTAGACGATGAAGGAAGATATAGTCCCTTATGTATATAGCTTTTTTCTT
TCTTGAGAATTCATCTTGAGTTATCTTTATTTAGATAAAAAATAAGAGGCAAGGATCTACTGTCATTT
GTATGCAATTTCTGTTACCTTGAAAAATAAAAAATGTTAACAGGAATGCAGTGTGCTCATTCTCCCTA
AATAGTAAATCCCACTGTATACAAAATGTTCTGTTCTGCTTTTAAAAATGTTTCATGTAGAAAAAT
AATGAACATATAGGAATAGCTCTAGGAGAACAAATGTGCTTTCTGTAAGGAGGAGACAGGATGTAAT
GTTTTTAATGTTTCAGAACCTAACTTTTACACAGTGGTTACATTTACATTTCACTAATGTTGATAT
TTGGCTGATGGTTGAGCAGTTCTGAAATACACATTTAGTGTATGGAATACAAGACAGCTAAAGGGCT
GTTTGGTTAGCATCTCATCTTGCAATCTGATCAATTGGCAAGAAAGGAGATTTCAAAATTATTTCT
TGATGGTATCTTTCAATTAATGTATCTGTAAGTCTTTGTAATACTATGTGTTCTGGTGTGCT
TAAATTTCCAAACAAAATGATCCCTGCATTTCTGAAGATGTTAAACGTGAGAGTCTGGTAGGCAAG
CAGTCTGAGAAAGAAATAGGAAATGCAGAAATAGGTTTGTCTGTTGCATATAATCTTTGCTCTTTT
AAGCTCTGTGAGCTCTGAAATATATTTTGGGTTACTTCAGTGTGTTTGACAAGACAGCTTGATATTT
TATCAACAAATGACTTTTCATATTGCAACAATCTTTGTAAGAACCACTCAAATAAAAGTCTCTTAAAA
GGCCACAGGAGATCTTCATTTTCAAATGTTTAAAGTTACAGAAATTTGAGAACAGAATTAGCTTCTT
TTAGTCTCAATTCAGTACTTGCTCTTTGGGAAATGTTCCGAGTCTGCGGAACTTGCCCTCACGTTGT
CCCCCATGAATCTTTTATTCTATTAGAGTCTAGCCCTGTGATTTTGAAGAATGTATCAAACTGAG
GGGTTTACCAAAAAGAAAGGAAACAGCCTGGCCTTAAACCTGGGCATCTTGGTCTCCTGCATTGTC
TGGGCATATTTATGAAGAAATTTTACCATTACAATACATACTTAACAAAATGGCTTAACTTCAAAC
GGTTTCCAAATGATTATATATTAATATTAATAAAGTGCATATATTACTGTATTAAGGGGTTTT
GAGCTTTCATACTAGTTGGGAAGCAAGCTGTCACCATTTATACTCAATTTCTTCACTGTTTATCTCT
TGGTAAATCTTTTGTAGTAGGAATGCTGCTCCTAGCTTATCTTCAAATACTGAGTTCTTACCTCATTT
GTTCAACTTTTTTTTTGTTAGCATTGAAGCACAAAGTTTACAGGCTTATTCAGAAATTCATATCAGTC
GTTTGTGTTGACATTTATCCCAATAATTGTTCTAGTGATTTAATTTGTATGGAACTCCCAAGGTTCAA
TTTCTTTTCTTTTGTAGTGGAGTCTTGCTCTTTGGCCAGGCTGGAGTGCAGTGATGTGATCTCAGC
TCCATCTCCAGGTTCAAGCAATTCCTCCACCTCAGTCTCCTGAAGAGCTGGGACAGGTGCGCACCACC
GTGCCAGCTAATTTTGTATTTTAGCAGAGACGGTGTAGCCCGGCTGGTCTCACACTGACCTCAAG
TGATCTGTCCGCTTGGCTCCCAAGTGCCGGGATTACAGGCATGAGCCACCGCGCCAGCCTCATTG
AAAATTTACTTTTCAATACCAGACTGCAGAGTTCTTTGGGCGAGAGACTCTGTGAGTGTGCTCTTTT
TCCAAAGTATCTCCTGCTATCAGTTTTTCCCTTGAACCAAGTCTTCTTAAACAAATTTGTTGTGTCAT
ACGCGTAAGCGGCCGCGCATCTAGATTGAAGAAAATGACCGACCAAGCGACGCCAACCTGCCATCA
CGAGATTTGATTCCACCGCCGCTCTATGAAAGG

```

Restriction Sites:

SgfI-MluI

OTI Disclaimer:

Our molecular clone sequence data has been matched to the sequence identifier above as a point of reference. Note that the complete sequence of this clone is largely the same as the reference sequence but may contain minor differences, e.g., single nucleotide polymorphisms (SNPs).

Components:

The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.

Note:

Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

RefSeq: NM_184234.3

Summary: This gene encodes a member of the U2AF65 family of proteins. The encoded protein is found in the nucleus, where it co-localizes with core spliceosomal proteins. It has been shown to play a role in both steroid hormone receptor-mediated transcription and alternative splicing, and it is also a transcriptional coregulator of the viral oncoprotein v-Rel. Multiple transcript variants have been observed for this gene. A related pseudogene has been identified on chromosome X. [provided by RefSeq, Aug 2011]

Locus ID: 9584

MW: 76.9