

## Product datasheet for **SC211458**

### RFC5 (NM\_007370) Human 3' UTR Clone

#### Product data:

Product Type: 3' UTR Clones  
Product Name: RFC5 (NM\_007370) Human 3' UTR Clone  
Symbol: RFC5  
Synonyms: RFC36  
Mammalian Cell Selection: Neomycin  
Vector: pMirTarget (PS100062)  
ACCN: NM\_007370  
Insert Size: 986 bp

Insert Sequence: >SC211458 3'UTR clone of NM\_007370  
The sequence shown below is from the reference sequence of NM\_007370. The complete sequence of this clone may contain minor differences, such as SNPs.  
Blue=Stop Codon Red=Cloning site

```
GGCAAGTTGGACGCCCGCAAGATCCGCGAGATTCTCATTAAAGCCAAGAAGGGCGGAAAGATCGCCGTG  
TAACAATTGGCAGAGCTCAGAATTCAAGCGATCGCC  
ACCAGAGACCTGATTGTTGCAGAGGCCTAGATGCTCTGAGGGCCATTACAATTCTCAGGGCTCAGCAG  
TGATGGGAGAACAGAGGACAGTTCCAGGATAAACTGCTGCCTGGGGCTGTGGGATGAATCAGTCACCCC  
GAATCTTGAAAAACCCCTTCCAGGAGAGGATGGCAGGCATTTAAAAAGTACCATTTTTGTGGTTGT  
TTGGAGCAGGGATGTACAAAATAATTTTAAATGTATTAACACTCATACTGCCTGTCTTTATAGGGGAAAA  
AATAACCTTTTTTATTTTAAAGTTATAAGTTTTTACCTTTTAGTTGCTTGGATGACAGGAATTAGCC  
TACCCCATTTTTGGTCTGGAACAGAAGACTTTCAAATTTAATATGGTCCAAGTGTCTTCTACTCAAGGT  
AAACATTATCTCCAAATTACATTTATGATTCTAATATTTGGCATTGTGTCTGTATCTAATTTAAACAG  
ATGTTAATGGACGCTCGGCCGAACTATTATACTTTTATAAGATGAGCTGAATCCTTACTTTAAAAA  
CTGGTCTTTTTATTTACCTCTGTGGTAGAAGAGTCACCAGCAGGTTCCAATTGATGTGTATGATAGG  
AAAAAACCTTAATTTTAAATATAATATAGAGCCTTAACTATGCCACTGGGTGGCAGAGGCTGTATAA  
AACGCACTTGTTCATGCAGGAGCGGGCAAGTAAGGTTGAGCCTGACTGTAACCTAGAACTGCGGA  
AGGACTGGGACTTTTGTACAAATTTACATTTATTTTACAGCAATCATGCTGCATTTGTGTTAGTGTTT  
TTATAATAAAAAACAAAGCAGCCTCCTGGCTGGCTGTGTTACAAGTACTCTTCCCTTAGACAGCTAGA  
AAGATGCTGACTTTGTCAAACCTGCATTTATATGAAAACCTTCTGTCTCTAATATCACAGAATAAACTT  
TCTTTAGATGCTGTTCTTTA  
ACGCGTAAGCGGCCGCGGCATCTAGATTGAAAGAAATGACCGACCAAGCGACGCCCAACCTGCCATCA  
CGAGATTCGATTCCACCGCCGCTTCTATGAAAGG
```

Restriction Sites: SgfI-MluI



<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the sequence identifier above as a point of reference. Note that the complete sequence of this clone is largely the same as the reference sequence but may contain minor differences , e.g., single nucleotide polymorphisms (SNPs).
<b>Components:</b>	The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.
<b>RefSeq:</b>	<u><a href="#">NM_007370.7</a></u>
<b>Summary:</b>	This gene encodes the smallest subunit of the replication factor C complex, which consists of five distinct subunits (140, 40, 38, 37, and 36 kDa) and is required for DNA replication. This subunit interacts with the C-terminal region of proliferating cell nuclear antigen and is required to open and load proliferating cell nuclear antigen onto DNA during S phase. It is a member of the AAA+ (ATPases associated with various cellular activities) ATPase family and forms a core complex with the 38 and 40 kDa subunits that possesses DNA-dependent ATPase activity. A related pseudogene has been identified on chromosome 9. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Nov 2016]
<b>Locus ID:</b>	5985
<b>MW:</b>	38