

Product datasheet for **SC214638**

Ankyrin G (ANK3) (NM_020987) Human 3' UTR Clone

Product data:

Product Type:	3' UTR Clones
Product Name:	Ankyrin G (ANK3) (NM_020987) Human 3' UTR Clone
Symbol:	Ankyrin G
Synonyms:	ANKYRIN-G; MRT37
Mammalian Cell Selection:	Neomycin
Vector:	pMirTarget (PS100062)
ACCN:	NM_020987
Insert Size:	2000 bp



[View online »](#)

Insert Sequence: >SC214638 3'UTR clone of NM_020987
 The sequence shown below is from the reference sequence of NM_020987. The complete sequence of this clone may contain minor differences, such as SNPs.
 Blue=Stop Codon Red=Cloning site

```

GGCAAGTTGGACGCCCGCAAGATCCGCGAGATTCTCATTAAAGCCAAGAAGGGCGGAAAGATCGCCGTG
TAACAATTGGCAGAGCTCAGAATTCAAGCGATCGCC
CGGCATGTGAAAAAGAAGAGCCACTCGTAACAGCGAACGGTCAGTCAAGGATCATAGTTTTTACTGCC
AGTATTGAGAAATTCGTGGAAGAAATGTCAGCAGGAAGTAAAAATTCACCGAGAAGTGTGTGTGTGTTT
GCTGCTCCACACATTAATGGCATGATTTTTTTTTATGCAAAAAGAAAAGAAAAGAAAACCACCCACATT
TTAATTTAGCATGAGCCAATTTACAGAGCATGGAAATCACTTTTCATTTCCGGATTGGCGCGTGTGCAAT
TAGCAATGCAGTGTATATAACAAGAAGCCATGCTGTTAACAGTTTATCTCAAGTAATTTGGTGTCAATTA
CAAAAGGAAGAAATTCCTGCCATCAGAAGGGACAGAAGGAGATGGAATGATCAAATCACAGAGAAACAC
TAAATTAATAACTACAACAGCTCGCCTTATTTTTCTTGGACCCAACTGTCAGGGTATAAACACTA
TTTGTCTTTTTTAAAACATCGATAGTTTTGCTGTAATAATAACACTGTATAAATTTCTAACAGAAAA
ATAGAATAAAATGTTGATAAGGCACTGCCTCTTAGAACACAAACAGAATATTGCAATGCATTTAACAA
ATAGGGGTCTCAAGTGACTTCACCCTAGAGAGGGGAGGGATTCTGGGTGGGGGTGACTCTTCACTG
ATTCTGTATATTAGCAATTATAATGTTTGTATATGCAAACTGCTAGCTTGATTTAAAAAAAACAA
ATCTTTAAAATCTGCTGCAAAATTTAAAATAATCCCAAAATGAGGAATCTGTAGTTCTGTGAAAAATTT
TTTTCTTCAGAATACTAATTTTTGATGCATGTGTATCACCTATTTTGATTAATCTTTTCCAATTTT
GCAAACTACAGTACTGCAACACAAAAGATTTTATCTGTAACACAAAAGCCCTTCATCTAATATTT
GTTGCTATTGCCAATTTTTCAATGAAATGACCTAAAAACAACAAAAAAAATAACCTATACGGTAGTTG
CTTTAGGGGGTGGGGGGATGCTATCTGTTAGTGCTTAAAAGGGGTAATGCTTGCCGCTTAGAGGTG
GATGGTGCTCATAAAAGGCCCGAGTCGGGGTATTTAAAAGGACTGAACAGAAATCCTTAGCTAGTAG
AATGGCAGCACGCTGAAAATTACTGTATTGTGACTGGCTATAAGATGTAGACACCTTTCAGTAA
GCCAATCATTTGTAACCATTTAGCAGTGCATATTAGGTTAATAAGGCTGCTGTGTTTTAAAGGCAT
TTTTATTTGGGTTTTGGTGAATTTCTTAAATTTGTTGATTATATTCACATAAAATCAGCATTATTGAC
ACATAGCTCTAATGACATATGTATGAAAAACCATACTGGATGACCTAGTCGATTATTTAAGCATAAA
ATAAATGTGTTAACTCTTACCTATCTGTGCTCTACAGTCTCCTTGTGTTTTCTGGCAAAAGGTAGT
TGCTAATCCCTGTGCATATGAGTCCTGGCCAATCCACCCATTGGTCTCTTTGTGCTCTGTGGTCA
CTGAAGAGATAATCTCTAACATTCATATGTGCCCTGCAAGCTCCAGCTTATAAATCTGTGCATTTCA
TGGGGGAGCCAAGAAATTAAGATTAATTGACAAGTAAGCTTTGCCACATCTGTTAGGCCCTTCTTGAA
AAGTGAAGAATTGGAGATACTATAGCCAGCATGTCAAAAAGTTGACTGGCACTTCTAGGAACCATCAAC
ATGCAGTTGCTTTTAGCCACAGAGCTGTTTTGTTTTGTTTTATTAATTTACATTTATTGTCCATTC
TTACAAGTTGGGACATTTACATAATTAAGTTGCTAACATCTCTTAAAAAGCAAGATTTGGCAACAATG
GACCTCATTCCAGAAGGTAACAACCTGCTAGAGCCAAGTTGTCCTGCCCTCTCCAGCCAGGTGTGG
ACGCGT AAGCGGCCGCGGCATCTAGATTGCAAGAAAATGACCGACCAAGCGACGCCAACCTGCCATCA
CGAGATTCGATTCCACCGCCGCTTCTATGAAAGG
  
```

Restriction Sites: SgfI-MluI

OTI Disclaimer: Our molecular clone sequence data has been matched to the sequence identifier above as a point of reference. Note that the complete sequence of this clone is largely the same as the reference sequence but may contain minor differences , e.g., single nucleotide polymorphisms (SNPs).

Components: The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.

RefSeq: [NM_020987.5](#)

Summary:

Ankyrins are a family of proteins that are believed to link the integral membrane proteins to the underlying spectrin-actin cytoskeleton and play key roles in activities such as cell motility, activation, proliferation, contact, and the maintenance of specialized membrane domains. Multiple isoforms of ankyrin with different affinities for various target proteins are expressed in a tissue-specific, developmentally regulated manner. Most ankyrins are typically composed of three structural domains: an amino-terminal domain containing multiple ankyrin repeats; a central region with a highly conserved spectrin binding domain; and a carboxy-terminal regulatory domain which is the least conserved and subject to variation. Ankyrin 3 is an immunologically distinct gene product from ankyrins 1 and 2, and was originally found at the axonal initial segment and nodes of Ranvier of neurons in the central and peripheral nervous systems. Multiple transcript variants encoding different isoforms have been found for this gene.[provided by RefSeq, Feb 2011]

Locus ID:

288

MW:

76.7