

Product datasheet for **SC215476**

IL20 Receptor alpha (IL20RA) (NM_014432) Human 3' UTR Clone

Product data:

Product Type:	3' UTR Clones
Product Name:	IL20 Receptor alpha (IL20RA) (NM_014432) Human 3' UTR Clone
Symbol:	IL20 Receptor alpha
Synonyms:	CRF2-8; IL-20R-alpha; IL-20R1; IL-20RA
Mammalian Cell Selection:	Neomycin
Vector:	pMirTarget (PS100062)
ACCN:	NM_014432
Insert Size:	1617 bp



[View online »](#)

Insert Sequence: >SC215476 3'UTR clone of NM_014432
The sequence shown below is from the reference sequence of NM_014432. The complete sequence of this clone may contain minor differences, such as SNPs.
Blue=Stop Codon **Red**=Cloning site

```

GGCAAGTTGGACGCCCGCAAGATCCGCGAGATTCTCATTAAGGCCAAGAAGGGCGGAAAGATCGCCGTG
TAACAATTGGCAGAGCTCAGAATTCAAGCGATCGCC
TGGGGTTATATGTGCAGATGGAAAACATGATGCCAACACTTCCTTTGCCTTTTGTTTCCTGTGCAAAAC
AAGTGAGTCACCCCTTTGATCCCAGCCATAAAGTACCTGGGATGAAAGAAGTTTTTCCAGTTTGTGAG
TGTCTGTGAGAATTACTTATTTCTTTCTATTCTCATAGCACGTGTGTGATTGGTTTCATGCATGTAG
GTCTCTTAACAATGATGGTGGGCTCTGGAGTCCAGGGGCTGGCCGTTGTTCTATGCAGAGAAAGCAG
TCAATAAATGTTGCCAGACTGGGTGCAGAATTTATTCAGGTGGGTGACTCTGGCCTCTTGGTTTCATT
ATTTTCAAACAAGCACACTTGTACAATTATTTCTGGGTACTTCCCATATGCACATAGCACTGTAAAAA
ATATTTCCCAAAGATCACTCATTTTATAAATACCACTTTTTCAGAATTGGGTTTATTGCGAGCAGGAGG
AGATACTTAAACATGCACATATACCAGGTTGGTGGTAAGTTGGTCGCATGTGAAACCTCAACTATTT
AATCATCATGATTTCATATTTTGAAGTGAATACATCAGGCACAGACCTTCATGATATCACACACTCTTGGC
TACTTTAAGAGGCCATCTTAACTTTATGAGTAGTTCTGGAGTGTAACATAAACGAGTATTCTTTT
GTAGTCAGAAAAGTGTCCTCTCAATAATTTAGTAGGGGCTTATTGTCTCTCAAACTAACCTAAAGAA
AATGACACATTTTATAATAGAATATTACATTTATTTCTGGAAGTGTGTTTTCAAAAAGATATTTACATA
GTCTGTAAACTAGAAAGTGTTAGGTAAAGCTCTAGGTTACTGTGTACTATTATAATATTAACATTTCG
AATAGGCAGTCGTTCAAAGACTCTTTGGAATATCTATGAATGAATATCCTCTATTCTTATAATATTA
ACCCATAAGTAAATATAGGACATACAAGAGAAATGAGTTAAATGACTATGTAAGGGAGAGTTTATTA
ATTTGATGAAATTTACTGTAGGAATAAATATGCCATAAAACAATAGCTTTCTAGTTTCATTTCCAGTA
ACTGTTCCCATCTCCTTTACCCTTGTTAAGAAAATTAATTCCTCAGTCACGCTGCTTTAAATGGGA
CAAAATCTATTAAGTTGAACCATATATAATTGTGGATATTTGGCTGTTTTAATCTGACAAGCAGTAAC
TTCATATGGTTTGCCTTAATATATATTTGTTTGTAGTCATGAACATCAATCCATTGATGCTCTTTCATG
AGAAGAGATATCACCCATATTTCTTATTGATATTATTGGTACAGGCAGACAACCCTGGTAGGAGAGAT
GGATTCTGGGTCATGACCTTTTCGTGATTATCCGCAAATGCAAACAGTTTCAGATCTAATGGTTAATT
TAGGGAGTAATTATTAATCAGAGTGTCTGTTATTCTCAATCTTTATAGAAACGATTCTGCTGGTTT
TGAAGAACAGATGTATTACATAACTGTAAAAGTAGTTCAAGAGTGAGAAAGAATAAATTGTTATTAAG
AGCAAAAGAAAAATAAAGTGATTGATGATA
ACGCGTAAGCGGCCGCGGCATCTAGATTGAAGAAAATGACCGACCAAGCGACGCCAACCTGCCATCA
CGAGATTCGATTCCACCGCCGCTTCTATGAAAGG
  
```

Restriction Sites: SgfI-MluI

OTI Disclaimer: Our molecular clone sequence data has been matched to the sequence identifier above as a point of reference. Note that the complete sequence of this clone is largely the same as the reference sequence but may contain minor differences , e.g., single nucleotide polymorphisms (SNPs).

Components: The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.

RefSeq: NM_014432.4

Summary:	This gene encodes a member of the type II cytokine receptor family. The encoded protein is a subunit of the receptor for interleukin 20, a cytokine that may be involved in epidermal function. The interleukin 20 receptor is a heterodimeric complex consisting of the encoded protein and interleukin 20 receptor beta. This gene and interleukin 20 receptor beta are highly expressed in skin, and are upregulated in psoriasis. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jul 2013]
Locus ID:	53832
MW:	63.2