

Product datasheet for **SC216409**

GRIK2 (NM_175768) Human 3' UTR Clone

Product data:

Product Type:	3' UTR Clones
Product Name:	GRIK2 (NM_175768) Human 3' UTR Clone
Symbol:	GRIK2
Synonyms:	EAA4; GLR6; GluK2; GLUK6; GLUR6; MRT6
Mammalian Cell Selection:	Neomycin
Vector:	pMirTarget (PS100062)
ACCN:	NM_175768
Insert Size:	1806 bp



[View online »](#)

Insert Sequence: >SC216409 3'UTR clone of NM_175768
 The sequence shown below is from the reference sequence of NM_175768. The complete sequence of this clone may contain minor differences, such as SNPs.
 Blue=Stop Codon Red=Cloning site

```

GGCAAGTTGGACGCCCGCAAGATCCGCGAGATTCTCATTAAAGCCAAGAAGGGCGGAAAGATCGCCGTG
TAACAATTGGCAGAGCTCAGAATTCAAGCGATCGCC
GTGCCACCATACCATCCAGACACTGTTAGTAATCTTTTAAACTTACTAAAAGAGGTTTTTAATAATG
AGGTCCTTCTGTAGTGCCATGGTAGAAGAATTGAGGATGTCCCTGAAGTGCCAGCGTCGGTTAAACAT
AAGCCACAGGCCCCAGTTATTGTGAAAACAGAAGAAGTTATCAACATGCACACATTTAACGACAGAAGG
TTGCCAGGTAAAGAAACCATGGCATAAAGCTGGGAGGCCAAACACCCAAGCACAACTGTCGTCTTTTT
CCAAACAATTTAGCCAGAATGTTTCTGTGAAAATATGCAACCTGTGCAAAAATAAATGAGTTACCTCA
TGCCGCTGTGTCTATGAACTAGAGACTCTGTGATCTAAGCAGTTGCAATGATCAGACTTGATTTACAAG
CATCATGGATCAACCAAGTTACACGGGGTTACACTGTTAATCATGGGTTCTCCCTTCTTCTGAGTGAA
TGTTAACATGCGCATTTTGTGGCTGATTTCAAATGCAGTCCAGTGAGAAATTACAGGTTCCCTTTGAAG
CTCAACTGTTGCCAGGAGATGGAATATCAATGCCCAACAGGGCAACCAATAAAAGTGTCACTAAGAATA
TAAATATTTGGAATCAGCAAAAACCTGTAGTGTTACAGGAAAACAGTACAGTCTTCTGAACACCCAGATCA
TAGAGGTGATGATGTTACTAGCCCCAACTACTCAGTATAATTATTGTCTGAATGCAAAGTATGTGTTT
ATAGGATGTGAAAAATGTAATGCAAAAACAAATTTGAATCCCATGGCAGTTGGAATATAAAGCAGATGT
TCATCACTTATTTTCTTTTTCTTTTCTTATTTTTTTTTTTGACAGTCTGTGTCAGTATTGAGATAG
AAATGCCAATTATCAAGGAAATAATGTTTTCTTAAGTTCCTAAGGCAGAAGATTAACATGCAATTCT
ACCAGATCCCTTCTATCCCCAACACCTTTTCTAACCCTCATATCCCAAATAATAATAATAATAA
TAATAATAATAATAATAATAATAATAAAAAGCAGTTGGTTCAGTGATTCTGAATTTAAAGGATAATGTTT
TGCAATGTTCAAGTTGTAAAAACTGGCCGAGTATTGGCTGTGTGGAAGACTAAAGCTTTTCATTCTAACA
TTCAGACATAGCAATCCAAACCTTGTTCTGCTGTAATGAACTTGATGGAGCATGGGCAGATTTAG
TGATACGAGAAAGGGGACTGGTCATCTATAGAAAAATCTGTGAGAGAAGTGGAAAGTGGACTGCGTTTA
TCAATACAGTCACAATGTTAAATGAACAAAATTCTTGAACAGTTTTTTTTCAAAAAATGTTACAGTTTA
TTTGTGAAAATGCAAGATTTCTATGAAAATAGTTTTGTATGGAATTTTTGTAATACTTTTTATCAAC
AAAACAAGAACATGTGTTCTGTGAGGGGTGTGATGTCAAGCATGAATGGTAGTGCCTGTGCACCACCA
ACGTTTGGTGAAAATTTTTATCAAGAAAAAGGAATCATAGAAGAGAAATTTTTCAAGTTAGATA
ATATAAAAGCTAGGTGCACTACCACCACTGCTTACCATGCCACACCCCTGGTTTCCACGAGGCTGACAA
CATACTGTAATGAACAATTGTGTGTAATAATGGTAAAAGACACAGACCTCTTGACAACATTGTGATAACA
GTTGAGTGCACACAGTTTGTGTTGAATCCAATGCACAAAATTAATAAAAAATCATTAAACTATGTTT
ATTTTACTTTCA
ACGCGTAAGCGGCCGCGGCATCTAGATTGCAAGAAAATGACCGACCAAGCGACGCCCAACCTGCCATCA
CGAGATTCGATTCCACCGCCGCTTCTATGAAAGG
  
```

Restriction Sites: SgfI-MluI

OTI Disclaimer: Our molecular clone sequence data has been matched to the sequence identifier above as a point of reference. Note that the complete sequence of this clone is largely the same as the reference sequence but may contain minor differences , e.g., single nucleotide polymorphisms (SNPs).

Components: The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.

RefSeq: [NM_175768.3](#)

Summary:

Glutamate receptors are the predominant excitatory neurotransmitter receptors in the mammalian brain and are activated in a variety of normal neurophysiologic processes. This gene product belongs to the kainate family of glutamate receptors, which are composed of four subunits and function as ligand-activated ion channels. The subunit encoded by this gene is subject to RNA editing at multiple sites within the first and second transmembrane domains, which is thought to alter the structure and function of the receptor complex. Alternatively spliced transcript variants encoding different isoforms have also been described for this gene. Mutations in this gene have been associated with autosomal recessive cognitive disability. [provided by RefSeq, Jul 2008]

Locus ID:

2898

MW:

69.7