

Product datasheet for **SC216542**

PCDHGA12 (NM_003735) Human 3' UTR Clone

Product data:

Product Type:	3' UTR Clones
Product Name:	PCDHGA12 (NM_003735) Human 3' UTR Clone
Symbol:	PCDHGA12
Synonyms:	CDH21; FIB3; PCDH-GAMMA-A12
Mammalian Cell Selection:	Neomycin
Vector:	pMirTarget (PS100062)
ACCN:	NM_003735
Insert Size:	1832 bp



[View online »](#)

Insert Sequence:	>SC216542 3'UTR clone of NM_003735 The sequence shown below is from the reference sequence of NM_003735. The complete sequence of this clone may contain minor differences, such as SNPs. Blue=Stop Codon Red=Cloning site <pre> GGCAAGTTGGACGCCCGCAAGATCCGCGAGATTCTCATTAAGGCCAAGAAGGGCGGAAAGATCGCCGTG TAACAATTGGCAGAGCTCAGAATTCAACGCGATCGCC AAGAAAGTCGGGCAAGAAGGAGAAGAAAGTAAACATGGAGGCCAGGCCAAGAGCCACAGGGCGGCCTCTCCC CAACCAGCCCAGCTTCTCCTTACCTGCACCCAGGCCTCAGAGTTTCAGGGCTAACCCCCAGAATACTGG TAGGGGCCAAGGCCATGCTCCCTTGGGAAACAGAAACAAGTGCCAGTCAGCACCTACCCCTTCCCCC CCAGGGGGTTGAATATGCAAAAGCAGTTCCGCTGGGAACCCCATCCAATCAACTGCTGTACCCATGGG GGTAGTGGGGTTACTGTAGACACCAAGAACCATTGCCACACCCCGTTTGTGTACAGCTGAACCTCTCC ATCTTCCAATCAATCAGGCCCATCCATCCCATGCCTCCCTCTCCCAACCCACTCCAACAGTTCCTC TTTCCCGAGTAAGGTGGTTGGGGTGTGAAGTACCAAGTAACCTACAAGCCTCCTAGTTCTGAAAAGTT GGAAGGGCATCATGACCTCTTGGCTCTCCTTTGATTCTCAATCTTCCCCAAAGCATGGTTTGGTGCC AGCCCCCTCACCTCCTTCAGAGCCCAAGATCAATGCTCAAGTTTGGAGGACATGATCACCATCCCCA TGGTACTGATGCTTGTGGATTTAGGGAGGGCATTGTTGCTACCAAGCCTCTTCCCAACGCCTGGGGAC CAGTCTTCTGTTTTGTTTTTATTGTTTGACGTTTCCACTGCATGCCTTGACTTCCCCACCTCCTCCT CAAACAAGAGACTCCACTGCATGTTCCAAGACAGTATGGGGTGGTAAGATAAGGAAGGGAAGTGTGTGG ATGTGGATGGTGGGGGCATGGACAAAGCTTGACACATCAAGTTATCAAGGCCTTGAGGAGGCTCTGTA TGTCCTCAGGGGACTGACAACATCCTCCAGATTCCAGCCATAAACCAATAACTAGGCTGGACCCTTCCC ACTACATAATAGGGCTCAGCCCAGGCAGCCAGCTTTGGGCTGAGCTAACAGGACCAATGGATTAACTG GCATTTCAAGTCCAAGGAAGCTCGAAGCAGGTTTAGGACCAGGTCCCTTGAGAGGTCAGAGGGGCTCT GTGGGTGCTGGGTACTCCAGAGGTGCCACTGGTGGAAAGGTCAGCGGAGCCCCAGCAGGAAGGGTGGGC CAGCCAGGCCATTCTTAGTCCCTGGGTTGGGGAGGCAGGGAGCTAGGGCAGGGACCAATGAACAGAAA GTCTCAGCCCAGGATGGGGCTTCTTCAACAGGGCCCTGCCCTCCTGAAGCCTCAGTCTTCACCTTGC CAGGTGCCGTTTCTTCCGTGAAGGCCACTGCCAGGTCCCCAGTGCGCCCCCTAGTGGCCATAGCCT GGTTAAAGTTCCCCAGTGCCTCCTTGTGCATAGACCTTCTTCCCAACCCCTTCTGCCCTGGGTCCC CGGCCATCCAGCGGGGCTGCCAGAGAACCCAGACCTGCCCTTACAGTAGTGTAGCGCCCCCTCCTCT TTCGGCTGGTGTAGAATAGCCAGTAGTGTAGTGGGTGTGCTTTTACGTGATGGCGGGTGGGCAGCGGG CGGCGGGCTCCGCGCAGCCGTCTGTCCTTGATCTGCCCGCGGCGCCCGTGTGTGTTTTGTGCTGTGT CCACGCGCTAAGGCGACCCCTCCCCGTACTGACTTCTCCTATAAGCGCTTCTCTTCGCATAGTCAG TAGCTCCCAACCCACCTCTTCTGTGTCTCACGCAAGTTTTATACTCTAATATTATATGGCTTTTTT TCTTCGACAAAAAATAATAAACGTTTCTTCTGAAAA ACGCGTAAGCGGCCGCGGCATCTAGATTCAAGAAAAATGACCGACCAAGCGACGCCAACCTGCCATCA CGAGATTCGATTCCACCGCGCCTTCTATGAAAGG </pre>
Restriction Sites:	Sgfl-MluI
OTI Disclaimer:	Our molecular clone sequence data has been matched to the sequence identifier above as a point of reference. Note that the complete sequence of this clone is largely the same as the reference sequence but may contain minor differences , e.g., single nucleotide polymorphisms (SNPs).
Components:	The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.
RefSeq:	<u>NM_003735.3</u>

Summary:

This gene is a member of the protocadherin gamma gene cluster, one of three related clusters tandemly linked on chromosome five. These gene clusters have an immunoglobulin-like organization, suggesting that a novel mechanism may be involved in their regulation and expression. The gamma gene cluster includes 22 genes divided into 3 subfamilies. Subfamily A contains 12 genes, subfamily B contains 7 genes and 2 pseudogenes, and the more distantly related subfamily C contains 3 genes. The tandem array of 22 large, variable region exons are followed by a constant region, containing 3 exons shared by all genes in the cluster. Each variable region exon encodes the extracellular region, which includes 6 cadherin ectodomains and a transmembrane region. The constant region exons encode the common cytoplasmic region. These neural cadherin-like cell adhesion proteins most likely play a critical role in the establishment and function of specific cell-cell connections in the brain. Alternative splicing has been described for the gamma cluster genes. [provided by RefSeq, Jul 2008]

Locus ID:

26025

MW:

65.4