

Product datasheet for **SC216682**

Ubiquilin (UBQLN1) (NM_053067) Human 3' UTR Clone

Product data:

Product Type:	3' UTR Clones
Product Name:	Ubiquilin (UBQLN1) (NM_053067) Human 3' UTR Clone
Symbol:	Ubiquilin
Synonyms:	DA41; DSK2; PLIC-1; UBQN; XDRP1
Mammalian Cell Selection:	Neomycin
Vector:	pMirTarget (PS100062)
ACCN:	NM_053067
Insert Size:	1849 bp



[View online »](#)

Insert Sequence: >SC216682 3'UTR clone of NM_053067
 The sequence shown below is from the reference sequence of NM_053067. The complete sequence of this clone may contain minor differences, such as SNPs.
 Blue=Stop Codon Red=Cloning site

```

GGCAAGTTGGACGCCCGCAAGATCCGCGAGATTCTCATTAAAGCCAAGAAGGGCGGAAAGATCGCCGTG
TAACAATTGGCAGAGCTCAGAATTCAAGCGATCGCC
GAAAGGTTACTGGGCTCCAGCCATCATAGCAGCATTCTGTATCTTGAAAAATGTAATTTATTTTTG
ATAACGGCTCTTAACTTTAAAAACCTGCTTTATTTTCTTTTACTCTTGGAATCTGTGCTGTTATA
AACAAACCAATATGATGCATTTAAGGTGGAGTACAGTAAGATGTGTGGGTTTTCTGTATTTTTCTT
TTCTGGAACAGTGGGAATTAAGGCTACTGCATGCATCCTTCTGCATTTATTGTAATTTTTTAAAAACA
TCACCTTTTATAGTTGGGTGACCAGATTTTGCCTGCATCTGTCCAGTTTATTTGCTTTTTAAACATTA
GCCTATGGTAGTAATTTATGTAGAATAAAAGCATTAAAAAGAAGCAAATCATTGCACTCTATAATTTG
TGGTACAGTATTGCTTATTGTGACTTTGGCATGCATTTTTGCAACAATGCTGTAAGATTTATACTACT
GATAATTTTGTGTTTTATTGTATACAATATAGAGTATGCACATTTGGGACTGCATTTCTGGAACATACT
GCAATAGGCTCTCTGAGCAAAACACCTGTAACATAAAAAAGTGAAGATAAGAAAATACTCTTAAAGCTGA
GTATTTCCTAATTGTATAGAATCTTACAGCATCTTTGACAACATCTCCAGCAAAAAGTGCCGGTTAGT
CAGGTTTGTGAAAAACAGTAGAAAAGCTGATTTCTGGTTATCTCTTTAAGGACAATTAATTGTACAGA
CACATAATGTAACATTGTCTCAACATTCATTACAGATTGACTGTAAATTACCTTAATCTTTGTGCAGA
CTGAAGGAACTGTAGTATACCCCAAAGTGCATTTGCCTAGGACTTCTCAGCTTCTCCCATAGGTAGT
TTAACAGGCATTAATAATTTGTAATTGAAATGTTGCTTTCACTGAAAAAGTGTCTTGATGTTTCAGTTAT
TTTTAATCGCCATAAAAAATAGAATCTTTTGGGTTTATCTGTTTTCTCATGCACAGGCAATACAC
AAATTTAAAATGAGTTGTGAGCCAATTGTTTCTGAAGTGTGTTGGTAGTTCTATTAAGAAATAGTTAAA
TATTGTGCTTTTTCAGAGCCTCAGAGAAAGGGGACGGGGTGGGGGGTGGGGCAGCGGAATCTGTCTG
GATGGGGCCAGCTTAAATAATACTGGCAACCAAGATTCTGTTAGGATTTCTGTGCATATAGTGTAGTAA
AGAAGTATCATTAGGGGTGAAAAACAAAGAGCCGTTTTAATGATGTTGAGTACATTTGGCTGTTTTAT
AGCCTTTTTCTCCCTCCCCAAAGAATTCTGTTTGCCTAACTCCCAAAGTGTGGGGTGGTACATTCC
TTTAGGACCAATTAACATAATTGAGGGTCAGTGATACATTTGGCTGACTCTGGTTCAGTATTCTCTT
AGGTGATTATATTCTCATGTACAGTTACAGGAAATTAATGTTAAAGTAACTAAAAATGAATTCAG
ACCAATAAAATCAAGGAAATACAAGTTGATTGCATTACTCTGTATGTTGCTTGCTATTAAGAAAGTT
AAGAGGCCAGTTACCCACCAGTCTTGCATGTTCTGACTTTCCCAAGGAGGAAAACAAGTACAAA
GGTTACGGTGGAGGCATAGTAGAAGAGATTGTTAAGAAGGGTATTCATGTGCTTTGCTCTTTCTGCT
TTATGCCTCAGTTTGGTTAAAAACTTCTGTAAGCAATGGTGGTATTAGTGTGGGATAGTGTGCAT
AACTAATTTGACAATTTATTAATCATAAAATAACAATAAATCTCTAGCTTTTACA
ACGCGTAAGCGGCCGCGCATCTAGATTCGAAGAAAATGACCGACCAAGCGACGCCCAACCTGCCATCA
CGAGATTCGATTCCACCGCCGCTTCTATGAAAGG
  
```

Restriction Sites: SgfI-MluI

OTI Disclaimer: Our molecular clone sequence data has been matched to the sequence identifier above as a point of reference. Note that the complete sequence of this clone is largely the same as the reference sequence but may contain minor differences, e.g., single nucleotide polymorphisms (SNPs).

Components: The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.

RefSeq: [NM_053067.3](#)

Summary:

This gene encodes an ubiquitin-like protein (ubiquilin) that shares a high degree of similarity with related products in yeast, rat and frog. Ubiquilins contain an N-terminal ubiquitin-like domain and a C-terminal ubiquitin-associated domain. They physically associate with both proteasomes and ubiquitin ligases, and thus are thought to functionally link the ubiquitination machinery to the proteasome to affect in vivo protein degradation. This ubiquilin has also been shown to modulate accumulation of presenilin proteins, and it is found in lesions associated with Alzheimer's and Parkinson's disease. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]

Locus ID:

29979

MW:

71.1