

Product datasheet for **SC300050**

SLC12A3 (NM_000339) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	SLC12A3 (NM_000339) Human Untagged Clone
Tag:	Tag Free
Symbol:	SLC12A3
Synonyms:	NCC; NCCT; TSC
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC300050 representing NM_000339. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTGTAGTAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGCAGAACTGCCACAACAGAGACGCCTGGGGACGCCACTTTGTGCAGCGGGCGCTTCACCATCAGC
ACACTGCTGAGCAGTGATGAGCCCTCTCCACCAGCTGCCTATGACAGCAGCCACCCAGCCACCTGACC
CACAGCAGCACCTTCTGCATGCGCACCTTTGGCTACAACACGATCGATGTGGTGCCACATATGAGCAC
TATGCCAACAGCACCCAGCCTGGTGAGCCCGGAAGTCCGGCCACACTGGCTGACCTGCACTCCTTC
CTCAAGCAGGAAGGCAGACACCTGCATGCCCTGGCCTTTGACAGCCGGCCAGCCAGAGATGACTGAT
GGGCTGGTGGAGGCGAGGCAGGCACCAGCAGCGAGAAGAACCCCGAGGAGCCAGTGCCTTCGGCTGG
GTCAAGGGGGTGATGATTTCGTTGCATGCTCAACATTTGGGGCGTGATCCTCTACCTGCGGCTGCCCTGG
ATTACGGCCAGGCAGGCATCGTCTGACCTGGATCATCATCCTGCTGTGGTACCGGTGACCTCCATC
ACAGGCCCTCTCCATCTCAGCCATCTCCACCAATGGCAAGGTCAAGTCAGGTGGCACCTACTTCTCATC
TCCCGGAGTCTGGGCCAGAGCTTGGGGCTCCATCGGCCTATTTTCGCTTCGCAATGCCGTGGGT
GTGGCCATGCACACGGTGGGCTTTGAGAGACCGTGGGGACCTGCTCCAGGAGTATGGGGACCCATC
GTGGACCCATTAACGACATCCGCATCATTGGCGTGGTCTCGGTCACTGTGCTGCTGGCCATCTCCCTG
GCTGGCATGGAGTGGGAGTCCAAGGCCAGGTGCTGTTCTTCTGTGTCATCATGGTCTCCTTTGCCAAC
TATTTAGTGGGGACGCTGATCCCCCATCTGAGGACAAGGCCATCAAAGGCTTTCAGCTACCGGGCG
GACATTTTGTCCAGAACTTGGTGCTGACTGGCGGGTCCAGATGGCACCTTCTCGGAATGTTCTCC
ATCTTCTTCCCTCGGCCACAGGCATCCTGGCAGGGGCCAACATATCTGGTGACCTCAAGGACCCTGCT
ATAGCCATCCCCAAGGGGACCCTCATGGCCATTTTCTGGACGACCATTTCTACCTGGCCATCTCAGCC
ACCATTGGCTCCTGCGTGGTGCATGATGCCTCTGGGGTCTGAATGACACAGTGACCCCTGGCTGGGGT
GCCTGCGAGGGGCTGGCCTGCAGCTATGGCTGGAACCTCACCGAGTGACCCAGCAGCACAGCTGCCAC
TACGGCCTCATCAACTATTACCAGACCATGAGCATGGTGTGAGGCTTCGCGCCCTGATCACGGCTGGC
ATCTTCGGGGCCACCCTCTCCTGCTGCCCTGGCCTGCCTTGTCTGCTGCCAAAGTCTTCCAGTGCCTT
TGGCAGGACCAGCTGTACCCACTGATCGGCTTCTTCGGCAAGGCTATGGCAAGAACAAGGAGCCCGT
```



CGTGGCTACCTGCTGGCCTACGCCATCGCTGTGGCCTTCATCATCATCGCTGAGCTCAACACCATAGCC
 CCCATCATTTCCAACCTTCTCTCTGCTCCTATGCCCTCATCAACTTCAGCTGCTCCACGCCTCCATC
 ACCAACTCGCCTGGGTGGAGACCTTCATTTCCAATACTACAACAAGTGGGCGGCGCTGTTTGGGGCTATC
 ATCTCCGTGGTATCATGTTCTCTCACCTGGTGGGCGGCCCTCATCGCCATTGGCGTGGTCTCTTC
 CTCCTGCTCTATGTCATCTACAAGAAGCCAGAGGTAATTTGGGGCTCCTCGGTACAGGCTGGCTCTAC
 AACCTGGCCCTCAGCTACTCGGTGGCCCTCAATGAGGTGGAAGACCACATCAAGAACTACCGCCCCCAG
 TGCTGGTGTCTACGGGGCCCCCAACTCCGCCCGGCCCTGGTGGACTTTGTGGGCACCTTCACCCGG
 AACCTCAGCCTGATGATCTGTGGCCACGTGCTCATCGGACCCACAAGCAGAGGATGCCTGAGCTCCAG
 CTCATCGCCAACGGGCACACCAAGTGGCTGAACAAGAGGAAGATCAAGGCCTTCTACTCGGATGTCATT
 GCCGAGGACCTCCGCAGAGGCGTCCAGATCCTCATGCAGGCCGAGGTCTCGGGAGAATGAAGCCCAAC
 ATTCTGGTGGTTGGTTCAAGAAGAAGTGGCAGTGGCTCACCCGGCCACAGTGAAGACTACATTGGC
 ATCCTCCATGATGCCTTTGATTTCAACTATGGCGTGTGTGTATGAGGATGCGGGAGGGACTCAACGTG
 TCCAAGATGATGCAGGCGCACATTAACCCCGTGTGGACCCAGCGGAGGACGGGAAGGAAGCCAGCGCC
 AGAGGTGCCAGGCCATCAGTCTCTGGCGTTTGGACCCCAAGGCCCTGGTGAAGGAGGAGCAGGCCACC
 ACCATCTTCCAGTCGGAGCAGGGCAAGAAGACCATAGACATCTACTGGCTTTTGACGATGGAGGCTC
 ACCTCCTCATTCCCTATCTCCTTGGCCGAAGAGGAGGTGGAGCAAATGCAAGATCCGTGTGTTGTA
 GCGGCCAGATTAACAGGATGGACCAGGAGAGAAAGGCGATCATTTCTCTGCTGAGCAAGTTCGACTG
 GGATTCATGAAGTCCACATCCTCCCTGACATCAACCAGAACCCTCGGGCTGAGCACACCAAGAGTTT
 GAGGACATGATTGCACCTTCCGTCTGAATGATGGCTTCAAGGATGAGGCCACTGTCAACGAGATGCGG
 CGGACTGCCCTGGAAGATCTCAGATGAGGAGATTACGAAGAACAGAGTCAAGTCCCTTCGGCAGGTG
 AGGCTGAATGAGATTGTCTGGATTACTCCCGAGACGCTGCTCTCATCGTCACTTTGCCCATAGGG
 AGGAAGGGGAAGTGCACCAGCTCGTGTACATGGCCTGGCTGGAGACCCTGTCCAGGACCTCAGACCT
 CCAGTCATCCTGATCCGAGGAAACCAGGAAAACGTGCTCACCTTTTACTGCCAGTAA
 ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
 TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

- Restriction Sites:** SgfI-MluI
- ACCN:** NM_000339
- Insert Size:** 3093 bp
- OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
- OTI Annotation:** This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
- Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
- Reconstitution Method:**
1. Centrifuge at 5,000xg for 5min.
 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
 3. Close the tube and incubate for 10 minutes at room temperature.
 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
- RefSeq:** [NM_000339.2](#)

RefSeq Size:	5582 bp
RefSeq ORF:	3093 bp
Locus ID:	6559
UniProt ID:	P55017
Cytogenetics:	16q13
Protein Families:	Druggable Genome, Transmembrane
MW:	113.9 kDa
Gene Summary:	<p>This gene encodes a renal thiazide-sensitive sodium-chloride cotransporter that is important for electrolyte homeostasis. This cotransporter mediates sodium and chloride reabsorption in the distal convoluted tubule. Mutations in this gene cause Gitelman syndrome, a disease similar to Bartter's syndrome, that is characterized by hypokalemic alkalosis combined with hypomagnesemia, low urinary calcium, and increased renin activity associated with normal blood pressure. This cotransporter is the target for thiazide diuretics that are used for treating high blood pressure. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]</p> <p>Transcript Variant: This variant (1) represents the longest transcript and encodes the longest isoform (1). Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>