

Product datasheet for **SC300100**

CD35 (CR1) (NM_000573) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	CD35 (CR1) (NM_000573) Human Untagged Clone
Tag:	Tag Free
Symbol:	CR1
Synonyms:	C3BR; C4BR; CD35; KN
Mammalian Cell Selection:	Neomycin
Vector:	<u>PCMV6-Neo</u>
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>NCBI ORF sequence for NM_000573, the custom clone sequence may differ by one or more nucleotides

```

ATGGGGGCTCTTCTCCAAGAAGCCCGGAGCCTGTGCGGGCCGCCGCCGGTCTCCCC
TTCTGCTGCGGAGGATCCCTGCTGGCGGTTGTGGTGTGCTTGGCTGCCGGTGGCTGG
GGTCAATGCAATGCCCCAGAATGGCTTCCATTTGCCAGGCCTACCAACCTAACTGATGAA
TTTGAGTTTCCATTGGGACATATCTGAACTATGAATGCCGCCCTGGTTATTCGGAAGA
CCGTTTTCTATCATCTGCCTAAAAAAGTCTGACTGGACTGGTGTCTAAGGACAGGTGCAGA
CGTAAATCATGTCGTAATCCTCCAGATCCTGTGAATGGCATGGTGCATGTGATCAAAGGC
ATCCAGTTCGGATCCCAAATTAATATTCTTGTACTAAAGGATACCGACTATTGGTTCC
TCGTCTGCCACATGCATCATCTCAGGTGATACTGTCAATTTGGGATAATGAAACACCTATT
TGTGACAGAATTCCTTGTGGGCTACCCCCACCATCACCATGGAGATTTTATTAGCACC
AACAGAGAGAATTTTCACTATGGATCAGTGGTACCTACCGCTGCAATCCTGGAAGCGGA
GGGAGAAAAGGTGTTTGTGGTGTGGGCTGAGCCCTCCATATACTGCACCAGCAATGACGAT
CAAGTGGGCATCTGGAGCGGCCCGCCCTCAGTGCATTATACCTAACAAATGCACGCCT
CCAAATGTGAAAATGGAATATTGGTATCTGACAACAGAAGCTTATTTTCTTAAATGAA
GTTGTGGAGTTTGTGGTGTGAGCTGGCTTTGTGATGAAAGGACCCCGCGTGTGAAGTGC
CAGGCCCTGAACAAATGGGAGCCGGAGCTACCAAGCTGCTCCAGGGTATGTCAGCCACT
CCAGATGTCCTGCATGCTGAGCGTACCCAAAGGGACAAGGACAATTTTACCTGGGCAG
GAAGTGTCTACAGCTGTGAGCCCGGCTACGACCTCAGAGGGGCTGCGTCTATGCGCTGC
ACACCCAGGGGACTGGAGCCCTGCAGCCCCACATGTGAAGTAAAATCCTGTGATGAC
TTCATGGGCCAACTTCTTAATGGCCGTGTGCTATTTCCAGTAAATCTCCAGCTTGGAGCA
AAAGTGGATTTTGTGATGAAGATTTCAATTAAGGACAGCTCTGCTAGTACTGT
GTCTTGGCTGGAATGAAAGCCTTTGGAATAGCAGTGTCCAGTGTGTAACAAATCTTT
TGTCCAAGTCTCCAGTATTCTAATGGGAGACACAGGAAAACCTCTGGAAGTCTTT
CCCTTTGGGAAAACAGTAAATTACACATGCGACCCCAACCCAGACAGAGGGACGAGCTTC
GACCTCATTGGAGAGAGCACCATCCGCTGCACAAGTACCCTCAAGGGAATGGGGTTTGG
AGCAGCCCTGCCCTCGCTGTGGAATTCTGGGTCAGTGTCAAGCCCCAGATCATTTTCTG

```



[View online »](#)

TTTGCCAAGTTGAAAACCCAAACCAATGCATCTGACTTTCCATTGGGACATCTTTAAAG
TACGAATGCCGTCCTGAGTACTACGGGAGGCCATTCTCTATCACATGTCTAGATAACCTG
GTCTGGTCAAGTCCCAAAGATGTCTGTAACGTAATCATGTAAAACCTCCAGATCCA
GTGAATGGCATGGTGCATGTGATCACAGACATCCAGGTTGGATCCAGAATCAACTATTCT
TGTAACAGGGCACCAGCTCATTGGTCACTCATCTGCTGAATGTATCCTCTCGGGCAAT
GCTGCCAATTGGAGCACGAAGCCGCCAATTTGTCAACGAATTCCTTGTGGGCTACCCCC
ACCATCGCCAATGGAGATTTTCATTAGCACCAACAGAGAGAATTTCACTATGGATCAGTG
GTGACCTACCGCTGCAATCCTGGAAGCGGAGGGAGAAAGGTGTTTGAGCTTGTGGGTGAG
CCCTCCATATACTGCACCAGCAATGACGATCAAGTGGGCATCTGGAGCGGCCCGGCCCT
CAGTGCATTATACCTAACAAATGCACGCCTCCAAATGTGGAAAATGGAATATTGGTATCT
GACAACAGAAGCTATTTTCTTAAATGAAGTTGTGGAGTTTAGGTGTCAGCCTGGCTTT
GTCATGAAAGGACCCCGCGTGTGAAGTCCAGGCCCTGAACAAATGGGAGCCGGAGCTA
CCAAGCTGCTCCAGGATGTGACCCACCTCCAGATGCTCTGCATGCTGAGCGTACCCAA
AGGGACAAGGACAACCTTTACCCGGGCAGGAAGTGTCTACAGCTGTGAGCCCGGCTAT
GACCTCAGAGGGGCTGCGTCTATGCGCTGCACACCCAGGGAGACTGGAGCCCTGCAGCC
CCACATGTGAAGTGAATCCTGTGATGACTTCATGGGCCAATCTTAAATGGCCGTGTG
CTATTTCCAGTAAATCTCCAGCTTGGAGCAAAAGTGGATTTTGTGGTGTGATGAAGGATT
CAATTAAGGAGCTCTGCTAGTATTGTGTCTTGGCTGGAATGGAAAGCCTTTGGAAAT
AGCAGTGTTCAGTGTGTGAACAAATCTTTGTCCAAGTCTCCAGTATTTCCTAATGGG
AGACACACAGGAAAACCTCTGGAAGTCTTTCCCTTTGGAAAAGCAGTAAATTACACATGC
GACCCCAACCCAGACAGAGGGACGAGCTTCGACCTCATTGGAGAGACCCATCCGCTGC
ACAAGTGACCTCAAGGGAATGGGGTTTGGAGCAGCCCTGCCCTCGCTGTGGAATCTG
GGTCACTGTCAAGCCCCAGATCTTTCTGTTTGGCAAGTTGAAAACCCAAACCAATGCA
TCTGACTTTCCCAATTGGGACATCTTTAAAGTACGAATGCCGTCCCTGAGTACTACGGGAGG
CCATTCTCTATCACATGTCTAGATAACCTGGTCTGGTCAAGTCCCAAAGATGTCTGTAAA
CGTAAATCATGTAAAACCTCCAGATCCAGTGAATGGCATGGTGCATGTGATCACAGAC
ATCCAGGTTGGATCCAGAATCAACTATTCTTGTACTACAGGGCACCGACTCATTGGTAC
TCATCTGCTGAATGTATCCTCTCAGGCAATACTGCCCATTTGGAGCAGAAAGCCCAATT
TGTCACGAATTCCTTGTGGGCTACCCCAACCATCGCCAATGGAGATTTCAATAGCACC
AACAGAGAGAATTTCACTATGGATCAGTGGTACCTACCGCTGCAATCTTGAAGCAGA
GGGAGAAAGGTGTTTGTGCTTGTGGGTGAGCCCTCCATATACTGCACCAGCAATGACGAT
CAAGTGGGCATCTGGAGCGGCCCGCCCTCAGTGCATTATACCTAACAAATGCACGCCT
CCAAATGTGGAAAATGGAATATTGGTATCTGACAACAGAAGCTTATTTTCTTAAATGAA
GTTGTGGAGTTTAGGTGTGAGCCTGGCTTTGTCATGAAAGGACCCCGCGTGTGAAGTGC
CAGGCCCTGAACAAATGGGAGCCAGAGTTACCAAGCTGCTCCAGGGTGTGTGAGCCGCT
CCAGAAATCCTGCATGGTGAATACCCCAAGCCATCAGGACAACCTTTACCTGGGCGAG
GAAGTGTCTACAGCTGTGAGCCTGGCTATGACCTCAGAGGGGCTGCGTCTCTGCACTGC
ACACCCAGGGGAGACTGGAGCCCTGAAGCCCGAGATGTGCAGTGAATCCTGTGATGAC
TTCTTGGGTCAACTCCCTCATGGCCGTGTGCTATTTCCACTTAACTCCAGCTTGGGGCA
AAGGTGTCTTTGTCTGTGATGAAGGGTTTCGCTTAAAGGGCAGTTCCGTTAGTCATTGT
GTCTTGGTTGGAATGAGAAGCCTTTGGAATAACAGTGTTCTGTGTGAACATATCTTT
TGTCCAAATCCTCCAGCTATCCTTAAATGGGAGACACAGGAACTCCCTCTGGAGATATT
CCCTATGGAAAAGAAATATCTTACACATGTGACCCCAACCCAGACAGAGGGATGACCTTC
AACCTCATTGGGAGAGCACCATCCGCTGCACAAGTGACCCTCATGGGAATGGGGTTTGG
AGCAGCCCTGCCCTCGCTGTGAACTTTCTGTTCTGTGCTGGTCACTGTAAAACCCAGAG
CAGTTTCCATTTGCCAGTCTACGATCCCAATTAATGACTTTGAGTTTCCAGTCCGGACA
TCTTTGAATTATGAATGCCGTCTGGGTATTTTGGGAAAATGTTCTCTATCTCCTGCCTA
GAAAACCTTGGTCTGGTCAAGTGTGAAGACAACCTGAGAGGAAAATCATGTGGACCTCCA
CCAGAACCCTTCAATGGAATGGTGCATATAAACACAGATACACAGTTTGGATCAACAGTT
AATTATTCTTGAATGAAGGGTTTTCGACTCATTGGTTCCCATCTACTACTTGTCTCGTC
TCAGGCAATAATGTCACATGGGATAAGAAGGCACCTATTTGTGAGATCATATCTTGTGAG
CCACCTCAACCATATCCAATGGAGACTTCTACAGCAACAATAGAACATCTTTTCAAT

```

GGAACGGTGGTAACTTACCAGTGCCACACTGGACCAGATGGAGAACAGCTGTTTGAGCTT
GTGGGAGAACGGTCAATATATTGCACCAGCAAAGATGATCAAGTTGGTGTGGAGCAGC
CCTCCCCCTCGGTGTATTCTACTAATAAATGCACAGCTCCAGAAGTTGAAAATGCAATT
AGAGTACCAGGAAACAGGAGTTTCTTTACCCTCACTGAGATCATCAGATTTAGATGTCAG
CCCGGGTTTGTTCATGGTAGGGTCCCACACTGTGCAGTGCCAGACCAATGGCAGATGGGGG
CCCAAGCTGCCACACTGCTCCAGGGTGTGCAGCCGCCTCCAGAAATCCTGCATGGTGAG
CATACCCTAAGCCATCAGGACAACTTTTACCTGGGCAGGAAGTTCTACAGCTGTGAG
CCAGCTATGACCTCAGAGGGGCTGCGTCTCTGCACTGCACGCCCCAGGGAGACTGGAGC
CCTGAAGCCCCTAGATGTACAGTGAAATCCTGTGATGACTTCTGGGCCAACTCCCTCAT
GGCCGTGTGCTACTTCCACTTAATCTCCAGCTTGGGGCAAAGGTGCTTTGTTTGCGAT
GAAGGGTTCGATTAAAAGGCAGGTCTGCTAGTCATTGTGTCTTGGCTGGAATGAAAGCC
CTTTGGAATAGCAGTGTCCAGTGTGTGAACAAATCTTTTGTCCAAATCCTCCAGCTATC
CTTAATGGGAGACACACAGGAATCCCTTTGGAGATATCCCTATGGAAAAGAAATATCT
TACGCATGCGACACCCACCCAGACAGGGATGACCTTCAACCTCATTGGGGAGAGCTCC
ATCCGCTGCACAAGTACCCCTCAAGGGAATGGGGTTTGGAGCAGCCCTGCCCTCGTGT
GAACCTTCTGTTCTGCTGCCTGCCACATCCACCCAAGATCCAAAACGGGCATTACATT
GGAGGACACGTATCTCTATATCTTCTGGGATGACAATCAGCTACATTTGTGACCCCGGC
TACCTGTAGTGGGAAAGGGCTTCATTTTCTGTACAGACCAGGGAATCTGGAGCCAATTG
GATCATTATTGCAAAGAAGTAAATTGTAGCTTCCCCTGTTTATGAATGGAATCTCGAAG
GAGTTAGAAATGAAAAAGTATACACTATGGAGATTATGTGACTTTGAAGTGTGAAGAT
GGGTATACTCTGGAAGGCAGTCCCTGGAGCCAGTGCCAGGCGGATGACAGATGGGACCCT
CCTCTGGCCAAATGTACCTCTCGTACACATGATGCTCTCATAGTTGGCACTTTATCTGGT
ACGATCTTCTTTATTTTACTCATCATTTCCTCTCTGGATAATTCTAAAGCACAGAAAA
GGCAATAATGCACATGAAAACCCTAAAGAAGTGGCTATCCATTTACATTCTCAAGGAGGC
AGCAGCGTTCATCCCGAACTCTGCAAACAAATGAAGAAAATAGCAGGGTCTTCTCTTGA
    
```

Restriction Sites:

Please inquire

ACCN:

NM_000573

OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:

This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_000573.2](#), [NP_000564.1](#)

RefSeq Size: 7465 bp

RefSeq ORF: 6120 bp

Locus ID: 1378

UniProt ID: [P17927](#)

Cytogenetics: 1q32.2

Protein Families: Druggable Genome, Transmembrane

Protein Pathways: Complement and coagulation cascades, Hematopoietic cell lineage

Gene Summary: This gene is a member of the receptors of complement activation (RCA) family and is located in the 'cluster RCA' region of chromosome 1. The genome is polymorphic at this locus with allele-specific splice variants encoding different isoforms, based on the presence/absence of long homologous repeats (LHRs). The gene encodes a monomeric single-pass type I membrane glycoprotein found on erythrocytes, leukocytes, glomerular podocytes, and splenic follicular dendritic cells. The Knops blood group system is a system of antigens located on this protein. The protein mediates cellular binding to particles and immune complexes that have activated complement. Decreases in expression of this protein and/or mutations in this gene have been associated with gallbladder carcinomas, mesangiocapillary glomerulonephritis, systemic lupus erythematosus, sarcoidosis and Alzheimer's disease. Mutations in this gene have also been associated with a reduction in Plasmodium falciparum rosetting, conferring protection against severe malaria. [provided by RefSeq, May 2020]
Transcript Variant: This variant (F, also referred to as A) is the most common transcript. It lacks several alternate exons, compared to variant S, but maintains the reading frame. The resulting protein (F, also referred to as isoform CR1-A or CR1*1) is shorter than isoform S.