

Product datasheet for **SC300906**

MAGED1 (NM_001005333) Human Untagged Clone

Product data:

| | |
|---------------------------|--|
| Product Type: | Expression Plasmids |
| Product Name: | MAGED1 (NM_001005333) Human Untagged Clone |
| Tag: | Tag Free |
| Symbol: | MAGED1 |
| Synonyms: | DLXIN-1; NRAGE |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-Entry (PS100001) |
| E. coli Selection: | Kanamycin (25 ug/mL) |




[View online »](#)

Fully Sequenced ORF: >SC300906 representing NM_001005333.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCACGATCGCC
ATGGCTCAGAAAAATGGACTGTGGTGC GGCCCTCGGCTTCCAGAATCCTGACGCTTGTAGAGCAGTC
TGTACCCCTCCCCAGCCTCCTGCCCTCCACCCTCCCTTTTCTGCATTCCCCACTCTGTGCGACCCC
CCTTATTCTCAACTCCCGGATCCCGCTGCCGCTGAGCTGCTACTGCACGCCTCTGGAGCGTCCCG
GCTCCTGTGAGGCCTCCGTAGAAGACAGCGCCTTGCTTATGCAGACCTTGATGGAGGCCATCCAGATC
TCAGAGGCTCCACCTACTAACAGGCCACCGCAGCTGCTAGTCCCAGAGTTACAGCCCCAACTGCC
AATGAGATGGCTGACATTCAGGTTTCAGCAGCTGCCGCTAGGCCCTAAGTCAGCCTTTAAAGTCCAGAAT
GCCACCACAAAAGGCCAAATGGTGTCTATGATTTCTCTCAGGCTCATAATGCCAAGGATGTGCCAAC
ACGCAGCCCAAGGCAGCCTTTAAGTCCCAAATGCTACCCCAAAGGTCCAAATGCTGCCTATGATTTT
TCCAGGCAGCAACCACTGGTGAGTTAGCTGCTAACAGTCTGAGATGGCCTTCAAGGCCCAGAATGCC
ACTACTAAGTGGGCCAAATGCCACCTACAATTTCTCTCAGTCTCTCAATGCCAATGACCTGGCCAAC
AGCAGGCCTAAGACCCCTTTCAAGGCTTGAATGATACCACTAAGGCCCAACAGCTGATACCCAGACC
CAGAATGTAAATCAGGCCAAATGGCCACTTCCAGGCTGACATAGAGACCGACCCAGGTATCTCTGAA
CCTGACGGTGCAACTGCACAGACATCAGCAGATGGTTCAGGCTCAGAACTGGAGTCCCGGACAATA
ATTCGGGGCAAGAGGACCCGCAAGATTAATAACTTGAATGTTGAAGAGAACAGCAGTGGGGATCAGAGG
CGGGCCCCACTGGCTGCAGGGACCTGGAGGTCTGCACCAGTTCAGTGACCACTCAGAACCCACCTGGC
GCACCCCAATGTGCTCTGGCAGACGCCATTGGCTTGGCAGAACCCCTCAGGCTGGCAAACAGACA
GCCAGGCAGACCCACAGCAGTCCAGGCCCTCCAGCTAGGCAGACCCACAGCCTGGCAGAACCCA
CTCGCTTGGCAGAACCCAGTGAATTTGGCCAAACCCAGTAATCTGGCAGAACCCAGTGATCTGGCCAAC
CCATTGTCTGGCCCGCCCTGTTGTCTGGCCGAATCCACTGGCCTGGCAGAATCCACTGGATGGCAG
ACTCCACCTGGATGGCAGACCCACCGGCTGGCAGGCTCCTCCAGACTGGCAAGTCTCCTGACTGG
CCGCTACCACCCGACTGGCCACTGCCACCTGATTGGCCACTTCCACTGACTGGCCACTACCACCTGAC
TGGATCCCGCTGATTGGCCAATCCACCTGACTGGCAGAACCTGCGCCCTCGCCTAACCTGCGCCCT
TCTCCAACCTCGCGTGCCTCACAGAACCCAGGTGCTGCACAGCCCGAGATGTGGCCCTTCTTCAGGAA
AGAGCAAATAAGTTGGTCAAGTACTTGATGCTTAAGGACTACACAAGGTGCCATCAAGCGCTCAGAA
ATGCTGAGAGATATCATCCGTGAATACACTGATGTTTATCCAGAAATCATTGAACGTGCATGCTTTGTC
CTAGAGAAGAAATTTGGGATTCAACTGAAAGAAATGACAAAGAAGAACCTGTATATTCTCATCAGT
ACCCCGAGTCCCTGGCTGGCATACTGGGAACGACCAAGACACACCCAAAGCTCGGTCTCCTCTGGTG
ATTCTGGGTGCATCTTCATGAATGGCAACCGTGCCAGTGAGGCTGTCTCTGGGAGGCACTACGCAAG
ATGGGACTGCGTCTGGGGTGAGACATCCCTCCTGGAGATCTAAGGAACTTCTCACCTATGAGTTT
GTAAAGCAGAAATACCTGGACTACAGACGAGTGCCCAACAGCAACCCCGGAGTATGAGTTCCTCTGG
GGCCTCGTTCCTACCATGAGACTAGCAAGATGAAAGTGTGAGATTCAATGCAGAGGTTGAGAAAAGA
GACCCCTCGTACTGGACTGCACAGTTCATGGAGGCTGCAGATGAGGCCTTGGATGCTCTGGATGCTGCT
GCAGCTGAGGCCGAAGCCCGGCTGAAGCAAGAACCCGCATGGGAATTGGAGATGAGGCTGTGCTGGG
CCCTGGAGCTGGGATGACATTGAGTTTGGCTGCTGACCTGGGATGAGGAAGGAGATTTGGAGATCCC
TGGTCCAGAAATTCATTTACCTTCTGGCCAGATACCACCAGAATGCCCGCTCCAGATTCCTCAGACC
TTTGCCGTCCATTATTGGTCTGCTGGTACAGCCAGTGCCAACTTCGCTGCCAACTTTGGTGCCATT
GGTTTCTCTGGGTTGAGTGA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites: SgfI-MluI

Plasmid Map:


ACCN: NM_001005333

Insert Size: 2505 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001005333.1](#)

RefSeq Size: 2928 bp

RefSeq ORF: 2505 bp

Locus ID: 9500

UniProt ID: [Q9Y5V3](#)

Cytogenetics: Xp11.22

Protein Families: Druggable Genome

Protein Pathways: Neurotrophin signaling pathway

MW: 92 kDa

Gene Summary: This gene is a member of the melanoma antigen gene (MAGE) family. Most of the genes of this family encode tumor specific antigens that are not expressed in normal adult tissues except testis. Although the protein encoded by this gene shares strong homology with members of the MAGE family, it is expressed in almost all normal adult tissues. This gene has been demonstrated to be involved in the p75 neurotrophin receptor mediated programmed cell death pathway. Three transcript variants encoding two different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]
Transcript Variant: This variant (1) represents the longest transcript and encodes the longer isoform (a).