

## Product datasheet for SC300965

### OR5H6 (NM\_001005479) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	OR5H6 (NM_001005479) Human Untagged Clone
Tag:	Tag Free
Symbol:	OR5H6
Synonyms:	OR3-11
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC300965 representing NM_001005479. Blue=Insert sequence Red=Cloning site Green=Tag(s)

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGAATTCGTCGACTG  
 GATCCGGTACCGAGGAGATCTGCCGCC**CGCATCGCC**  
 ATGTTCTTTACCTTTGCTTCATTTTTCAGAGGACATGCAGTGAGGAGATGGAAGAGGAAAATGCAACA  
 TTGCTGACAGAGTTTGTCTCACAGGATTTTACATCAACCTGACTGTAAATACCGCTCTTCTGGCA  
 TTCTTGTAATATATCTCATCACCATCATGGGAATCTTGGTCTAATTGTTCTCATCTGGAAGACCCT  
 CACCTTCATATCCCAATGTACTTATTCCTGGGAGTTTAGCCTTTGTGGATGCTTCGTTATCATCCACA  
 GTGACTCCGAAGATGCTGATCAACTTCTAGCTAAGAGTAAGATGATATCTCTCTGAATGCATGGTA  
 CAATTTTTTCCCTTGTAACCACTGTAACCACAGAATGTTTTCTCTTGGCAACAATGGCATATGATCGC  
 TATGTAGCCATTTGCAAAGCTTTACTTTATCCAGTCATTATGACCAATGAATATGCATTAGCTATTA  
 GTCTTGTCATTTATAGGTGGCCTTCTTCATGCTTTAATCCATGAAGCTTTTTTCATTAGATTAACTTC  
 TGTAATCCAACATAATACAACACTTTTACTGTGACATTATCCCATTTGTTAAAGATTTTCTGTACTGAT  
 TCCTCTATTAACCTTTCTAATGGTTTTATTTTCGAGGTTCTGTTCAAGTTTTTACCATTGGAACCTATT  
 CTTATATCTTATACAATTATCCTCTTTACAATCTTAGAAAAGAAGTCTATCAAAGGGATACGAAAAGCT  
 GTCTCCACCTGTGGGCTCATCTCTTATCTGTATCTTTATACTATGGCCCCCTCACCTTCAAATATCTG  
 GGCTCTGCATCTCCGCAAGCAGATGACCAAGATATGATGGAGTCTCTATTTTAACTGTCTATGTTTCTT  
 TTATTAATCCCATGATCTACAGCCTGAGAAACAAGCAAGTAATAGCTTCATTACAAAAATGTTCAAA  
 AGCAATGTT**AG**  
**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGAT  
 TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

Restriction Sites:	SgfI-MluI
ACCN:	NM_001005479
Insert Size:	978 bp


[View online »](#)

<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>OTI Annotation:</b>	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<u><a href="#">NM_001005479.1</a></u>
<b>RefSeq Size:</b>	978 bp
<b>RefSeq ORF:</b>	978 bp
<b>Locus ID:</b>	79295
<b>UniProt ID:</b>	<u><a href="#">Q8NGV6</a></u>
<b>Cytogenetics:</b>	3q11.2
<b>Protein Families:</b>	Transmembrane
<b>Protein Pathways:</b>	Olfactory transduction
<b>MW:</b>	36.7 kDa
<b>Gene Summary:</b>	Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. This olfactory receptor gene is a segregating pseudogene, where some individuals have an allele that encodes a functional olfactory receptor, while other individuals have an allele encoding a protein that is predicted to be non-functional. [provided by RefSeq, Jul 2015]