

Product datasheet for **SC301126**

EPHA8 (NM_001006943) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	EPHA8 (NM_001006943) Human Untagged Clone
Tag:	Tag Free
Symbol:	EPHA8
Synonyms:	EEK; EK3; HEK3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)


Fully Sequenced ORF: >SC301126 representing NM_001006943.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGCCCCCGCCGGGGCCGCTGCCCCCTGCGCTCTGGTCTGACGGCCGGCGGGCGGCCACC
TGCGTGTCCGCGCGCGCGGAAGTGAATTTGCTGGACAGTCGACCATCCACGGGACTGGGGCTGG
CTCACGTATCCGGCTCATGGGTGGGACTCCATCAACGAGGTGGACGAGTCCTTCCAGCCATCCACAG
TACCAGTTTGC AACGTCATGAGCCCAACCAGAACAACCTGGCTGCGCAGAGCTGGTCCCCCGAGAC
GGCGCCCGGCGCTCTATGCTGAGATCAAGTTTACCCTGCGGACTGCAACAGCATGCCTGGTGTCTG
GGCACCTGCAAGGAGACCTTCAACCTCTACTACCTGGAGTCGGACCGGACCTGGGGCCAGCACAAA
GAAAGCCAGTTTCTCAAATCGACACATTGCGGCCGACGAGAGCTTACAGGTGCCGACCTTGGTGTG
CGGCGTCTCAAGCTCAACACGGAGGTGCGCAGTGTGGTCCCCTCAGCAAGCGCGCTTCTACCTGGCC
TTCCAGGACATAGGTGCCTGCCTGGCCATCTCTCTCCGCATCTACTATAAGAAGTGCCTGCCATG
GTGCGCAATCTGGCTGCCTTCTCGGAGGACGTGACGGGGCCGACTCGTCTCACTGGTGGAGGTGAGG
GGCCAGTGCCTGCGGCACCTCAGAGGAGCGGACACACCAAGATGTAAGTGCAGCGCGGAGGGCGAGTGG
CTCGTGCCCATCGGCAAAATGCGTGTGACGTGCCGGCTACGAGGAGCGGGGGATGCCTGTGTGGCCTGT
GAGCTGGGCTTCTACAAGTCAGCCCTGGGGACCAGCTGTGTGCCCGTGCCTCCCCACAGCCACTCC
GCAGCTCCAGCCGCCAAGCCTGCCACTGTGACCTCAGTACTACCGTGCAGCCCTGGACCCGCCGTCC
TCAGCCTGCACCCGGCCACCCTCGGCACCAAGTGAACCTGATCTCCAGTGTGAATGGGACATCAGTGACT
CTGGAGTGGGCCCTCCCTGGACCCAGGTGGCCGAGTGACATCACCTACAATGCCGTGTGCCCGCCG
TGCCCTGGGCACTGAGCCGCTGCGAGGCATGTGGGAGCGGCACCCGCTTGTGCCCCAGCAGACAAGC
CTGGTGCAGGCCAGCCTGCTGGTGGCCAACTGCTGCCACATGAACTACTCCTTCTGGATCGAGGCC
GTCAATGGCGTGTCCGACCTGAGCCCCGAGCCCCGCGGGCCGCTGTGGTCAACATCACCACGAACCAG
GCAGGTAGGCGGAGAACTCCGTCCCGCAGCGTCTGGTCCCCCAGCTTCCCCTGCCTCAGACCCATCC
AGGGATCAGAGCTCTGCCGGGACGTGCTGTGGCCCTTAGGCAAGTGCCTCTCTGGCCCTGCGCTCCT
CACCAGGACCCAGAGCTGGAGGCTCTTCATTGCCTTAG
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites: SgfI-MluI

Plasmid Map:



ACCN: NM_001006943

Insert Size:	1488 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001006943.1
RefSeq Size:	1866 bp
RefSeq ORF:	1488 bp
Locus ID:	2046
UniProt ID:	P29322
Cytogenetics:	1p36.12
Protein Families:	Druggable Genome, Protein Kinase, Transmembrane
Protein Pathways:	Axon guidance
MW:	53.9 kDa

Gene Summary:

This gene encodes a member of the ephrin receptor subfamily of the protein-tyrosine kinase family. EPH and EPH-related receptors have been implicated in mediating developmental events, particularly in the nervous system. Receptors in the EPH subfamily typically have a single kinase domain and an extracellular region containing a Cys-rich domain and 2 fibronectin type III repeats. The ephrin receptors are divided into 2 groups based on the similarity of their extracellular domain sequences and their affinities for binding ephrin-A and ephrin-B ligands. The protein encoded by this gene functions as a receptor for ephrin A2, A3 and A5 and plays a role in short-range contact-mediated axonal guidance during development of the mammalian nervous system. [provided by RefSeq, Jul 2008]

Transcript Variant: This variant (2) uses an alternate splice site in the 3' coding region, compared to variant 1, that results in a frameshift. It encodes isoform 2, which has a shorter and distinct C-terminus compared to isoform 1. This transcript is supported by mRNA transcripts but the predicted ORF and its predicted precursor sequence have not yet been experimentally confirmed.