

Product datasheet for SC301643

Shugoshin (SGO1) (NM_001012411) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Shugoshin (SGO1) (NM_001012411) Human Untagged Clone
Tag:	Tag Free
Symbol:	SGO1
Synonyms:	CAID; NY-BR-85; SGO; SGOL1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC301643 representing NM_001012411. Blue=Insert sequence Red=Cloning site Green=Tag(s)


```
GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGATCGCC
ATGGCCAAGGAAAGATGCCTGAAAAAGTCCTTTCAAGATAGTCTTGAAGACATAAAGAAGCGAATGAAA
GAGAAAAGGAATAAAACTTGGCAGAGATTGGCAAACGCAGGTCTTTATAGCTGCACCATGCCAAATA
ATCACCACACTTCTACTGCTGAAAAATTACCAAGACAACAACAAAATGTTAGTTTTAGCTTTGGAA
AATGAAAATCCAAAGTGAAAGAAGCCCAAGATATCATCCTACAGCTGAGAAAAGAAATGTTACTATCTC
ACATGTCAGCTATATGCATTGAAAGGAAAACCTACATCACAACAACAGTAGAACCTGCTCAGAACCAG
GAAATATGTTCTCTGGAATGGACCCCAATAGTGATGACAGCTCCAGAAATTTATTTGTGAAGGATTTA
CCGCAAAATTCCTCTTGAAGAACTGAACTTCCAGGACAAGGAGAATCATTTCAAATAGAAGATCAGATA
CCTACTATTCTCAAGACACACTGGGAGTTGATTTTGATTGAGCTACACCACCTGAAACTCAGCAGTCA
CCTCATCTTAGCCTGAAGGATATACCAATGTCTCCTTGTATCCTGTTGTGAAAATCAGAAGACTTTCT
CTTTCTCCAAAAAAGAATAAAGCAAGCCAGCAGTGGCTCTGCCTAAACGTAGGTGCACAGCCAGCGTG
AACTATAAGGAGCCACCTCGCTTCGAAACTGAGAAGAGGGGACCCTTTTACAGATTTGTGTTTTTG
AATTCTCCTATTTCAAGCAGAAAAAGGATTTGAGACGTTCTAAAAAAGTATGAAACAAATACATGA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGCGC
```

Restriction Sites: SgfI-MluI



[View online »](#)

Plasmid Map:


ACCN: NM_001012411

Insert Size: 828 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001012411.3](#)

RefSeq Size: 2248 bp

RefSeq ORF: 828 bp

Locus ID: 151648

UniProt ID: [Q5FBB7](#)

Cytogenetics: 3p24.3

Protein Pathways: Oocyte meiosis

MW: 31.3 kDa

Gene Summary: The protein encoded by this gene is a member of the shugoshin family of proteins. This protein is thought to protect centromeric cohesin from cleavage during mitotic prophase by preventing phosphorylation of a cohesin subunit. Reduced expression of this gene leads to the premature loss of centromeric cohesion, mis-segregation of sister chromatids, and mitotic arrest. Evidence suggests that this protein also protects a small subset of cohesin found along the length of the chromosome arms during mitotic prophase. An isoform lacking exon 6 has been shown to play a role in the cohesion of centrioles (PMID: 16582621 and PMID:18331714). Mutations in this gene have been associated with Chronic Atrial and Intestinal Dysrhythmia (CAID) syndrome, characterized by the co-occurrence of Sick Sinus Syndrome (SSS) and Chronic Intestinal Pseudo-obstruction (CIPO) within the first four decades of life (PMID:25282101). Fibroblast cells from CAID patients exhibited both increased cell proliferation and higher rates of senescence. Pseudogenes of this gene have been found on chromosomes 1 and 7. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Mar 2015]

Transcript Variant: This variant (Sgo1C, PMID:15737064; also known as B1) differs in its 5' UTR and uses an alternate in-frame splice site in its central coding region compared to variant 1. It encodes isoform 1CD which is shorter and has a distinct internal amino acid, compared to isoform 1. Both variants Sgo1C and Sgo1D encode the same isoform (1CD).