

Product datasheet for SC301735

Kallikrein 6 (KLK6) (NM_001012965) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Kallikrein 6 (KLK6) (NM_001012965) Human Untagged Clone
Tag:	Tag Free
Symbol:	KLK6
Synonyms:	Bssp; hK6; Klk7; PRSS9; PRSS18; SP59
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC301735 representing NM_001012965. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTAGTGAACCGTCAGAATTTTGTAAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGCTGTTGCGCCTGGCAGCCCCAGCCAACTCTCTGAACTCATCCAGCCCTTCCCCTGGAGAGGGAC
TGCTCAGCCAACACCACCAGCTGCCACATCCTGGGCTGGGGCAAGACAGCAGATGGTGATTTCCCTGAC
ACCATCCAGTGTGCATACATCCACCTGGTGTCCCCTGAGGAGTGTGAGCATGCCTACCCTGGCCAGATC
ACCCAGAACATGTTGTGTGCTGGGGATGAGAAGTACGGGAAGGATTCCTGCCAGGTGATTCGGGGGT
CCGCTGGTATGTGGAGACCACCTCCGAGGCCTTGTGTCATGGGGTAACATCCCCTGTGGATCAAAGGAG
AAGCCAGGAGTCTACACCAACGCTCTGCAGATACACGAAGTGGATCCAAAAACCATTAGGCCAAGTGA


ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```

Restriction Sites: Sgfl-Mlul



[View online »](#)

Plasmid Map:



ACCN:	NM_001012965
Insert Size:	414 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001012965.2](#)

RefSeq Size: 1676 bp

RefSeq ORF: 414 bp

Locus ID: 5653

UniProt ID: [Q92876](#)

Cytogenetics: 19q13.41

Protein Families: Druggable Genome, Protease, Secreted Protein

MW: 15.1 kDa

Gene Summary: This gene encodes a member of the kallikrein subfamily of the peptidase S1 family of serine proteases. Growing evidence suggests that many kallikreins are implicated in carcinogenesis and some have potential as novel cancer and other disease biomarkers. The encoded preproprotein is proteolytically processed to generate the mature protease. Expression of this protease is regulated by steroid hormones and may be elevated in multiple human cancers and in serum from psoriasis patients. The encoded protease may participate in the cleavage of amyloid precursor protein and alpha-synuclein, thus implicating this protease in Alzheimer's and Parkinson's disease, respectively. This gene is located in a gene cluster on chromosome 19. Alternative splicing results in multiple transcript variants, at least one of which encodes an isoform that is proteolytically processed. [provided by RefSeq, Feb 2016]
Transcript Variant: This variant (C, also known as 2) differs in the 5' UTR, lacks a portion of the 5' coding region and uses a downstream translation start site compared to variant A. The resulting isoform (B) has a shorter N-terminus compared to isoform A. Variants C-E encode the same isoform (B).