

Product datasheet for **SC301961**

PAK4 (NM_001014831) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PAK4 (NM_001014831) Human Untagged Clone
Tag:	Tag Free
Symbol:	PAK4
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)




[View online »](#)

Fully Sequenced ORF: >SC301961 representing NM_001014831.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGGATCGCC
ATGTTTGGGAAGAGGAAGAAGCGGGTGGAGATCTCCGCGCCGTCCTCAACTTCGAGCACCCGCTGCACAG
GGCTTCGACCAGCAGCAGCAGAAGTTCACGGGGCTGCCCGCCAGTGGCAGAGCCTGATCGAGGAGTCG
GCTCGCCGGCCCAAGCCCTCGTCGACCCCGCCTGCATCACCTCCATCCAGCCCGGGGCCCAAGACC
ATCGTGGCGGGCAGCAAAGGTGCCAAAGATGGGGCCCTCACGCTGCTGCTGGACGAGTTTGAACAATG
TCGGTGACACGCTCCAACCTCCCTGCGGAGAGACAGCCCGCCGCCCGCCCGTCCCGCCAGGAAAAT
GGGATGCCAGAGGAGCCGGCCACCACGGCCAGAGGGGGCCAGGGAAGGCAGGCAGCCGAGGCGGTTC
GCCGGTACAGCGAGGCGGGTGGCGGCAGTGGTGACAGGCGACGGGCGGGCCAGAGAAGAGGCCCAAG
TCTTCCAGGGAGGGCTCAGGGGGTCCCCAGGAGTCTCCCGGGACAAACGCCCTCTCCGGCCTGAT
GTGGCACCCCCAGCCTGCTGGTCTGGCCAGTGGGGCGAACTGGCAGCTGGCCGGCCCTTAAACACC
TACCCGAGGGCTGACACGGACCACCCATCCCGGGTGGCCAGGGGAGCCTCATGAGCTGGCCCTAAC
GGCCATCAGCGGGGGCTGGCCATCCCCAGTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCT
CGAGGTGCCCCAGCCCTGGAGTCTGGGACCCACGCCTCAGAGCCCCAGCTGGCCCTCCAGCCTGC
ACCCCCGCGCCCTGCTGTTCCCTGGGCCCCCTGGCCCCGCTCACACAGCGGGAGCCACAGCGAGTA
TCCCATGAGCAGTTCCGGGCTGCCCTGCAGCTGGTGGTGGACCCAGGCGACCCCCGCTCTACCTGGAC
AACTTCATCAAGATTGGCGAGGGCTCCACGGGCATCGTGTGCATCGCCACCGTGGCAGCTCGGGCAAG
CTGGTGGCCGTAAGAAGATGGACCTGCGCAAGCAGCAGAGGCGGAGCTGCTCTTCAACGAGGTGGTA
ATCATGAGGGACTACCAGCACGAGAATGTGGTGGAGATGTACAACAGCTACCTGGTGGGGACGAGCTC
TGGGTGGTCATGGAGTTCCTGGAAGGAGGCGCCCTCACCGACATCGTCACCCACACCCAGGATGAACGAG
GAGCAGATCGCGCCGTGTGCCTTGCAAGTGTGCAGGCCCTGTCGGTGTCTCCAGCCAGGGCGTATC
CACCGGGACATCAAGAGCGACTCGATCCTGCTGACCCATGATGGCAGGGTGAAGCTGTGAGACTTTGGG
TTCTGCGCCAGGTGAGCAAGGAAGTGCCCGAAGGAAGTCTGGTGGTGGCACGCCCTACTGGATGGCC
CCAGAGCTCATCTCCCGCTTCCCTACGGGCCAGAGGTAGACATCTGGTGGTGGGGATAATGGTGAAT
GAGATGGTGGACGGAGAGCCCCCTACTTCAACGAGCCACCCCTCAAAGCCATGAAGATGATTCGGGAC
AACCTGCCACCCGACTGAAGAACCTGCACAAGGTGTGCCATCCCTGAAGGGCTTCTGGACCGCCTG
CTGGTGGCAGACCCTGCCAGCGGGCCACGGCAGCCGAGCTGCTGAAGCACCATTCTGGCCAAGGCA
GGCCCGCCTGCCAGCATCGTCCCTCATGCGCCAGAACCGCACCAGATGA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites: SgfI-MluI

Plasmid Map:


ACCN: NM_001014831

Insert Size: 1776 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001014831.2](#)

RefSeq Size: 3064 bp

RefSeq ORF: 1776 bp

Locus ID: 10298

UniProt ID: [O96013](#)

Cytogenetics: 19q13.2

Protein Families:	Druggable Genome, Protein Kinase
Protein Pathways:	Axon guidance, ErbB signaling pathway, Focal adhesion, Regulation of actin cytoskeleton, Renal cell carcinoma, T cell receptor signaling pathway
MW:	64.1 kDa
Gene Summary:	<p>PAK proteins, a family of serine/threonine p21-activating kinases, include PAK1, PAK2, PAK3 and PAK4. PAK proteins are critical effectors that link Rho GTPases to cytoskeleton reorganization and nuclear signaling. They serve as targets for the small GTP binding proteins Cdc42 and Rac and have been implicated in a wide range of biological activities. PAK4 interacts specifically with the GTP-bound form of Cdc42Hs and weakly activates the JNK family of MAP kinases. PAK4 is a mediator of filopodia formation and may play a role in the reorganization of the actin cytoskeleton. Multiple alternatively spliced transcript variants encoding distinct isoforms have been found for this gene. [provided by RefSeq, Jul 2008]</p> <p>Transcript Variant: This variant (2) has an additional segment in the 5' UTR, and encodes the same isoform (1), as compared to variant 1.</p>