

Product datasheet for SC302110

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Histone H2A Bbd (H2AFB2) (NM_001017991) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: Histone H2A Bbd (H2AFB2) (NM_001017991) Human Untagged Clone

Tag: Tag Free

Symbol: Histone H2A Bbd

Synonyms: H2A.Bbd; H2AB3; H2AFB2

Mammalian Cell

Selection:

Neomycin

Vector: pCMV6-Entry (PS100001) **E. coli Selection:** Kanamycin (25 ug/mL)

Fully Sequenced ORF: >SC302110 representing NM_001017991.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ATGCCGAGGAGGAGGAGCCCGAGGGTCCTCCGGTGCTGGCGGCCGGGGCCGGACCTGCTCTCCGCACC GTCCGAGCGGAGGAGGACCTGCTCTCGCACC GTCCGAGCGGAGGCCTTTTCAGTGAGCCAGGTGGAGCGCAGTCTACGGTAGGCCAGGCCCACAGGTCCTAGCCTCAG CGCCTGAGTCGCACGGCCCAGACCAGCCCAGACCAGCCGAGAGCCGAACATCACTCCCCTGCTGCTGGACATGGTGTT CACAACGACAGGCTACTGAGCACCCTTTTCAACACGACCACCATCTCTCAAGTGGCCCCTGGCGAGGAC

IAG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT

TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

Restriction Sites: Sgfl-Mlul

ACCN: NM 001017991

Insert Size: 348 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.



Histone H2A Bbd (H2AFB2) (NM_001017991) Human Untagged Clone - SC302110

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 001017991.2

 RefSeq Size:
 594 bp

 RefSeq ORF:
 348 bp

 Locus ID:
 474381

 UniProt ID:
 P0C5Z0

 Cytogenetics:
 Xq28

Protein Pathways: Systemic lupus erythematosus

MW: 12.7 kDa

Gene Summary: Histones are basic nuclear proteins that are responsible for the nucleosome structure of the

chromosomal fiber in eukaryotes. Nucleosomes consist of approximately 146 bp of DNA wrapped around a histone octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene encodes a replication-independent histone that is a member of the histone H2A family. This gene is part of a region that is repeated three times on chromosome

X, once in intron 22 of the F8 gene and twice closer to the Xq telomere. This record

represents the middle copy. [provided by RefSeq, Oct 2015]