

Product datasheet for **SC302211**

Glucocorticoid Receptor (NR3C1) (NM_001020825) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Glucocorticoid Receptor (NR3C1) (NM_001020825) Human Untagged Clone
Tag:	Tag Free
Symbol:	NR3C1
Synonyms:	GCCR; GCR; GCRST; GR; GRL
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)


Fully Sequenced ORF: >SC302211 representing NM_001020825.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGGATCGCC
ATGGACTCCAAAGAATCATTAACTCCTGGTAGAGAAGAAAACCCAGCAGTGTGCTTGCTCAGGAGAGG
GGAGATGTGATGGACTTCTATAAAACCCTAAGAGGAGGAGCTACTGTGAAGGTTTCTGCGTCTTCACCC
TCACTGGCTGTCGCTTCTCAATCAGACTCCAAGCAGCAAGACTTTTGGTTGATTTTCCAAAAGGCTCA
GTAAGCAATGCGCAGCAGCCAGATCTGTCCAAAGCAGTTTCACTCTCAATGGGACTGTATATGGGAGAG
ACAGAAACAAAAGTGATGGGAAATGACCTGGGATTCCACAGCAGGGCCAAATCAGCCTTTCCTCGGGG
GAAACAGACTTAAAGCTTTTGAAGAAAGCATTGCAAACCTCAATAGGTCGACCAGTGTCCAGAGAAC
CCCAAGAGTTCAGCATCCACTGCTGTGTCTGCTGCCCCACAGAGAAGGAGTTTCCAAAACCTCACTCT
GATGTATCTTCAGAACAGCAACATTTGAAGGGCCAGACTGGCACCAACGGTGGCAATGTGAAATTGTAT
ACCACAGACCAAAGCACCTTTGACATTTTGACAGGATTTGGAGTTTCTTCTGGTCCCAGGTAAGAG
ACGAATGAGAGTCTTGGAGATCAGACCTGTTGATAGATGAAAACCTGTTTCTTCTCTGCGGGGA
GAAGACGATTCACTCTTTTGAAGGAAACTCGAATGAGGACTGCAAGCCTCTCATTACCAGGACT
AAACCCAAAATTAAGGATAATGGAGATCTGGTTTTGTCAAGCCCCAGTAATGTAACACTGCCCAAGTG
AAAACAGAAAAAGAAGATTTTCATCGAACTCTGCACCCCTGGGTAATTAAGCAAGAGAACTGGGCACA
GTTTACTGTCCAGGCAAGCTTTCCTGGAGCAAAATAAATTGGTAATAAAATGTCTGCCATTTCTGTTTCA
GGTGTGAGTACCTCTGGAGGACAGATGTACCACTATGACATGAATACAGCATCCCTTCTCAACAGCAG
GATCAGAAGCCTATTTTTAATGTCATCCACCAATTCCTGGTGGTCCGAAAATGGAATAGGTGCCAA
GGATCTGGAGATGACAACTTGACTTCTCTGGGGACTCTGAACTCCCTGGTGAACAGTTTTTTCTAAT
GGCTATCAAGCCCCAGCATGAGACCAGATGTAAGCTCTCCTCCATCCAGCTCCTCAACAGCAACAACA
GGACCCTCCCAACTCTGCTGGTGTCTGATGAAGCTTCAGGATGTCATTATGGAGTCTTAACT
TGTGGAAGCTGTAAGTTTTCTTCAAAGAGCAGTGGAAGGACAGCACAATTACCTATGTCTGGAAGG
AATGATTGCATCATCGATAAAATTCGAAGAAAAAACTGCCAGCATGCCGCTATCGAAAATGTCTTCAG
GCTGGAATGAACCTGGAAGCTCGAAAAACAAAGAAAAAAATAAAAGGAATTCAGCAGGCCACTACAGGA
GTCTCACAAGAACTCTGAAAATCCTGGTAACAAAACAATAGTTCCTGCAACGTTACCACAACCTCACC
CCTACCCTGGTGTCACTGTTGGAGGTTATTGAACCTGAAGTGTATATGCAGGATATGATAGCTCTGTT
CCAGACTCAACTTGGAGGATCATGACTACGCTCAACATGTTAGGAGGGCGCAAGTGATTGCAGCAGTG
AAATGGGCAAAGGCAATACCAGTTTCAGGAACCTACACCTGGATGACCAAAATGACCCTACTGCAGTAC
TCCTGGATGTTTCTTATGGCATTGCTCTGGGGTGGAGATCATATAGACAATCAAGTGCAAACTGCTG
TGTTTTGCTCCTGATCTGATTATTAATGAGCAGAGAATGACTCTACCCTGCATGTACGACCAATGTAAA
CACATGCTGTATGTTTCTCTGAGTTACACAGGCTTCAGGTATCTTATGAAGAGTATCTCTGTATGAAA
ACCTTACTGCTTCTCTTCAAGTTCCTAAGGACGGTCTGAAGAGCCAAGAGCTATTTGATGAAATAGA
ATGACCTACATCAAAGAGCTAGGAAAAGCCATTGTCAAGAGGGAAGGAACTCCAGCCAGAACTGGCAG
CGGTTTTATCAACTGACAAAACCTTGGATTCTATGCATGAAAATGTTATGTGGTTAAAACAGAAAAGC
ACATCTCACACATTAATCTGA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites: SgfI-MluI

Plasmid Map:



ACCN: NM_001020825

Insert Size: 2229 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq:	NM_001020825.1
RefSeq Size:	4154 bp
RefSeq ORF:	2229 bp
Locus ID:	2908
UniProt ID:	P04150
Cytogenetics:	5q31.3
Protein Families:	Druggable Genome, Nuclear Hormone Receptor, Transcription Factors
Protein Pathways:	Neuroactive ligand-receptor interaction
MW:	81.5 kDa
Gene Summary:	<p>This gene encodes glucocorticoid receptor, which can function both as a transcription factor that binds to glucocorticoid response elements in the promoters of glucocorticoid responsive genes to activate their transcription, and as a regulator of other transcription factors. This receptor is typically found in the cytoplasm, but upon ligand binding, is transported into the nucleus. It is involved in inflammatory responses, cellular proliferation, and differentiation in target tissues. Mutations in this gene are associated with generalized glucocorticoid resistance. Alternative splicing of this gene results in transcript variants encoding either the same or different isoforms. Additional isoforms resulting from the use of alternate in-frame translation initiation sites have also been described, and shown to be functional, displaying diverse cytoplasm-to-nucleus trafficking patterns and distinct transcriptional activities (PMID:15866175). [provided by RefSeq, Feb 2011]</p> <p>Transcript Variant: This variant (6) uses an alternate acceptor splice site at the 3' terminal exon compared to variant 1. This results in a frame-shift and a shorter isoform (beta, also known as GRbeta) with a distinct C-terminus compared to isoform alpha. This isoform resides primarily in the nucleus, lacks hormone-binding activity, and has a dominant negative effect on the action of isoform alpha (PMID:8621628). Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>