

Product datasheet for **SC302778**

TRAF5 (NM_001033910) Human Untagged Clone

Product data:

| | |
|---------------------------|---|
| Product Type: | Expression Plasmids |
| Product Name: | TRAF5 (NM_001033910) Human Untagged Clone |
| Tag: | Tag Free |
| Symbol: | TRAF5 |
| Synonyms: | MGC:39780; RNF84 |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-Entry (PS100001) |
| E. coli Selection: | Kanamycin (25 ug/mL) |




[View online »](#)

Fully Sequenced ORF: >SC302778 representing NM_001033910.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAATACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGGATCGCC
ATGGCTTATTAGAAGAGCATAAAGGTATGCCCTGTGGTTTCATCCGCCAGAATCCGGCAACTCCATT
TCCTTGGACTTTGAGCCAGTATAGAGTACCAGTTTGTGGAGCGGTTGGAAGAGCGCTACAAATGTGCC
TTCTGCCACTCGGTGCTTACAACCCACCAGACAGGATGTGGGCACCGCTTCTGCCAGCACTGCATC
CTGTCCCTGAGAGAATTAACACACAGTGCCAATCTGCCCTGTAGATAAAGAGGTATCAAATCTCAGGAG
GTTTTTAAAGACAATTGTTGCAAAAGAGAAGTCTCAACTTATATGTATATTGCAGCAATGCTCCTGGA
TGTAATGCCAAGGTTATTCTGGGCCGTACCAGGATCACCTTCAGCAGTGCTTATTTCAACCTGTGCAG
TGTTCTAATGAGAAGTCCGGGAGCCAGTCTACGAAAGACCTGAAAGAGCATTGAGTGCATCCTGT
CAGTTTCGAAAGGAAAAATGCCTTTATTGCAAAAAGGATGTGGTAGTCATCAATCTACAGAATCATGAG
GAAAACCTGTGCTGAATACCCAGTATTTGTCCCAACAATTGTGCGAAGATTATCTAAAACTGAG
GTAGATGAACACCTGGCTGTATGCTGAAGCTGAGCAAGACTGTCCTTTAAGCACTATGGCTGTGCT
GTAAACGGATAAACGGAGGAACCTGCAGCAACATGAGCATTACGCCCTACGGGAGCACATGCGTTTGGTT
TTAGAAAAGAATGTCCAATTAGAAGAACAGATTTCTGACTTACACAAGAGCCTAGAACAGAAAGAAAGT
AAAATCCAGCAGCTAGCAGAAACTATAAAGAACTTGAAGAGGAGTTCAAGCAGTTTGCACAGTTGTTT
GGCAAAAATGGAAGCTTCTCCCAACATCCAGGTTTTTGCCAGTCACATTGACAAGTCAGCTTGGCTA
GAAGCTCAAGTGCATCAATTATTACAAATGGTTAACAGCAACAAAAATAATTTGACCTGAGACCTTTG
ATGGAAGCAGTTGATACAGTGAAACAGAAAATTACCCTGCTAGAAAACAATGATCAAAGATTAGCCGTT
TTAGAAGAGGAACTAACAAACATGATACCCACATTAATTTATAAAGCACAGCTGAGTAAAAATGAA
GAGCGATTTAACTGCTGGAGGGTACTTGCTATAATGGAAGCTCATTGGAAGGTGACAGATTACAAG
ATGAAGAAGAGAGAGGCGGTGGATGGGCACACAGTGTCCATCTTCAGCCAGTCCTTCTACACCAGCCGC
TGTGGCTACCGGCTCTGTGCTAGAGCATACCTGAATGGGATGGGTGAGGAGGGGGTCACACCTGTCC
CTATACTTTGTGGTCATGCGAGGAGAGTTTACTCACTGTTGCAGTGGCCATTACGGCAGAGGGTGACC
CTGATGCTTCTGGACCAGAGTGGCAAAAAGAACATTATGGAGACCTTCAAACCTGACCCCAATAGCAGC
AGCTTTAAAGACCTGATGGGGAGATGAACATTGCATCTGGCTGTCCCGCTTTGTGGCTCATTCTGTT
TTGGAGAATGCCAAGAACGCCTACATTAAGATGACACTCTGTTCTTGAAGTGGCCGTGGACTTAACT
GACCTGGAGGATCTCTAG
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites: SgfI-MluI

Plasmid Map:


ACCN: NM_001033910

Insert Size: 1674 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001033910.2](#)

RefSeq Size: 4013 bp

RefSeq ORF: 1674 bp

Locus ID: 7188

UniProt ID: [O00463](#)

Cytogenetics: 1q32.3

| | |
|--------------------------|---|
| Protein Families: | Druggable Genome |
| Protein Pathways: | Pathways in cancer, Small cell lung cancer |
| MW: | 64.4 kDa |
| Gene Summary: | <p>The scaffold protein encoded by this gene is a member of the tumor necrosis factor receptor-associated factor (TRAF) protein family and contains a meprin and TRAF homology (MATH) domain, a RING-type zinc finger, and two TRAF-type zinc fingers. TRAF proteins are associated with, and mediate signal transduction from members of the TNF receptor superfamily. This protein is one of the components of a multiple protein complex which binds to tumor necrosis factor (TNF) receptor cytoplasmic domains and mediates TNF-induced activation. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jan 2016]</p> <p>Transcript Variant: This variant (3) uses an alternate in-frame splice junction compared to variant 4. The resulting isoform (b) has the same N- and C-termini but is shorter compared to isoform a. Variants 1, 2, and 3 all encode the same isoform (b).</p> |