

Product datasheet for **SC302885**

Staufen (STAU1) (NM_001037328) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Staufen (STAU1) (NM_001037328) Human Untagged Clone
Tag:	Tag Free
Symbol:	STAU1
Synonyms:	PPP1R150; STAU
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)


Fully Sequenced ORF: >SC302885 representing NM_001037328.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGCACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGAACTTGGAAAAAACAATGTATAAGCCTGTTGACCCTTACTCTCGGATGCAGTCCACCTATAAC
TACAACATGAGAGGAGGTGCTTATCCCCGAGGTACTTTTACCCATTTCCAGTTCACCTTTACTTTAT
CAAGTGGAACTTTCTGTGGGAGGACAGCAATTTAATGGCAAAGGAAAGACAAGACAGGCTGCGAAACAC
GATGCTGCTGCCAAAGCCTTGAGGATCCTGCAGAAATGAGCCCCTGCCAGAGAGGCTGGAGGTGAATGGA
AGAGAATCCGAAGAAGAAAATCTCAATAAATCTGAAATAAGTCAAGTGTTTGAGATTGCACTTAAACGG
AACTTGCCTGTGAATTCGAGTCTTTCCCTCTGAAACAGGTGGCCGGGAGAGTGGCCACCCACATG
AAGAACTTTGTACCAAGTTTCGGTTGGGGAGTTTGTGGGGAAAGTGAAGGAAAAGCAAGAAGATT
TCAAAGAAAAATGCCCCATAGCTGTTCTTGAGGAGCTGAAGAAGTTACCGCCCCTGCCTGCAGTTGAA
CGAGTAAAGCCTAGAATCAAAAAGAAAACAAAACCCATAGTCAAGCCACAGACAAGCCAGAATATGGC
CAGGGGATCAATCCGATTAGCCGACTGGCCAGATCCAGCAGGCAAAAAAGGAGAAGGAGCCAGAGTAC
ACGCTCCTCACAGAGCGAGGCCTCCCGCCCGCAGGGAGTTTGATGCAGGTGAAGTTGGAAACCAC
ACTGCAGAAGGAACGGGCACCAACAAGAAGGTGGCCAAGCGCAATGCAGCCGAGAACATGCTGGAGATC
CTTGTTTTCAAAGTCCCGCAGGCGCAGCCACCAAAACCCGCACTCAAGTCAGAGGAGAAGACACCCATA
AAGAAACCAGGGGATGGAAGAAAAGTAACCTTTTTTGAACCTGGCTCTGGGGATGAAAATGGGACTAGT
AATAAAGAGGATGAGTTCAGGATGCCTTATCTAAGTCATCAGCAGCTGCCTGCTGGAATCTTCCCATG
GTGCCCGAGGTGCGCCAGGCTGTAGGAGTTAGTCAAGGACATCACACAAAGATTTTACCAGGCAGCT
CCGAATCCTGCCAAGGCCACGGTAAGTCCATGATAGCCCGAGAGTTGTTGTATGGGGCACCTCGCCC
ACAGCCGAGACCATTTTAAAGAATAACATCTCTTCAGGCCAGTACCCCATGGACCTCTCACGAGACCC
TCTGAGCAACTGGACTATCTTTCCAGAGTCCAGGATTCCAGGTTGAATACAAAGACTTCCCAAAAAC
AACAGAACAATTTGTATCTTATCAATTGCTCCTCTCAGCCACCTCTGATCAGCCATGGTATCGGC
AAGGATGTGGAGTCTGCCATGATATGGCTGCGCTGAACATCTTAAAGTTGCTGTCTGAGTTGGACCAA
CAAAGTACAGAGATGCCAAGAACAGGAAACGGACCAATGTCTGTGTGGGAGGTGCTGA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites: SgfI-MluI

Plasmid Map:



ACCN: NM_001037328

Insert Size:	1509 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001037328.2
RefSeq Size:	3566 bp
RefSeq ORF:	1509 bp
Locus ID:	6780
UniProt ID:	O95793
Cytogenetics:	20q13.13
MW:	55.6 kDa
Gene Summary:	<p>Staufen is a member of the family of double-stranded RNA (dsRNA)-binding proteins involved in the transport and/or localization of mRNAs to different subcellular compartments and/or organelles. These proteins are characterized by the presence of multiple dsRNA-binding domains which are required to bind RNAs having double-stranded secondary structures. The human homologue of staufen encoded by STAU, in addition contains a microtubule-binding domain similar to that of microtubule-associated protein 1B, and binds tubulin. The STAU gene product has been shown to be present in the cytoplasm in association with the rough endoplasmic reticulum (RER), implicating this protein in the transport of mRNA via the microtubule network to the RER, the site of translation. [provided by RefSeq, Apr 2020]</p> <p>Transcript Variant: This variant (T5) differs in the 5' UTR and uses an alternate in-frame splice site in the 5' coding region compared to variant T2. The encoded isoform (c) is longer than isoform a. Both variants T5 and T6 encode the same isoform (c).</p>