

# Product datasheet for SC303065

## CD1 (CD1A) (NM\_001763) Human Untagged Clone

### **Product data:**

#### OriGene Technologies, Inc.


9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Expression Plasmids
Product Name:	CD1 (CD1A) (NM_001763) Human Untagged Clone
Tag:	Tag Free
Symbol:	CD1A
Synonyms:	CD1; FCB6; HTA1; R4; T6
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	<pre>&gt;SC303065 representing NM_001763. Blue=Insert sequence Red=Cloning site Green=Tag(s)</pre>
	GCTCGTTTAGTGAACCGTCAGAATTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGCGATCGCCATGCTGTTTTTGCTACTTCCATTGTTAGCTGTTCTCCCAGGTGATGGCAATGCAGACGGGCTCAAGGAGCCTCTCTCCTTCCATGTCACCTGGATCGCATCCTTTTACAACCATTCCTGGAAACAAAATCTGGTCTCAGGTTGGCTGAGTGATTTGCAGACTCATACCTGGGACAGCAATTCCAGCACCATCGTTTTCCTGTGCCCCTGGTCCAGGGGAAACTTCAGCAATGAGGAGTGGAAGGAACTGGAAACATTATTCCGTATACGCACCATTCGGTCATTTGAGGGAATTCGTAGATACGCCCATGAATTGCAGTTTGAATATCCTTTTGAGATACAGGTGACAGGAGGCTGTGAGCTGCACTCTGGAAAGGTCTCAGGAAGCTTCTTGCAGTTAGCTTATCAAGGATCAGACTTTGTGAGCTTCCAGAACAATTCATGGTTGCCATATCCAGTGGCTGGGAATATGGCCAAGCATTTCTGCAAAGTGCTCAATCAGAATCAGCATGAAAATGACATAACACACAAATCTTCTCAGTGACACCTGCCCACGTTTCATCTTGGGTCTTCTTGATGCAGGAAAGGCACATCTCCAGCGGCAAGTGAAGCCCGAGGCCTGGCTGTCCCATGGCCCCAGTCCTGGCCATCGCAGCATGACACCTGGCCATGTCAAGGAACCTGGCCCAGTGCTGGGTGATGTGGATGCGGGGTGAGCAGGAGCAGCAGGGCACTCAAGGAACCTGCCCAGTGCTGGGACATGGTATCTCCGCGCAACCCTGGAGGTGGCCGCTGGGAAGCAGCAGGAGCACCTGCCCAGTGCTGGAAGCACAGCAGTCTAGAGGGCCAGGACACTCGTCCTCTACTGGGAGCAGCTGACCTGCCCAGTGCTGGAAACACAGCAGTCTAGAGGGCCAGGACACTCTGCGCCTTGGGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAGC
<b>Restriction Sites:</b>	TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC Sgfl-Mlul



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

#### Plasmid Map:



ACCN:	NM_001763
Insert Size:	984 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol> <li>Centrifuge at 5,000xg for 5min.</li> <li>Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>Close the tube and incubate for 10 minutes at room temperature.</li> <li>Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
RefSeq:	<u>NM 001763.2</u>
RefSeq Size:	2111 bp
RefSeq ORF:	984 bp
Locus ID:	909

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

CD1 (CD1A) (NM_001763) Human Untagged Clone – SC303065	

UniProt ID:	<u>P06126</u>
Cytogenetics:	1q23.1
Protein Families:	Druggable Genome, Transmembrane
Protein Pathways:	Hematopoietic cell lineage
MW:	37.1 kDa
Gene Summary:	This gene encodes a member of the CD1 family of transmembrane glycoproteins, which are structurally related to the major histocompatibility complex (MHC) proteins and form heterodimers with beta-2-microglobulin. The CD1 proteins mediate the presentation of primarily lipid and glycolipid antigens of self or microbial origin to T cells. The human genome contains five CD1 family genes organized in a cluster on chromosome 1. The CD1 family members are thought to differ in their cellular localization and specificity for particular lipid
	ligands. The protein encoded by this gene localizes to the plasma membrane and to recycling vesicles of the early endocytic system. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Mar 2016] Transcript Variant: This variant (1) encodes the longer isoform (1).