

Product datasheet for SC303472

CEBP Alpha (CEBPA) (NM_004364) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	CEBP Alpha (CEBPA) (NM_004364) Human Untagged Clone
Tag:	Tag Free
Symbol:	CEBP Alpha
Synonyms:	C/EBP-alpha; CEBP
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL5</u>
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>OriGene ORF within SC303472 sequence for NM_004364 edited (data generated by NextGen Sequencing)

```

ATGGAGTCGGCCGACTTCTACGAGGCGGAGCCGCGGCCCCCGATGAGCAGCCACCTGCAG
AGCCCCCGCACGCGCCAGCAGCGCCGCTTCGGCTTTCCCGGGGCGGGGCCCGCG
CAGCCTCCCGCCACCTGCCGCCCCGAGCCGCTGGGCGGCATCTGCGAGCACGAGACG
TCCATCGACATCAGCGCCTACATCGACCCGCGCCCTTCAACGACGAGTTCCTGGCCGAC
CTGTTCCAGCACAGCCGGCAGCAGGAGAAGGCCAAGGCGGCCGTGGGCCCCACGGGCGGC
GGCGGGCGGCGGACTTTGACTACCCGGGCGCGCCGCGGGCCCCGGGCGCGCCGTATG
CCCGGGGAGCGCACGGGCCCGCCCGGCTACGGCTGCGCGGCCCGGCTACCTGGAC
GGCAGGCTGGAGCCCTGTACGAGCGCGTCGGGGCGCCGGCGCTGCGGCCGCTGGTGATC
AAGCAGGAGCCCCGCGAGGAGGATGAAGCCAAGCAGCTGGCGCTGGCCGGCCTTCCCT
TACCAGCCGCGCGCCGCGCCGCGCCCTCGCACCCGCACCCGACCCGCGCCCGCGCAC
CTGGCCGCCCCGACCTGCAGTTCAGATCGCGCACTGCGGCCAGACCACCATGCACCTG
CAGCCCGGTACCCACGCCCGCCCGCCAGCCCGTGCAGCCCGCACCCCGCGCCCGCG
CTCGGTGCCGCGGCTGCCGGGCCCTGGCAGCGCGCTCAAGGGGCTGGGCGCCGCGCAC
CCCGACCTCCGCGGAGTGGCGGCAGCGGCGGGCAAGGCCAAGAAGTCGGTGGACAAG
AACAGCAACGAGTACCGGTGCGGCGGAGCGCAACAACATCGCGGTGCGCAAGAGCCG
GACAAGGCCAAGCAGCGCAACGTGGAGACGAGCAGAAGGTGCTGGAGCTGACCAGTGAC
AATGACCGCTGCGCAAGCGGGTGAACAGCTGAGCCCGGAAGTGGACACGCTGCGGGGC
ATCTTCCGCCAGCTGCCAGAGAGCTCCTTGGTCAAGCCATGGGCAACTGCGCGTGA

```

Clone variation with respect to NM_004364.3



[View online »](#)

5' Read Nucleotide Sequence:	>OriGene 5' read for NM_004364 unedited CCCTTATGGAGTCGGCCGACTTCTACGAGGCGGAGCCGCGGCCCCCGATGAGCAGCCACC TGCAGAGCCCCCGCACGCGCCAGCAGCGCCGCTTCGGCTTTCCCGGGGCGCGGGCC CCGCGCAGCCTCCCGCCCCACCTGCCGCCCGGAGCCGCTGGGCGGCATCTGCGAGCAG AGACGTCCATCGACATCAGCGCCTACATCGACCCGGCCGCTTCAACGACGAGTTCCTGG CCGACCTGTTCCAGCACAGCCGGCAGCAGGAGAAGGCCAAGGCGGCCGTGGCCCCACGGG CGG
3' Read Nucleotide Sequence:	>OriGene 3' read for NM_004364 unedited GTTCAGGAAAAGCTATGACCCGCGCCGCAATCTAGAGTCGACAAGCTTGATATCGGTACC AGATCTGAATTCGCCCTTGACCCGGAATCTCCTAGTCCTGGCTCGCACGGCTCGGGCAAG CCTCGAGATCCGGCGACCCCAAACCACTCCCTGGGTCCCCGCGGAGGCTGGCCAGGGC GGTCCCACAGCCGCGCCTCACGCGAGTTGCCATGGCCTTGACCAAGGAGCTCTCTG GCAGCTGGCGGAAGATGCCCGCAGCGTGTCCAGTTCGCGGCTCAGCTGTTCCACCCGCT TGCCGAGCGGTCAATTGTCAGTGGTCCAGCTCCAGCACCTTCTGCTGCGTCTCCAGTTGC GCTGCTTGGCCTTGTGCGGCTCTTGCGCACCGGATGTTGTTGCGCTCGCGCCGACCC GGTACTCGTTGCTGTTCTGTCCACCGACTTCTTGGCCTTGCCCGCGCCGCTGCCGCCAC TCGCGCGGAGGTGCGGGTGCAGCGCCAGCCCTTGAGCGCGCTGCCAGGGCCCGGCA GGCCGGCGGCACCGAGCGCGGGCGCGGGTGCAGGCTGGGCACGGGCGTGGGCGGCGGCG TGGGGTGACCGGGCTGCAGGTGCATGGTGGTCTGGCCGAGTGCAGCATCTGGAAGTCA GGTGGCGGGCGGCCAGGTGCGCGGGCGGGTGCAGGTCGCGTCCAAAAGGGCGGNNNN NNNNNNNNNNNNNNNN
Restriction Sites:	Please inquire
ACCN:	NM_004364
Insert Size:	1077 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_004364.2 , NP_004355.2
RefSeq Size:	2385 bp
RefSeq ORF:	1077 bp

Locus ID:	1050
UniProt ID:	P49715
Cytogenetics:	19q13.11
Protein Families:	Druggable Genome, ES Cell Differentiation/IPS
Protein Pathways:	Acute myeloid leukemia, Pathways in cancer
Gene Summary:	<p>This intronless gene encodes a transcription factor that contains a basic leucine zipper (bZIP) domain and recognizes the CCAAT motif in the promoters of target genes. The encoded protein functions in homodimers and also heterodimers with CCAAT/enhancer-binding proteins beta and gamma. Activity of this protein can modulate the expression of genes involved in cell cycle regulation as well as in body weight homeostasis. Mutation of this gene is associated with acute myeloid leukemia. The use of alternative in-frame non-AUG (GUG) and AUG start codons results in protein isoforms with different lengths. Differential translation initiation is mediated by an out-of-frame, upstream open reading frame which is located between the GUG and the first AUG start codons. [provided by RefSeq, Dec 2013]</p> <p>Transcript Variant: This variant (1) can initiate translation from an upstream non-AUG (GUG) site, and also from three downstream, in-frame AUG sites. The isoform (a, also known as C/EBP-42) represented in this RefSeq results from translation initiation at the first AUG start codon. Isoform a has a shorter N-terminus, compared to isoform c. Sequence Note: The RefSeq transcript and protein were derived from genomic sequence to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on alignments.</p>