

## Product datasheet for **SC303826**

### WDR3 (NM\_006784) Human Untagged Clone

#### Product data:

|               |                                       |
|---------------|---------------------------------------|
| Product Type: | Expression Plasmids                   |
| Product Name: | WDR3 (NM_006784) Human Untagged Clone |
| Tag:          | Tag Free                              |
| Symbol:       | WDR3                                  |
| Synonyms:     | DIP2; UTP12                           |
| Vector:       | <u>pCMV6 series</u>                   |



[View online »](#)

**Fully Sequenced ORF:** >NCBI ORF sequence for NM\_006784, the custom clone sequence may differ by one or more nucleotides

```
ATGGGGCTCACCAAGCAGTACCTACGCTATGTTGCTAGTGCGGTCTTTGGCGTTATCGGC
AGCCAAAAGGTAATATTGTCTTTGTGACACTTCGTGGTGAGAAAAGGACGTTATGTGGCA
GTACCAGCTTGTGAACACGTTTTTCATCTGGGACTTAAGGAAAGGAGAGAAGATTCTTATC
CTTCAGGGGCTTAAACAAGAAGTTACTTGCTTATGCCCTCCCCAGATGGGCTACACTTA
GCTGTTGGGTATGAGGATGGGTCGATCCGAATCTTCAGTCTCCTGAGTGGGGAAGGAAAT
GTGACCTTCAATGGTCACAAAGCAGCTATCACTACCTTGAAGTATGATCAGCTAGGAGGC
AGACTGGCATCTGGGTCCAAGGACACAGATATTATTGTATGGGATGTGATCAATGAAAGT
GGTCTGTACCGTCTAAAGGGGCACAAGGATGCCATCACACAAGCATTGTTTCTACGAGAA
AAGAACCTGCTAGTTACTAGTGGAAAGATACCATGGTGAATGGTGGGACCTTGATACT
CAGCACTGCTTTAAAACAATGGTTGGCCACCGACTGAGGTATGGGGTGGTTCTGTTG
TCAGAAGAAAAGCGACTCATCACTGGGGCCTCAGACAGTGAAGTGGGATGGGACATA
GCTTATCTGCAAGAGATTGAAGACCCGGAAGAACCAGACCCCAAGAAAATCAAAGGATCT
TCTCCTGGAATACAAGATACTCTTGAGGCAGAGGATGGTGCCTTTGAGACGGATGAAGCC
CCTGAGGATCGAATCCTTTCATGCAGAAAAGCTGGTTCATAATGCGGGAAGGAAGAGAC
AGAGTTGTAACCTTGCAGTCGACAAGACAGGCAGGATCTTGCTTGCCATGGAAGTAC
TCTGTGCTAGAATTGTTTGTATCCTTTCCAAAAGGAAATTCAGAAGAAAATGGATAAG
AAGATGAAGAAAGCTAGAAAAGAAAGCAAAATTACATTCTAGCAAAGGAGAGGAGGAAGAT
CCTGAGGTTAATGTTGAAATGAGTCTGCAAGATGAAATCCAGCGGGTGACTAATAAAAA
ACTTCTGCCAAAATCAAGTCCTTTGACTTGATTCACTCACCTCACGGAGAGTTAAGGCT
GTCTTCTGCTGCAGAACACCTGGTGGAAATTGATTCATCACTGAATCCATCCTTGCCTACT
CCTCAGCCTGTGAGGACAAGCAGAACTACTATTGGGGTGCATCGCAGTGTGTCGGGACT
TTGTCAATCAGCTCAGACAATATTGCTGTTCTTTTCAGCTGCAGCTGATTCCATTAATA
TGGAACAGGTCTACACTGCAGTGTATTGCACAATGACCTGTGAATATGCACTTTGCTCA
TTCTTTGTACCTGGTATAGACAGGTAGTCATAGGAACAAAGACAGGGAAGCTGCAGCTT
TATGACTTGGCTCAGGGAATCTGCTGGAGACAATAGATGCACATGATGGAGCTTTGTGG
TCCATGTCCCTCTCTCCAGATCAGCGTGGCTTTGTGACAGGTGGTGCAGATAAATCTGTC
AAATTCTGGGATTTTGTAGTTAGTGAAGATGAAAATAGTACCCAAAAGAGACTTTCTGTG
AAGCAAACCCGAAGTTTGAACACTAGATGAAGATGTTCTGTGTGTCAGTTACTCTCCCAAT
CAAAGCTATTGGCTGTGCTTTTGTGACTGTACTGTGAAAATTTTCTACGTTGATACT
TTAAAGTTTTTTCTGCTACTGTATGGACACAAACTGCCTGTTATATGCATGGACATCTCT
CATGATGGAGCACTCATAGCAACTGGCTCCGCTGATAGGAATGTGAAAATCTGGGTTTTG
GACTTTGGGGACTGCCACAAGTCTCTCTTTGCACATGATGACAGTGTGATGTACCTACAG
TTTGTACCCAAGTCTCACCTCTTCTTCACTGCCGGAAGGATCATAAGATTAACAGTGG
GATGCAGACAAAATTTGAACACATACAGACTCTGGAGGGTGCATCACCAGGAAATATGGTGT
TTGGCTGTAAGCCCCAGTGGAGACTATGTTGTATCATCGTCCCATGACAAATCTCTGAGA
CTTTGGGAGAGAACAAAGGGAGCCTTTATTCTTGAGGAAGAAAGGGAGATGGAAAGAGAA
GCAGAATATGAGGAGAGTGTGGCCAAAGAAGACCAACCAGCAGTCCAGGAGAGACTCAA
GGTGACAGTTACTTTACTGGAAAAGAAAATTTGAAACAGTGAAGCAGCTGAGAGGATT
ATGGAGGCTATTGAGTTGTACCGAGAAGAACTGCAAAAATGAAGGAACCAAAGCCATT
TGTAAGTCTGAGGGAAGAGGTTCCACTTCCCAGCAACCCATCCTAATGGCTTATGGC
AGTATCTCACCTCAGCTTATGTATTAGAGATTTTTAAAGGGTCAAGTCGAGTGAGCTG
GAAGAATCTACTTGTGCTGCCTTTCTTATGTCCCAGACATCTTAAACTCTTTAAC
GAATTCATTGAGTGGGCTCTGATGTTGAACTTATATGCCGGTGCCTCTTCTCCTCCTT
AGGATTCATTTGGACAGATCACTAGCAATCAAATGCTTGTGCCAGTGTAGAAAAATTA
AGGAAAACAATTTTCAAAGTCAAGTCCAGGATGTTATCGGCTTCAATATGGCT
GGTCTTGATTATCTCAAGAGGGAATGCGAGGCAAAAAGTGAAGTTATGTTTTTGTGCTGAT
GCTACTAGCCACTTGAAGAGAAGAAGGGAAGAGGAAAAAGAGGGAGAAGTTGATTCTA
ACGTTGACTTAG
```

|                               |  |
|-------------------------------|--|
| <b>Restriction Sites:</b>     | Please inquire   |
| <b>ACCN:</b>                  | NM_006784  |
| <b>OTI Disclaimer:</b>        | <p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:custsupport@origene.com">custsupport@origene.com</a> or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a></p> |
| <b>OTI Annotation:</b>        | This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.   |
| <b>Components:</b>            | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).   |
| <b>Reconstitution Method:</b> | <ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>  |
| <b>RefSeq:</b>                | <a href="#">NM_006784.1</a> , <a href="#">NP_006775.1</a>  |
| <b>RefSeq Size:</b>           | 3850 bp  |
| <b>RefSeq ORF:</b>            | 2832 bp  |
| <b>Locus ID:</b>              | 10885  |
| <b>UniProt ID:</b>            | <a href="#">Q9UNX4</a>   |
| <b>Cytogenetics:</b>          | 1p12   |
| <b>Protein Families:</b>      | Druggable Genome   |
| <b>Gene Summary:</b>          | <p>This gene encodes a nuclear protein containing 10 WD repeats. WD repeats are approximately 30- to 40-amino acid domains containing several conserved residues, which usually include a trp-asp at the C-terminal end. Proteins belonging to the WD repeat family are involved in a variety of cellular processes, including cell cycle progression, signal transduction, apoptosis, and gene regulation. [provided by RefSeq, Jul 2008]</p>   |