

Product datasheet for **SC303899**

BRCA1 (NM_007298) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	BRCA1 (NM_007298) Human Untagged Clone
Tag:	Tag Free
Symbol:	BRCA1
Synonyms:	BRCA1; BRCC1; BROVCA1; FANCS; IRIS; PNCA4; PPP1R53; PSCP; RNF53
Vector:	<u>pCMV6 series</u>



[View online »](#)

Fully Sequenced ORF: >NCBI ORF sequence for NM_007298, the custom clone sequence may differ by one or more nucleotides

```

ATGGATTTATCTGCTCTTCGCGTTGAAGAAGTACAAAATGTCATTAATGCTATGCAGAAA
ATCTTAGAGTGTCCCATCTGTCTGGAGTTGATCAAGGAACCTGTCTCCACAAAGTGTGAC
CACATATTTTGC AAAATTTTGCATGCTGAAACTTCTCAACCAGAAGAAAGGGCCTTACAG
TGTCCTTTATGTAAGAATGATATAACCAAAAGGAGCCTACAAGAAAGTACGAGATTTAGT
CAACTTGTGAAGAGCTATTGAAAATCATTGTGCTTTTTCAGCTTGACACAGGTTTGGAG
TATGCAAAACAGCTATAATTTTGC AAAAAGGAAAATAA ACTCTCCTGAACATCTAAAAGAT
GAAGTTTCTATCATCCAAGTATGGGCTACAGAAAACCGTGCCAAAAGACTTCTACAGAGT
GAACCCGAAAATCCTTCCTTGCAGGAAACAGTCTCAGTGCCAACCTCTAACCTTGGGA
ACTGTGAGAACTCTGAGGACAAAGCAGCGGATACAACCTCAAAGACGTCTGTCTACATT
GAATTGGGATCTGATTCTTCTGAAGATACCGTTAATAAGGCAACTATTGCAGTGTGGGA
GATCAAGAATTGTTACAAATCACCCCTCAAGGAACAGGGATGAAATCAGTTTGGATTCT
GCAAAAAGGCTGCTTGTGAATTTCTGAGACGGATGTAACAAACTGAACATCATCAA
CCCAGTAATAATGATTTGAACACCACTGAGAAGCGTGCAGCTGAGAGGCATCCAGAAAAG
TATCAGGGTGAAGCAGCATCTGGGTGTGAGAGTGAACAAGCGTCTCTGAAGACTGCTCA
GGGCTATCCTCTCAGAGTGACATTTAACCCTCAGCAGAGGGATACCATGCAACATAAC
CTGATAAAGCTCCAGCAGGAAATGGCTGAACTAGAAGCTGTGTTAGAACAGCATGGGAGC
CAGCCTTCTAACAGCTACCCTTCCATCATAAGTGACTCTTCTGCCCTTGAGGACCTGCGA
AATCCAGAAACAAAGCACATCAGAAAAAGTATTA ACTTTCACAGAAAAGTAGTGAATACCCT
ATAAGCCAGAATCCAGAAGGCCCTTCTGCTGACAAGTTTGAGGTGCTGCAGATAGTTCT
ACAGTAAAAATAAAGAACCAGGAGTGGAAAGGTCATCCCCTTCTAAATGCCATCATTG
GATGATAGTGGTACATGCACAGTTGCTCTGGGAGTCTTCAGAATAGAAACTACCCATCT
CAAGAGGAGCTCATTAAAGTTGTTGATGTGGAGGAGCAACAGCTGGAAGAGTCTGGGCCA
CAGATTTGACGGAACATCTTACTTGCCAAGGCAAGATCTAGAGGGAACCCCTTACCTG
GAATCTGGAATCAGCCTCTTCTCTGATGACCCTGAATCTGATCCTTCTGAAGACAGAGCC
CCAGAGTCAGCTCGTGTGGCAACATACCATCTTCAACCTCTGCATTGAAAGTTCCCCAA
TTGAAAGTTGCAGAACTGCCCAGAGTCCAGCTGCTGCTCATACTACTGATACTGCTGGG
TATAATGCAATGGAAGAAAGTGTGAGCAGGGAGAAGCCAGAATTGACAGCTTCAACAGAA
AGGGTCAACAAAAGAATGTCATGGTGGTGTCTGGCCTGACCCCAAGAAATTTATGCTC
GTGTACAAGTTTGCAGAAAACACCACATCACTTAACTAATCTAATTACTGAAGAGACT
ACTCATGTTGTTATGAAAACAGATGCTGAGTTTGTGTGTAACGGACACTGAAATATTTT
CTAGGAATTGCGGGAGGAAAATGGGTAGTTAGCTATTTCTGGGTGACCCAGTCTATTA
GAAAGAAAAATGCTGAATGAGCATGATTTTGAAGTCAAGAGGAGATGTGGTCAATGGAAGA
AACCACCAAGGTCAAAGCGAGCAAGAGAATCCCAGGACAGAAAGATCTTCAAGGGGGCTA
GAAATCTGTTGCTATGGGCCCTTACCAACATGCCACAGATCAACTGGAATGGATGGTA
CAGCTGTGTGGTCTTCTGTGGTGAAGGAGCTTTCATCATTACCCCTTGGCACAGGTGTC
CACCCAATTGTGGTTGTGCAGCCAGATGCCTGGACAGAGGACAATGGCTTCCATGCAATT
GGGCAGATGTGTGAGGCACCTGTGGTGACCCGAGAGTGGGTGTTGGACAGTGTAGCACTC
TACCAGTGCCAGGAGCTGGACACCTACCTGATACCCAGATCCCCACAGCCACTACTGA

```

Restriction Sites: Please inquire

ACCN: NM_007298

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_007298.2 , NP_009229.1
RefSeq Size:	3642 bp
RefSeq ORF:	2043 bp
Locus ID:	672
UniProt ID:	P38398
Cytogenetics:	17q21.31
Protein Families:	Druggable Genome, Transcription Factors
Protein Pathways:	Ubiquitin mediated proteolysis
Gene Summary:	<p>This gene encodes a 190 kD nuclear phosphoprotein that plays a role in maintaining genomic stability, and it also acts as a tumor suppressor. The BRCA1 gene contains 22 exons spanning about 110 kb of DNA. The encoded protein combines with other tumor suppressors, DNA damage sensors, and signal transducers to form a large multi-subunit protein complex known as the BRCA1-associated genome surveillance complex (BASC). This gene product associates with RNA polymerase II, and through the C-terminal domain, also interacts with histone deacetylase complexes. This protein thus plays a role in transcription, DNA repair of double-stranded breaks, and recombination. Mutations in this gene are responsible for approximately 40% of inherited breast cancers and more than 80% of inherited breast and ovarian cancers. Alternative splicing plays a role in modulating the subcellular localization and physiological function of this gene. Many alternatively spliced transcript variants, some of which are disease-associated mutations, have been described for this gene, but the full-length natures of only some of these variants has been described. A related pseudogene, which is also located on chromosome 17, has been identified. [provided by RefSeq, May 2020]</p> <p>Transcript Variant: This variant (4, also known as BRCA1-delta11b) differs in the 5' UTR and uses two alternate in-frame splice sites in the central coding region, compared to variant 1. The encoded isoform (4) is shorter than isoform 1.</p>