

## Product datasheet for **SC303917**

### Transcription termination factor 1 (TTF1) (NM\_007344) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Transcription termination factor 1 (TTF1) (NM_007344) Human Untagged Clone
Tag:	Tag Free
Symbol:	TTF1
Synonyms:	TTF-1; TTF-I
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)




[View online »](#)

**Fully Sequenced ORF:** >SC303917 representing NM\_007344.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGAAGGAGAATCAAGCAGATTTGAAATCCACACTCCAGTTTCTGACAAGAAAAAGAAAAAGTGTCT
ATACATAAGGAAAAGACCTCAGAAACATTTCCACGAAATTTTCAGAGACTCCTCCCTGGTGAATGAACAG
TCTCAAATAACTAGGAGGAAAAAGGAAAAAGATTTCCAGCATCTCATTCTCTCTTTGAAAAAA
TCCAGAATCTGTGATGAGACTGCAAATGCCACTTCCACACTCAAAAAGAGAAAAAGAGAAGATATAGT
GCTTTGGAGGTGGACGAGGAAGCAGGTGTACAGTTGTCCTTGTGGATAAAGAAAAATTAACAACACA
CCAAAGCATTTTGAAGGATGTTGATGTTGTTTGTGTTGATATGAGCATAGAACAGAAGTTACCAAGA
AAGCCTAAAACAGACAAATTTCCAGTACTTGTAAAGTACATGCACATAAATCAGAAGCCCTGCACAGT
AAAGTTAGGGAGAAAAAGAATAAAAAGCATCAGAGGAAAGCTGCATCCTGGGAGAGCCAGCGGGCAAGG
GACACCCTGCCTCAGTCAGAATCCACCAGGAGGAGTCTGGCTTCTGTGGGTCCAGGGGTGAAATT
ACAGAACTACCAGCATCTGCTCATAAAAACAAGTCTAAGAAAAAAAGAAAAAGTCCAGTAAACGGGAA
TATGAGACACTGGCCATGCCTGAAGGATCGCAAGCAGGCAGAGAGGCCGGGACTGATATGCAGGAATCC
CAGCCTACTGTGGGCTTGGATGATGAAACTCCACAACACTAGGACCTACTCACAAAAAAAGTCTAAG
AAAAAAGAAGAAAAAGTCCAATCACCAGGAATTTGAGGCATTGGCCATGCCTGAAGGATCACAAAGT
GGCAGTGAGGTTGGGGCTGATATGCAGGAATCCCGCCTGCTGTGGGCCTGCATGGTGAAGTGCAGGA
ATACCAGCACCTGCTTATAAAAACAAGTCTAAGAAAAAAAGAAAAAGTCCAATCACCAGGAATTTGAG
GCAGTGGCCATGCCTGAGAGCCTCGAGAGTGCATACCTGAAGGATCACAGGTGGCAGTGAGGTTGGG
ACTGTGGAAGGCAGTACAGCTCTTAAAGGTTCAAGGAATCCAACAGTACAAAGAAGAAGTCTAAGAAA
AGGAAGCTTACGTCTGTCAAAGGGCACGAGTGTCTGGTGATTTTTTTCAGTGCCCAAGAAGTCT
GAGAGCACACTCTTTGATTCAGTAGAAGGTGATGGCGCCATGATGGAAGAAGGTGTGAAATCTAGGCC
CGACAAAAGAAAACCCAGGCCTGTTTGGCAAGCAAGCACGTGCAAGAGGCCCAAGGTTAGAACCTGCA
AATGAAGAACACAATGTGAAACAGCTGAAGATCCGAAATAAGATACTTATCTGCAGATTCAGGAGAT
GCCGATGATTCAGATGCGGATTTGGGTTCTGCCGTGAAACAGCTTCCAGGAGTTCATTCTAACATCAAG
GACAGGGCCACCAGCACAAATCAAGCGGATGTACCGGGACGACTTGGAACGGTTTAAAGAAATTTAAAGCA
CAAGGTGTCGCTATTAATTTGGCAAGTTTTCTGTAAGGAAAAAAGCAGTTAGAGAAAAATGTGGAA
GACTTTCTAGCCCTGACAGGCATTGAGAGTGCAGACAAGCTGCTGTACACGGACAGATATCTGAGGAA
AAATCTGTGATCACCAACTTAAAAAGGAGATACTCGTTTAGATTACACATTGGTAGGAACATTGCCCGG
CCCTGAAACTTATATACTATCGAGCAAAGAAGATGTTTCGATGTCAACAATTACAAGGCAGGTATAGC
GAAGGAGATACTGAGAAGTTAAAGATGTACCATTCTCCTTGGGAATGACTGGAAGACGATTGGTGAG
ATGGTGGCCCAAGTAGCCTCTCCGTGGCCCTCAAGTTCTCACAGATCAGCAGTCAAAGAAATCGTGGT
GCTTGGAGTAAGTCTGAAACCCGGAAACTAATCAAGGCTGTGCAAGAAGTGATTCTGAAGAAGATGTCT
CCCCAGGAGTTAAAGAGGTGGATTCCAACCTCCAAGAAAATCCTGAAAGTTGCCTATCAATTGTTCCG
GAAAACTCTACAAGGCATATCTTGGGTAGAAGTAGAAGCTAAAGTGCAAACCGAAATTTGGATGCAG
TGTAAGTAAGTGGACAGAAATTTAACAAGAGGATGACTAATGGTCCGCGTATCTACTATGGCATG
AATGCCCTGCGGGCCAAGGTCAGCCTTATTGAAAGTTGTATGAAATAAATGTGGAAGATACTAATGAA
ATAGACTGGGAAGATCTTGTAGTGCCATAGGTGATGTTCTCCATCTTACGTTCAAACCTAAATTTCT
AGGCTGAAAGCTGTCTATGTTCCATTTTGGCAGAAAAAGACTTTTCCAGAGATCATCGACTACCTTTAT
GAGACGACTCTACCTTTGCTGAAGGAAAAGTTAGAAAAATGATGGAGAAAAAGGCACTAAAATCCAG
ACTCCTGCAGCACCAAGCAAGTTTTCCATTTTCGAGACATCTTTTATTATGAAGACGATAGTGAAGGA
GAGGACATAGAAAAAGAAAGCGAAGGCCAGGCCATGCATGGCTCACGCTGTAATTCCAGTACTTTG
GGAGGCCAAGGCCGGTGGATCATCTGA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCTGGAT
TACAAGGATGACGACGATAAGGTTAAACGGCCGGC
  
```

**Restriction Sites:** SgfI-MluI

**Plasmid Map:**


**ACCN:** NM\_007344

**Insert Size:** 2718 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

**OTI Annotation:** This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_007344.3](#)

**RefSeq Size:** 3154 bp

**RefSeq ORF:** 2718 bp

**Locus ID:** 7270

**UniProt ID:** [Q15361](#)

**Cytogenetics:** 9q34.13

**MW:** 103.1 kDa

**Gene Summary:** This gene encodes a transcription termination factor that is localized to the nucleolus and plays a critical role in ribosomal gene transcription. The encoded protein mediates the termination of RNA polymerase I transcription by binding to Sal box terminator elements downstream of pre-rRNA coding regions. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. This gene shares the symbol/alias 'TFF1' with another gene, NK2 homeobox 1, also known as thyroid transcription factor 1, which plays a role in the regulation of thyroid-specific gene expression. [provided by RefSeq, Apr 2011]

Transcript Variant: This variant (1) encodes the longer isoform (1). Sequence Note: The RefSeq transcript and protein were derived from genomic sequence to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on alignments.