

Product datasheet for **SC304221**

CDC2L6 (CDK19) (NM_015076) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	CDC2L6 (CDK19) (NM_015076) Human Untagged Clone
Tag:	Tag Free
Symbol:	CDK19
Synonyms:	bA346C16.3; CDC2L6; CDK11; DEE87; EIEE87
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >SC304221 representing NM_015076.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)


```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAATACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGATTATGATTTCAAGGCGAAGCTGGCGCGGAGCGGGAGCGGGTGGAGGATTTGTTTGAGTACGAA
GGGTGCAAAGTGGGACGCGGCACCTACGGTCACGTCCTACAAGGCGAGCGGAAAGATGAAAAAGATGAA
AAGGAATATGCATTGAAGCAAATTGAAGGCACAGGAATATCCATGTCGGCTTGTAGAGAGATTGCACCTT
TTGCGAGAATTGAAGCACCTAATGTGATTGCATTGCAGAAGGTTCCTTTCTCACAGTGACAGGAAG
GTATGGCTGCTGTTTATTATGCAGAGCATGACTTGTGGCATATTATTAAGTTTCACCGTGCATCAAAA
GCAAATAAAAAGCCCATGCAGTTGCCAAGATCTATGGTTAAATCCTTACTTTACCAGATTCTTGATGGT
ATCCATTACCTCCATGCAAATTGGGTGCTTACAGAGACTTGAAACCAGCAAATATCCTAGTAATGGGA
GAAGGTCCTGAGAGGGGAGAGTCAAAATAGCTGACATGGGTTTTGCCAGATTATCAATTCTCCTCTA
AAGCCACTAGCAGATTTGGATCCAGTAGTTGTGACATTTTGGTATCGGGCTCCAGAATTTTGTGGT
GCAAGGCATTATACAAAGCCATTGATATATGGGCAATAGTTGTATTTGCTGAATTGTTGACTTCG
GAACCTATTTTTCACTGTCGTCAGGAAGATATAAAAACAAGCAATCCCTTTCATCATGATCAACTGGAT
CGGATATTTAGTGTATGGGTTTCTCGAGATAAAGACTGGGAAGATATTAGAAAAGATGCCAGAATAT
CCCACACTTCAAAAAGACTTTAGAAGAACAACGTATGCCAACAGTAGCCTCATAAAGTACATGGAGAAA
CACAAGGTCAAGCCTGACAGCAAAGTGTTCCTTGTCTCAGAACTCCTGACCATGGATCCAACCAAG
AGAATTACCTCGGAGCAAGCTCTGCAGGATCCCTATTTTCAGGAGGACCCCTTGGCAACATTAGATGTA
TTTGCCGGCTGCCAGATTCATACCCCAAACGAGAATTCCTTAATGAAGATGATCCTGAAGAAAAAGGT
GACAAGAATCAGCAACAGCAGCAGAACCAGCATCAGCAGCCACAGCCCTCCACAGCAGGCAGCAGCC
CCTCCACAGGCGCCCCACCACAGCAGAACAGCACCAGACCAACGGGACCGCAGGTGGGCTGGGGCC
GGGGTCGGGGGCACCGGAGCAGGTTGCAGCACAGCCAGGACTCCAGCCTGAACCAGGTGCCTCCAAC
AAGAAGCCACGGCTAGGGCTTACAGCGCAAACCTCAGGTGGACCTGTGATGCCCTCGATTATCAGCAC
TCCAGTTCTCGCCTGAATTACCAAAGCAGCGTTACGGGATCCTCTCAGTCCCAGAGCACACTTGGCTAC
TCTTCTCGTCTCAGCAGAGCTCACAGTACCACCCATCTCACCAGGCCACCAGTACTGA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites:

SgfI-MluI

Plasmid Map:



ACCN:

NM_015076

Insert Size:	1509 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_015076.4
RefSeq Size:	6246 bp
RefSeq ORF:	1509 bp
Locus ID:	23097
UniProt ID:	Q9BWU1
Cytogenetics:	6q21
Protein Families:	Druggable Genome, Protein Kinase
MW:	56.8 kDa
Gene Summary:	<p>This gene encodes a protein that is one of the components of the Mediator co-activator complex. The Mediator complex is a multi-protein complex required for transcriptional activation by DNA binding transcription factors of genes transcribed by RNA polymerase II. The protein encoded by this gene is similar to cyclin-dependent kinase 8 which can also be a component of the Mediator complex. Alternative splicing results in multiple transcript variants encoding distinct isoforms. [provided by RefSeq, Jul 2014]</p> <p>Transcript Variant: This variant (1) represents the longest transcript and encodes the longest isoform (1).</p>