

Product datasheet for **SC304250**

MYO1D (NM_015194) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	MYO1D (NM_015194) Human Untagged Clone
Tag:	Tag Free
Symbol:	MYO1D
Synonyms:	myr4; PPP1R108
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >SC304250 representing NM_015194.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGCACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGCATCGCC
ATGGCGGAGCAGGAGAGCCTGGAATTCGCAAGGCAGACTTCGTGCTGATGGACACCGTCTCCATGCCC
GAGTTCATGGCCAACTCAGGCTCAGATTTGAAAAAGGCGCATCTATACGTTTCATTGGAGAAGTCGTC
GTTTCTGTGAACCCTTACAAGTTGTTGAACATCTATGGAAGAGACACAATTGAGCAGTATAAAGGCCGT
GAGCTGTATGAGAGACCGCTCACCTTTTTGCTATTGCGGATGCTGCTTACAAGGCTATGAAGAGCGCA
TCAAAAGACACTTGATTGTGATATCAGGGGAAAGTGGAGCTGGTAAACGGAAGCCAGTAAGTACATT
ATGCAGTATATTGCGGCCATCACCAACCCAGTCAGAGAGCAGAGGTTGAAAGAGTGAAGAATATGTTG
CTTAAGTCCAACGTGTTTTGGAAGCTTTGAAATGCCAAAACCAACCGTAATGACAACTCAAGCAGG
TTTGGAAAATACATGGATATCAACTTTGACTTCAAGGGTGACCCTATTGGTGGGCATATCAATACTAC
TACTAGAAAAGTCTCGAGTGATTGTGAACAGCCAGGAGAAAGAAGCTTTCATTCTTTCTATCAGCTA
CTCCAAGGAGGTTCAGAACAAATGCTACGCTCTCTACATCTCCAGAAATCCCTTTTCATCTACAACAT
ATTCATGTGGGAGCTCAATTAAAGTCTTCTATCAATGATGCTGCCGAATTCAGAGTTGTTGCTGATGCC
ATGAAAGTCATTGGCTTCAAACCTGAGGAGATCCAACAGTGTATAAGATTTTGGCTGCTATTCTGCAC
TTGGGAAATTTAAATTTGTAGTAGATGGTGACACGCCTCTTATTGAGAAATGGCAAAGTAGTATCTATC
ATAGCAGAATTGCTCTCTACTAAGACAGATATGGTTGAGAAAGCCCTTCTTACCAGGACTGTGGCCACA
GGCCGTGACATCATTGACAAGCAGCACACAGAACAAGAGGCCAGCTACGGCAGAGACGCCTTTGCCAAG
GCAATATATGAGCGCCTTTTTGTTGGATCGTTACTCGCATCAATGATATTATTGAGGTCAAGAACTAT
GACACCACAATCCATGGGAAAAACACTGTTATTGGTGTCTTGATATCTATGGCTTTGAAATCTTTGAC
AACACAGTTTTGAACAATTCTGTATCAATTACTGCAATGAGAACTGCAGCAGCTATTTATTCAGCTG
GTTCTGAAGCAAGAACAAGAGGAATACCAAGCGGAAGGGATCCCTTGAAACATATTGACTACTTCAAC
AATCAGATCATTGTTGACCTCGTGGAGCAACAGCACAAAGGGATCATTGCAATCCTTGATGATGCTTGC
ATGAATGTCGGCAAAGTCACCGATGAAATGTTTCTTGAAGCACTTAACAGTAAATTTGGGCAAACAGCC
CATTTTTCCAGCCGAAAGCTCTGTGCCTCAGACAAAATCTGGAGTTTGATCGAGATTTTCGAATTCGA
CATTATGCAGGCGATGTAGTCTATTCTGTCTATTGGTTTTATTGACAAAAATAAGATACTTTATTTCAA
GATTTCAAGCGCCTTATGTATAACAGTTCAAATCCTGTGCTCAAGAAATATGTGGCCTGAAGGCAAACCTG
AGCATTACAGAGGTGACCAAGCGACCTCTGACTGCTGCTACCTTGTTTAAAGATTCTATGATTGCTCTA
GTAGACAACCTTGATCAAAGGAACCATATTACGTTTCGTTGCATCAAACCAATGACAAGAAATCTCCA
CAGATATTTGATGATGAACGCTGCCGGCACCAAGTAGAATATCTTGGACTACTGGAATGTGAGAGTG
CGTCGGGCAGGATTTGCCTTCCGCCAGACATACGAGAAGTTTCTTACAGGTATAAGATGATCTCTGAA
TTCACCTGGCCCAACCATGACCTTCCTTCAGACAAAGAGGCTGTCAAGAACTAATTGAACGGTGTGGT
TTTCAGGATGATGTAGCTTATGGGAAGACCAAAATTTTCATTGAAACACCCGAACATTGTTTACCTTG
GAAGAACTCCGTGCCAGATGCTCATAAGGATTGTCTCTTTCTACAAAAGGTGTGGCGGGGCACCTG
GCCCGCATGCGGTACAAAAGAACCAAGGCAGCTCTGACAATAATCAGGTACTACCGGCGCTACAAAGTG
AAGTCGTACATCCACGAGGTGGCCAGACGCTTCCATGGCGTCAAGACCATGCGAGACTACGGGAAGCAC
GTGAAGTGGCCAAGCCCTCCTAAAGTTCTTCCGCGTTTTGAGGAGGCCCTGCAGACGATTTCAATAGA
TGGAGAGCATCCAGCTCATCAAGAGCATTCCGGCCTCAGACCTGCCCCAGGTACGGGCAAGGTTGCA
GCCGTGGAATGTTGAAGGGTCAAAGGGTGACCTCGGGCTCCAGAGGGCTGGGAGGGCAACTATCTT
GCTTCAAAGCCAGATACACCTCAGACCTCAGGCACTTTTGTCCCTGTTGCTAATGAATTGAAACGGAAG
GACAAATACATGAATGTCCTCTTTTCTGTACGTCGTAAGGTAATCGATTTAGTAAGGTGGAAGAC
AGAGCAATTTTGTCACTGACCGTCACCTGTATAAAATGGATCCCACTAAACAGTACAAGGTGATGAAG
ACTATCCCTCTATACAATTTGACTGGTCTGAGTGTCTCCAATGAAAGGACCAACTGTAGTGTCCAT
ACGAAAGACAACAAAGACCTCATTGTCTGCCTCTTCAGCAAACAGCCAACCCATGAGAGTGAATTGGA
GAACCTGTTGGAGTGCTGGTGAATCATTCAAGAGTGAGAAGCGCCACCTTCAAGTGAACGTACCAAC
CCAGTACAGTGCAGCCTGCACGGGAAGAAGTGACCGTCTCCGTGGAGACGCGGCTCAACACGCCCCAG
CCCGACTTCACCAAGAATCGCTCGGGCTTCATCTCAGCGTGCCCGGGAACTGA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites:	Sgfl-MluI
ACCN:	NM_015194
Insert Size:	3021 bp
OTI Disclaimer:	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery. The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_015194.2
RefSeq Size:	5591 bp
RefSeq ORF:	3021 bp
Locus ID:	4642
UniProt ID:	O94832
Cytogenetics:	17q11.2
MW:	116.2 kDa

Gene Summary:

Unconventional myosin that functions as actin-based motor protein with ATPase activity (By similarity). Plays a role in endosomal protein trafficking, and especially in the transfer of cargo proteins from early to recycling endosomes (By similarity). Required for normal planar cell polarity in ciliated tracheal cells, for normal rotational polarity of cilia, and for coordinated, unidirectional ciliary movement in the trachea. Required for normal, polarized cilia organization in brain ependymal epithelial cells (By similarity).[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (1) represents the longest transcript and encodes the longest isoform (1).