

Product datasheet for SC304290

SRGAP2 (NM_015326) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	SRGAP2 (NM_015326) Human Untagged Clone
Tag:	Tag Free
Symbol:	SRGAP2
Synonyms:	ARHGAP34; FNBP2; SRGAP2A; SRGAP3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC304290 representing NM_015326. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTGTGAAACCGTCAGAATTTTGTAAACGACTACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGACGCTCCAGCCAAATTCAAAAAGGATAAGGAGATCATAGCAGAGTACGATACTCAGGTCAAAGAG
ATCCGTGCTCAGCTCACAGAGCAGATGAAATGCCTGGACCAGCAGTGTGAGCTTCGGGTGCAACTGTTG
CAGGACCTCCAGGACTTCTCCGAAAGAAGGCAGAGATTGAGATGGACTACTCCCGCAACCTGGAGAAG
CTGGCAGAACGCTTCTGGCCAAGACACGCAGCACCAAGGACCAGCAATCAAGAAGGATCAGAATGTT
CTCTCTCCAGTCAACTGCTGGAATCTCCTCTTAAACCAGGTGAAGCGGAAAGCAGGGACCATAACCACC
CTGAGTGACATCTACCTGAATAATATCATTCTCGATTTGTACAAGTCAGCGAGGACTCAGGAAGACTC
TTTAAAAAGAGTAAAGAAGTCGGCCAGCAGCTCCAAGATGATTTGATGAAGGTCCTGAACGAGCTCTAC
TCGGTGATGAAGACATATCACATGTACAATGCCGACAGCATCAGTGCTCAGAGCAAATAAAGGAGGCG
GAGAAGCAGGAGGAGAAGCAAATTTGTAATCGGTAAAGCAGGAGGACCGGCAGACCCACGCTCCCT
GACTCCACGGCCAACTTCGATTGAGGAGAAACATGTCCGGAGGAGCTCAGTGAAGAAGATTGAGAAG
ATGAAGGAGAAGCGTCAAGCCAAGTACACGGAATAAGCTGAAGGCCATCAAAGCCCGAATGAGTAC
TTGCTGGCTTTGGAGGCAACCAATGCATCTGTCTTCAAGTACTACATCCATGACCTATCTGACCTTATT
GATCAGTGTGTGACTTAGGCTACCATGCAAGTCTGAACCGGCTCTACGCACCTTCTCTCTGTGAG
TTAAACCTGGAACAGTCAAGCATGAGGGTCTGGATGCCATCGAGAATGCAGTAGAAAACCTGGATGCC
ACCAAGTGAAGCAGCGCTCATGGAGATGTACAACAACGCTTCTGCCCCCTATGAAGTTTGAGTTT
CAGCCCCACATGGGGATATGGCTTCCCAGCTCTGTGCCAGCAGCCTGTCCAGAGTGAGCTGGTACAG
AGATGCCAAACTGCAGTCTCGCTTATCCACTCTAAAGATTGAAAACGAAGAGGTAAAGAAGACAATG
GAGGCCACCTGCAAACCATCCAGGACATTGTGACTGTGAGGACTTTGATGTGTCTGACTGCTCCAG
TACAGCAACTCCATGGAGTCCGTCAAGTCCACGGTCTCTGAAACCTTCATGAGCAAGCCAGCATTGCT
AAGAGGAGAGCCAACCAGCAAGAGACAGAGCAGTTTTATTTACAAAAATGAAAGAGTACCTGGAGGGC
AGGAACCTCATACCAAGTTACAAGCCAAGCATGACCTTCTGCAGAAAACCTGGGAGAAAGTCAGCGG
ACAGATTGCAGTCTAGCCAGGCGCAGCTCAACTGTGAGGAAACAGGACTCCAGCCAGGCAATTCCTCTG
```



[View online »](#)

```

GTGGTGGAAAGCTGTATCCGGTTTATCAGCAGACACGGACTACAGCATGAAGGAATTTCCGGGTGTCA
GGATCCCAGGTGGAAGTGAATGACATCAAAAATGCCTTTGAGAGAGGAGAGGACCCCTGGCTGGGGAC
CAGAACGACCATGACATGGATTCCATAGCTGGTGTCTGAAGCTTTACTTCCGGGGGCTGGAACACCCT
CTCTTCCCAAGGACATCTTTCATGACCTGATGGCCTGCGTCACAATGGACAACCTGCAGGAGAGAGCT
CTGCACATCCGGAAAGTCTCTAGTCTGCCAAAACCACTCTGATTATCATGAGATACCTCTTTGCC
TTCCCTCAATCATTATCACAGTTCAGTGAAGAGAACATGATGGACCCCTACAACCTGCCATCTGCTTC
GGCCCTCGCTAATGTCAAGTCCAGAGGGCCACGACCAGGTGTCTTCCCAAGCCACGTCGATGAGCTG
ATCAAAAACCATCATCATCCAGCATGAGAACATCTTCCCAAGCCAGGGAGCTGGAGGGCCCTGTCTAC
AGCAGAGGAGGAAGCATGGAGGATTACTGTGATAGCCCTCATGGAGAGACTACCTCGTTGAAGACTCA
ACCCAGGATGTGACCGCAGAGCACCACAGCGATGACGAATGTGAGCCCATCGAGGCCATTGCCAAG
TTTGACTACGTGGGCCGACAGCCCGAGAGCTGTCCTTTAAGAAGGGAGCATCCCTGCTGCTTACCAG
CGGGCTTCCGACGACTGGTGGGAAGGCCGACAAATGGCATCGACGGACTCATCCCCATCAGTACATC
GTGGTCCAAGACACCGAGGACGGTGTCTGGAGAGGTCCAGCCCCAAGTCTGAGATTGAGGTCATTCT
GAGCCACCTGAAGAAAAGGTGACAGCCAGAGCGGGGCCAGCTGTCCAGTGGGGTTCATGTAGCCGAT
ATTTATCTTGAAACATCAACAAGCAAAGGAGCGTCCAGAATCTGGGAGCATCCGGAAAACCTTTCCG
AGTGACAGCCATGGGCTGAGCAGTTCCTGACTGACTCCTCCTCCCAGGGGTGGGGCTAGCTGCCGC
CCATCCTCCCAGCCCATCATGAGCCAGAGCCTCCCAAAGAAGGGCCAGATAAGTGTTCATCAGTGGG
CACGGGAGCCTCAACTCCATCAGCCGCACTCATCCCTGAAGAATCGGCTGGATAGTCCACAGATCCGG
AAGACTGCCACAGCGGAAGGTCAAAAAGCTTCAATAACCATCGGCCATGGACCTGAGGTCATTGCT
CAGGATATTGAGGCAACAATGAACTCGGCCCTGAATGAGCTACGGGAAGTACAACGGCAGAGCAGTGTG
AAACACACCCCTGACGTGGTCTGGACACCTTGGAGCCCTCAAACCTCCCCAGTGGTGGCCCCCAGC
TCAGAGCCCTCCAGCCCTCTGCACACCCAGCTCCTCAAGGACCCCGAGCCCGCTTCCAGCGCAGCGCC
AGTACTGTGGGACATCGCCTGCGCTTCCGGCCTGTCAAGTCTGTCAAGATGGCTGCCCGGTCAA
CCACCAGCCACACGGCCCAAGCCACTGTCTTCCCAAACAAATGCCACTAGCCCTGGTGTCAACTCA
TCAACTTCCCACAGTCTACTGACAAGTCTTGTACTGTCTGA
AGCGGACCGACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGAT
ATCCTGGATTACAAGGATGACGACGATAAAGGTTAA
    
```

- Restriction Sites:** SgfI-RsrII
- ACCN:** NM_015326
- Insert Size:** 3216 bp
- OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
- OTI Annotation:** This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA
- Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_015326.1](#)

RefSeq Size: 6801 bp

RefSeq ORF: 3216 bp

Locus ID: 23380

UniProt ID: [O75044](#)

Cytogenetics: 1q32.1

Protein Pathways: Axon guidance

MW: 120.9 kDa

Gene Summary: This locus encodes a member of the SLIT-ROBO Rho GTPase activating protein family. The encoded protein stimulates GTPase activity of Rac1, and plays a role in cortical neuron development. This locus has several paralogs on human chromosome 1 resulting from segmental duplication. While this locus itself is conserved among various species, the paralogs are found only in the genus Homo, and not in the genomes of non-human great apes. Alternatively spliced transcript variants have been described for this locus. [provided by RefSeq, Jul 2014]

Transcript Variant: This variant (1) represents the longest transcript and encodes the longest isoform (a). Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.