

## Product datasheet for **SC304338**

### PHF19 (NM\_015651) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	PHF19 (NM_015651) Human Untagged Clone
Tag:	Tag Free
Symbol:	PHF19
Synonyms:	MTF2L1; PCL3; TDRD19B
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**Fully Sequenced ORF:** >SC304338 representing NM\_015651.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGCATCGCC
ATGGAGAATCGAGCTCTGGATCCAGGGACTCGGGACTCCTATGGTGCCACCAGCCACCTCCCCAACAAAG
GGGGCCCTGGCGAAGGTCAAGAACAACCTCAAAGACTTGATGTCCAAACTGACGGAGGGCCAGTATGTG
CTGTGCCGGTGGACAGATGGCCTGTACTACCTCGGGAAGATCAAGAGGGTCAGCAGCTCTAAGCAAAGC
TGCTCGTGACTTTCGAAGATAATTCCAATACTGGGTCTATGGAAGGACATACAGCATGCCGGTGTT
CCAGGAGAGGAGCCCAAGTGCAACATCTGCCTAGGGAAGACATCAGGGCCGCTGAATGAGATCCTCATC
TGCGGGAAGTGTGGCCTGGGTTACCACCAGCAGTGCCACATCCCCATAGCGGGCAGTGCTGACCAGCCC
CTGCTCACACCTTGGTTCTGCCGACGCTGCATCTTCGACTGGCTGTGCGGAAAGCGGGCGCGCTGAAG
AAGGGCGCCATCGCCAGGACGCTGCAGGCCGTGAAGATGGTGTCTACCAGCCCAGGAGCTCGAG
TGGGACTCGCCCATCGACCAACCAGCAGCAATGCTACTGCTACTGCGGCGGGCCCGGAGAATGGTAC
CTGCGGATGCTGCAATGTTACCGGTGCAGGCAGTGGTTCACGAGGCCTGCACCCAGTGCCTCAATGAG
CCCATGATGTTTGGAGACCGGTTTTACCTGTTCTTCTGCTCCGTGTGAACCAGGGCCCAGAGTACATC
GAGAGGCTGCCCTGCGATGGGTGGATGTGGTTCACCTGGCCCTCTATAATCTGGGGGTACAGAGCAAG
AAGAAGTACTTTGACTTTGAGGAGATTCTGGCCTTGTCAACCACCAGTGGGAGCTCCTGCACTTGGC
AAGCTCACCAGCACCCAGTGACAGATCGAGGACCACATCTCCTCAACGCTCTGAACAGTTATAAAAGC
CGGTTCTCTGCGGAAGGAGATCAAGAAGAAGAAGTGCATCTCCGCTGCGCATCCGCGTCCCACCC
AACCCGCCAGGGAAGCTGCTGCCTGACAAAGGACTGCTGCCAAATGAGAACAGCGCCTCCTCTGAGCTG
CGTAAGAGAGGAAAGAGCAAGCCTGGTTTGTTCCTCACGAATCCAGCAGCAGAAAAGGCGAGTTTAT
AGAAGAAAAAGATCAAAGTTTTTGTGGAAGATGCTATTCCAGTAGTGACTTCACCTCAGCCTGGAGC
ACCAACCACACCTGGCTAGCATATTTGACTTCACGCTGGATGAAATTCAAAGTTTAAAAAGTGCCAGC
TCAGGCCAGACCTTCTTCTCAGATGTCGACTCCACCGACGCTGCCAGCACCTCTGGCTCTGCCTCCACC
AGCCTCTCCTATGACTCCAGATGGACAGTGGGACGCCGAAAGAGGAAGCTGGCAGCAAGGCATACATG
CCCCTGCGGGCAAAGCGGTGGGACGCTGAGCTGGATGGACGCTGCCCTCGGACAGCAGTGCAGAGGGG
GCTTCAGTCCCGAGCGGCCAGACGAAGGCATTGACAGCCACACATTTGAGAGCATCAGTGAAGATGAC
TCATCCCTGTCCCACCTCAAGTCATCTATACCAACTACTTTGGTGCAGCTGGGCGGTTGGCCTGTGGG
GAGAAGTACCAGGTGTTGGCTCGGAGGGTCACACCTGAGGGCAAGGTTACGTACCTGGTGGAGTGGGAA
GGGACCACCCCTTACTGA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

- Restriction Sites:** SgfI-MluI
- ACCN:** NM\_015651
- Insert Size:** 1743 bp
- OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
- OTI Annotation:** This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
- Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_015651.2</a>
<b>RefSeq Size:</b>	4310 bp
<b>RefSeq ORF:</b>	1743 bp
<b>Locus ID:</b>	26147
<b>UniProt ID:</b>	<a href="#">Q5T6S3</a>
<b>Cytogenetics:</b>	9q33.2
<b>Protein Families:</b>	Druggable Genome
<b>MW:</b>	65.6 kDa
<b>Gene Summary:</b>	<p>Polycomb group (PcG) that specifically binds histone H3 trimethylated at 'Lys-36' (H3K36me3) and recruits the PRC2 complex. Probably involved in the transition from an active state to a repressed state in embryonic stem cells: acts by binding to H3K36me3, a mark for transcriptional activation, and recruiting H3K36me3 histone demethylases RIOX1 or KDM2B, leading to demethylation of H3K36 and recruitment of the PRC2 complex that mediates H3K27me3 methylation, followed by de novo silencing. Recruits the PRC2 complex to CpG islands and contributes to embryonic stem cell self-renewal. Also binds dimethylated at 'Lys-36' (H3K36me2). Isoform 1 and isoform 2 inhibit transcription from an HSV-tk promoter. [UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (1) uses an alternate 5' terminal exon and it thus differs in its 5' UTR and initiates translation from a downstream in-frame start codon, compared to variant 3. The encoded isoform (a, also known as hPCL3L) is shorter at the N-terminus, compared to isoform c.</p>