

## Product datasheet for **SC304787**

### **ATP6V0A4 (NM\_020632) Human Untagged Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	ATP6V0A4 (NM_020632) Human Untagged Clone
Tag:	Tag Free
Symbol:	ATP6V0A4
Synonyms:	A4; ATP6N1B; ATP6N2; DRTA3; RDRTA2; RTA1C; RTADR; STV1; VPH1; VPP2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)




[View online »](#)

**Fully Sequenced ORF:** >SC304787 representing NM\_020632.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGGATCGCC
ATGGTGTCTGTGTTTCGAAGCGAGGAGATGTGTTGTCACAACTGTTTCTCCAGGTGGAAGCTGCATAT
TGCTGTGTGCTGAGCTCGGAGAGCTCGGATTGGTTCAGTTCAAAGATTTAAATATGAATGTGAACAGC
TTTCAAAGGAAATTTGTGAATGAAGTCAGAAGGTGAATCACTGGAGAGAATCCTCCGTTTTCTGGAA
GACGAGATGCAAAATGAGATTGTAGTTCAGTTGCTCGAGAAAAGCCCACTGACCCCGCTCCACGGGAA
ATGATTACCCTGGAGACTGTTCTAGAAAACTGGAAGGAGAGTTACAGGAAGCCAACCAGAACCAGCAG
GCCTTGAAACAAAGCTTCTAGAACTGACAGAAGTAAATACCTCCTGAAGAAAACCAAGACTTCTTT
GAGACGGAACCAATTTAGCTGATGATTTCTTTACTGAGGACACTTCTGGCCTCCTGGAGTTGAAAGCA
GTGCTGCATATATGACCGGAAAGTTGGGGTTCATAGCCGGTGTGATCAACAGGGAGAGGATGGCTTCC
TTTGAGCGGTTACTGTGGCGAATCTGCCGAGGAAACGTGTAAGTTCAAGTTCAGTGGAGATGGACGCCCT
CTGGAGGATCCTGTGACGAAAGAAGAAATTCAGAAGAATATTCATCATATTTTACCAAGGAGAGCAG
CTCAGGCAGAAAATCAAGAAGATCTGTGATGGGTTTCGAGCCACTGTCTACCCCTGCCAGAGCCTGCG
GTGGAGCGCAGAGAGATGTTGGAGAGCGTCAATGTGAGGCTGGAAGATTTAATCACCGTCATAACACAA
ACAGAGTCTACCGCCAGCGCCTGCTGCAGGAAGCCGCTGCCAACTGGCACTCCTGGCTCATCAAGGTG
CAGAAGATGAAAGCTGTCTACCACATCCTGAACATGTGCAACATCGACGTCACCCAGCAGTGTGTATC
GCCGAGATCTGGTTCGGGTGGCAGATGCCACACGTATCAAGAGGGCACTGGAGCAAGGCATGAACTA
AGTGGCTCCTCCATGGCCCCATCATGACCACAGTGAATCTAAAACAGCCCCCTCCACATTTAACAGG
ACCAATAAATTCACAGCTGGCTTCCAGAATATTGTTGATGCCTATGGTGTGCGCAGCTACCGGGAGATA
AACCCAGCCCCCTACACCATCATCACTTCCCTTCTGTTGCTGATGTTTGGAGACTGTGACAT
GGAACCGTGATGCTCCTGGCTGCACCTTGGATGATTCTGAATGAGAGACGCTTGCCTCCAGAAGACA
GACAATGAGATTTGGAACACCTTCTCCACGGGCGCTATCTGATCCTACTTATGGGCATCTTCTCCATC
TACACGGGTTTGTCTACAATGACTGCTTCTCCAAGTCTTGAACATCTTGGCTCTTCTGGAGTGTG
CAACCCATGTTGAGAAACGGCACATGGAATACTCATGTAATGGAGGAAAGTCTATATCTGCAGCTGGAC
CCAGCCATACCAGGAGTGTATTTTGGAAATCCATACCCGTTTGGGATTGATCCGATTTGAACTGGCT
TCAAACAACTCACATTTCTGAACTCGTATAAAATGAAGATGTCGGTGTCTGGAATTTGTCAGATG
GTTTTCGGTGTCATCCTCAGCCTTTTCAATCACATATACTTCAAGAAGTCTCAACATCATTCTGCAA
TTTATCCCTGAGATGATTTTTATCCTGTGTCTGTTGGATACCTGGTTTTTATGATCATTTCAAATGG
TGCTGCTTTGACGTCCATGTATCTCAGCAGCCCCAGCATCCTCATCCACTTCAACATGTTTTCTG
TTAACTACAGTGACTCTTCCAACGCACCCCTCTACAAACATCAGCAAGAAGTCCAAAGTTTCTTTGTG
GTTATGGCTTTGATTTCTGTGCCGTGGATGCTTCTGATTAAGCCGTTTATTCTTAGAGCCAGTATCGG
AAATCCCAGCTGCAGGCATCCAGGATCCAAGAAGATGCCACTGAGAACATTGAAGGTGATAGCTCCAGC
CCTTCTAGCCGTTCTGGCCAGAGGACTTCTGCAGATACCCACGGGGCTCTGGACGACCATGGAGAAGAG
TTCAACTTTGGAGACGTCTTTGTCCACCAAGCCATCCACACCATCGAGTACTGCCTGGGCTGCATTTCA
AACACAGCCTCTACCTGCGGCTCTGGGCCCTCAGCCTGGCTCATGCACAACGTCTGAAGTGTCTGG
ACTATGGTGTGAACAGCGGCCCTCAGACGCGAGGCTGGGGAGGAATCGTCGGGGTTTTTATATTTTT
GCCGTATTTGCTGTCTGACAGTAGCCATCCTTCTGATCATGGAGGGCCTCTGCTTTCTGACAGCC
CTGCGACTGCACTGGGTTGAGTTCAGAACAAGTCTATGTGGGGATGTTACAAGTTTTCTCCATTC
TCCTTTAAACACATCCTGGATGGCACAGCCGAGGAGTAG
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

**Restriction Sites:** Sgfl-MluI

**Plasmid Map:**


**ACCN:** NM\_020632

**Insert Size:** 2523 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

**OTI Annotation:** This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_020632.2](#)

**RefSeq Size:** 3152 bp

**RefSeq ORF:** 2523 bp

**Locus ID:** 50617

**UniProt ID:** [Q9HBG4](#)

**Cytogenetics:** 7q34

<b>Protein Families:</b>	Transmembrane
<b>Protein Pathways:</b>	Epithelial cell signaling in Helicobacter pylori infection, Lysosome, Metabolic pathways, Oxidative phosphorylation, Vibrio cholerae infection
<b>MW:</b>	96.4 kDa
<b>Gene Summary:</b>	<p>This gene encodes a component of vacuolar ATPase (V-ATPase), a multisubunit enzyme that mediates acidification of intracellular compartments of eukaryotic cells. V-ATPase dependent acidification is necessary for such intracellular processes as protein sorting, zymogen activation, receptor-mediated endocytosis, and synaptic vesicle proton gradient generation. V-ATPase is composed of a cytosolic V1 domain and a transmembrane V0 domain. The V1 domain consists of three A and three B subunits, two G subunits plus the C, D, E, F, and H subunits. The V1 domain contains the ATP catalytic site. The V0 domain consists of five different subunits: a, c, c', c'', and d. This gene is one of four genes in man and mouse that encode different isoforms of the a subunit. Alternatively spliced transcript variants encoding the same protein have been described. Mutations in this gene are associated with renal tubular acidosis associated with preserved hearing. [provided by RefSeq, Jul 2008]</p> <p>Transcript Variant: This variant (1) is the longest transcript. Variants 1, 2, and 3 encode the same protein.</p>