

Product datasheet for SC304917

HMHB1 (NM_021182) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	HMHB1 (NM_021182) Human Untagged Clone
Tag:	Tag Free
Symbol:	HMHB1
Synonyms:	HB-1; HB-1Y; HLA-HB1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>NCBI ORF sequence for NM_021182, the custom clone sequence may differ by one or more nucleotides

CTGGAGGAGCAGCCAGAATGCAGAGAAGAAAAAGAGTTCTCTGCATGTTGGAAGTCGGAATTGGTTG
 AAGTTGAAGATGATGTGTATCTGAGGCACAGCTCTCCCTGACTTATAGGCTTGA

Restriction Sites:	Sgfl-Mlul
ACCN:	NM_021182
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).


[View online »](#)

Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_021182.1, NP_067005.1</u>
RefSeq Size:	397 bp
RefSeq ORF:	126 bp
Locus ID:	57824
UniProt ID:	<u>O97980</u>
Cytogenetics:	5q31.3
Gene Summary:	<p>This gene encodes one of the minor histocompatibility antigens, which play an important role in the induction of cytotoxic T lymphocyte (CTL) reactivity against leukemia after human histocompatibility leukocyte antigen (HLA)-identical allogeneic bone marrow transplantation (BMT). This gene is only expressed in B cell acute lymphoblastic leukemia cells and Epstein-Barr virus-transformed B cells. The translation of this mRNA initiates at a non-AUG (CUG) codon. [provided by RefSeq, Jul 2008]</p>