

Product datasheet for SC305040

Tensin 1 (TNS1) (NM_022648) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Tensin 1 (TNS1) (NM_022648) Human Untagged Clone
Tag:	Tag Free
Symbol:	TNS1
Synonyms:	MST091; MST122; MST127; MSTP091; MSTP122; MSTP127; MXRA6; PPP1R155; TNS
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC305040 representing NM_022648. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGAGTGTGAGCCGACCATGGAGGACAGCTGTGAGCTGGACCTGGTGTACGTCACAGAGAGGATCATC
GCTGTCTCCTTCCCAGCACAGCCAATGAGGAGAACTCCGGAGCAACCTCCGTGAGGTGGCGCAGATG
CTCAAGTCCAACATGGAGGCACTACCTGCTGTTCAACCTCTCTGAGCGGAGACCTGACATCACGAAG
CTCCATGCCAAGGTACTGGAATTTGGCTGGCCGACCTCCACACCCAGCCCTGGAGAAGATCTGCAGC
ATCTGTAAGGCCATGGACACATGGCTCAATGCAGACCCTACAATGTCGTTGTTCTACACAACAAGGGA
AACCGAGGCAGGATAGGAGTTGTCATCGCGGCTTACATGCACTACAGCAACATTTCTGCCAGTGGCGAC
CAGGCTCTGGACCGTTTGAATGAAGCGGTTCTATGAGGATAAGATTGTGCCATTGGCCAGCCATCC
CAAAGAAGGTACGTGCATTACTTCAAGTGGCCTGCTCTCCGGCTCCATCAAATGAACAACAAGCCCTTG
TTTCTGCACCACGTGATCATGCACGGCATCCCCAACTTTGAGTCTAAAGGAGGATGTGCGCCATTTCTC
CGCATCTACCAGGCCATGCAACCTGTGTACACATCTGGCATCTACAACATCCCAGGAGACAGCCAGACT
AGCGTCTGCATCACCATCGAGCCAGGACTGCTCTTGAAGGGAGACATCTTGTGAAGTGTACCACAAG
AAGTCCGAAGCCAGCCGAGACGTCATCTTCCGTGTGACGTTCCACACCTGTGCCATCCATGACCTG
GGGTTGTCTTTGGGAAGGAGACCTTGATGATGCTTTCAAAGATGATCGATTTCCAGAGTATGGCAAA
GTGGAGTTTGTATTTTCTATGGGCCAGAGAAAATTCAAGGCATGGAGCACCTGGAGAACGGGCCGAGC
GTGTCTGTGGACTATAACACCTCCGACCCCTCATCCGCTGGGACTCCTACGACAACCTTCAAGTGGGAT
CGAGATGACGGCATGGAGGAGGTGGTGGACACACGCAGGGGCCACTAGATGGGAGCCTGTATGCTAAG
GTGAAGAAGAAAGACTCCCTGCACGGCAGCACCAGGGGCTGTTAATGCCACACGTCCTACACTGTCGGCC
ACCCCAACCACGTGGAACACACGCTTTCTGTGAGCAGCGACTCGGGCAACTCCACAGCCTCCACCAAG
ACCGACAAGACCGACGAGCCTGTCCCGGGGCTCCAGTGCCTGCTGCCTTGTGAGTCCCGAGGAGAAG
CGGGAGCTGGACCGCTGCTGAGTGGCTTTGGCTTAGAGCGAGAGAAGCAAGGCGCCATGTACCACACC
CAGCACCTCAGGTCCCGCCAGCAGGGGCTCGGCTGTGCCCTCCTCTGGACGCCAGTTGTCCAGCC
CAGTTTATGTCATGGTGGGGCTTAGCATCTGAGCGGAGACAGACATCCTGGACGATGAATTGCCA
```



[View online »](#)


AACCAGGATGGTCACAGTGC GG G CAGCATGGGCACACTCTTCTCTGGACGGGGTACCAACACCACT
 GAGGGGGGCTACCCAGAGGCCCTGTCCCACTGACCAACGGTCTGGACAAGTCTACCCCATGGAGCCT
 ATGGTCAATGGAGGAGGCTACCCCTACGAGTCTGCCAGCCGGGCGGGGCTGCCATGCTGGCCACACG
 GCCCCATGCGGGCCCTCTACTCTGCACAGGAGGGTTAGCTGGTACCAGAGGGAGGGGCCACCCA
 GCCTGGCCACAGCCAGTGACCACCTCCCACTATGCCATGACCCAGCGGTATGTTCCGCTCTAATCC
 TTTTCGGAAGCTGAACCCAGCTGCCCCAGCTCCGGTCCGAGGGGGAAGCAGCCGGGAGGCTGTGCAA
 AGGGGACTGAATTCGTGGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAG
 GAAAGAGCCCACTTGGAGAGTCTTGTAGCCAGCAGGCCAGCCCTCAGCCATTGGCAGAGACCCCATC
 CCCAGTCTCCCTGAGTTCGCCGAGCAGCCTCCAGCAGGAGATTGAACAGTCCATCGAAACACTCAAT
 ATGCTGATGCTGGACCTGGAGCCAGCCTCCGCTGCTGCCCACTACACAAGTCCCAGAGTGTCCCGGG
 GCCTGGCCAGGGGCTTCTCCACTCTCTCCAGCCCTCTCTGGATCCTCCCGTCAGTCCCATCCACTG
 ACCCAGTCCAGATCTGGCTATATCCCACTGGGCATTGTTGGGAACCCCTGAGCCAGCCACAGGGCC
 TCTCTGGAGTCTGTCCCTCTGGCAGGTCTTACTCACCTATGACTATCAGCCATGTTTGGCTGGGCT
 AACCAGGATTTCCATTCAAAGAGCCAGCCTCTCTCCCTGCTGCCTTCTCCGACCACCCACAGC
 CCTCCAGGGCCTCAGCAACCCCAAGCCTCTCTCCCTGGCCTCACTGCTCAGCCTCTGCTCTACCAAAG
 GAAGCGACTTCAGACCCCTCCCGACTCCAGAGGAGGAGCATTGAATTTAGAAGGGCTGGTGGCCAC
 AGGGTAGCAGGGGTACAGGCTCGGGAGAAGCAGCCTGCAGAGCCCAAGCCCTCTGCGGAGGCGGGCG
 GCCAGTATGGACAGTATGAGAACCAGTCTCCAGAAGCCACATCCCTCGTAGCCCTGGGGTTCCGCTC
 CCTGTCCAGTGTGTCTCCCGGAGCTGGCTTTACCATCGCTCTCAATCTGGAGGGCGGCCAAAGAG
 CCCCATTTGCACAGTACAAGGAGGCTTCGAGGAGATGGAGGGAACCTCCCGAGCAGCCACCCACCC
 AGTGGGGTGGGTCGCCCGGGTCTGGCAAGACACCCCTGTCTGCTCTGGGCTGAAACCTCACAAAC
 CCAGCGGACATCTGTTGACCCACAGGAGTTACCAGAAGACGGATCCAGCCAGAGGAAGATGAGGGG
 AAGGTGGTGGTCAAGCTGCAGAAGAGCCCGGAGCTATGTGGAGTCTGTGGCAGGACCGGTCGCT
 GGACCCGAGCTCAGGACTCTGAGCCCAAGAGCTTTAGTGTCCAGCCACCCAGGCTATGGCCATGAG
 ATACCCCTGAGGAACGGGACCCTGGGTGGCTCCTTTGTCTCCCAAGCCCTCTCCACCAGCAGCCCC
 ATCCTCAGTGTGACAGCACTTCACTGGGGAGTTTCCCGTCCGGAGAGAGCAGTACCAGGGTCCCGG
 ACGCCACCCAGCCTCTGTTGGAGTCTGGCTTCCGCTCAGGCAGCCTGGGACAGCCAGCCCGTCTGCC
 CAGAGAACTACCAGAGCTTTCTCTCTCCGACTGTGGGCAGTAGCTACAGCAGCCCGACTACTCA
 CTTCAGCATTTCACTCTCTCCGAAAGCCAGGCTCGAGCTCAGTTCAGTGTGGCTGGCGTCCACAG
 GTGCTGGGAGCCCTCAGGCGGCCACAGAACAGTGGGCACCAACTCCCCCTAGTCTGGCTTCCGGC
 TGGCGGGCCATCAATCCAGCATGGCTGCCCCAGCAGTCCAGTTTGGCCATCACCAGATGATGGT
 CCACCAGGCACTGGCTTCCATGGTAGCACTGTCTCCAGCCCAAGAGCAGTGCAGCGACCACCCGGGG
 AGCCCAAGCCTGTGTCCGACCCAGCAGGGGTCTACCAGGTTTCTGGCCTCCACAACAAAGTGGCCACC
 ACCCCGGGGAGTCCCAGCCTGGGCGGCACCCTGGGGCTACCAAGGCAACCTGGCCTCCGGTCTTCAT
 AGCAATGCAATAGCCAGCCCTGGAAGCCCAAGCCTGGGCCGTACCTCGGAGGGTCTGGATCTGTGGTT
 CCCGGCAGCCCTGCTTGGACCCGATGTGGCCTATGGTGGCTATTCTACCCGGAGGATCGGAGACCC
 AACTGTCCCGGACAGCAGTGCCTCTGGCTACCAGGCTCCTTCCAGCCCTCTTCCCTGTCTCCCT
 GCCTACTACCTGGCCTGAGCAGCCCTGCCACCTCCCGTACCAGACTCCGAGCCTTCCGGCAAGGG
 AGCCCAACACCAGCCTTCCAGAGAAGCGAAGGATGTAGTGGGAGACCGGGCAGGCAGCCTCCCAAC
 TAGCCACCATCAATGGGAAGGTGCTTTCGCTGTCCAGCGGATGTCCAGTCCAGTGGGGGACG
 ACCGTCTCCTTCTCCCACTCTGCCGACTTCTCCAAGTACTCCATGCCAGACAACAGCCCGGAGACG
 CGGGCTAAAGTGAAGTTTGTCCAGGACTTCTAAGTATTGGTACAAGCCTGAGATCTCCAGGGAGCAG
 GCCATCGCGCTCTCAAGGACCAGGAGCCGGGGCCTTCAATCCGCGACAGTCACTCTTCCGAGGC
 GCGTACGGGTGGCCATGAAGGTGCTTTCGCCACCTCAACCATCATGCAGCAGAATAAAAAAGGAGAC
 ATGACCCATGAGCTGGTCAGGCATTTTCTGATAGAGACTGGCCCCAGAGGAGTCAAGCTCAAGGGCTGC
 CCCAATGAGCCAACTTCGGATCGCTGTCTGCCCTGGTCTACCAGCACTCCATCATCCATTGGCCCTG
 CCTTGCAAGCTGGTCATTCCAAACCGAGACCCACAGATGAATCGAAAGATAGCTCCGGCCCTGCCAAC
 TCAACTGCAGACCTGCTGAAACAAGGGGAGCCTGCAATGTGCTTTCGTCAACTCTGTGGACATGGAG
 TCACTCACTGGGCCACAGGCCATCTCTAAAGCCACATCTGAGACGTTGGCTGCAGACCCACGCCAGCT
 GCCACCATCGTTCACTTCAAAGTCTCTGCCAGGGAATCACTCTGACTGACAACCAGAGAAAAGCTCTTT
 TTCAGACGCCACTACCCTCTCAACTGTACCTTCTGTGACCTGGATCCACAGGAAAGAAAGTGGATG
 AAAACAGAGGGTGGTGGCCCTGCTAAGCTTTCGGCTTCGTGGCCGGAAGCAGGGCAGCACCACGGAC

AACGCCTGCCACCTCTTTGCTGAGCTTGACCCCAACCAGCCGGCCTCTGCCATCGTCAACTTCGTCTCC
 AAGGTCATGCTGAATGCCGGCCAAAAGAGATGA
 ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
 TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

Restriction Sites:

Sgfl-MluI

Plasmid Map:



ACCN:

NM_022648

Insert Size:

5208 bp

OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in *E. coli* are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:

This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_022648.5](#)

RefSeq Size: 10294 bp

RefSeq ORF: 5208 bp

Locus ID: 7145

UniProt ID: [Q9HBL0](#)

Cytogenetics: 2q35

Protein Families: Druggable Genome

MW: 185.7 kDa

Gene Summary: The protein encoded by this gene localizes to focal adhesions, regions of the plasma membrane where the cell attaches to the extracellular matrix. This protein crosslinks actin filaments and contains a Src homology 2 (SH2) domain, which is often found in molecules involved in signal transduction. This protein is a substrate of calpain II. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Apr 2015]

Transcript Variant: This variant (1) represents the longest transcript and encodes the longest isoform (1). Sequence Note: This RefSeq record was created from transcript and genomic sequence data because no single transcript was available for the full length of the gene. The extent of this transcript is supported by transcript alignments and Northern Blot.