

## Product datasheet for **SC305582**

### FGF8 (NM\_033165) Human Untagged Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** FGF8 (NM\_033165) Human Untagged Clone  
**Tag:** Tag Free  
**Symbol:** FGF8  
**Synonyms:** AIGF; FGF-8; HBGF-8; HH6; KAL6  
**Mammalian Cell Selection:** None  
**Vector:** [pCMV6-XL5](#)  
**E. coli Selection:** Ampicillin (100 ug/mL)

**Fully Sequenced ORF:** >OriGene sequence for NM\_033165 edited  
 ACCCGCACCTCTCCGCTCGCGCCCTGCTCAGCGCTCCTCCCGCGGCGGCCCGGGAC  
 GGCGTGACCCGCGGGCTCTCGGTGCCCGGGGCGCGCCATGGGCAGCCCCGCTCC  
 GCGCTGAGCTGCCTGCTGTTGCACTTGCTGGTCTCTGCCTCAAGCCAGCATGTGAGG  
 GAGCAGAGCTGGTGACGGATCAGCTCAGCCGCGCCTCATCCGACCTACCAACTCTAC  
 AGCCGCACCAGCGGAAGCACGTGCAGTCTGGCCAACAAGCGCATCAACGCCATGGCA  
 GAGGACGGCGACCCCTTCGCAAAGCTCATCGTGGAGACGGACACCTTTGGAAGCAGATT  
 CGAGTCCGAGGAGCCGAGACGGGCTCTACATCTGCATGAACAAGAAGGGGAAGCTGATC  
 GCCAAGAGCAACGGCAAAGGCAAGGACTGCGTCTTACGGAGATTGTGCTGGAGAACAAC  
 TACACAGCGCTGCAGAATGCCAAGTACGAGGGCTGGTACATGGCCTTACCCGCAAGGGC  
 CGGCCCCGCAAGGGCTCCAAGACGCGGCAGCACCAGCGTGAGGCCACTTCATGAAGCGG  
 CTGCCCCGGGGCCACCACACCACCGAGCAGAGCCTGCGCTTCGAGTTCCTCAACTACCCG  
 CCCTTACCGCGCAGCCTGCGCGGAGCCAGAGGACTTGGGCCCCGAGCCCCGATAGGTG  
 CTGCTGGCCCTCCCCACAATGCCAGACCGCAGAGAGGCTCATCTGTAGGGCACCCAAA  
 ACTCAAGCAAGATGAGCTGTGCGCTGCTCTGCAGGCTGGGGAGGTGCTGGGGGAGCCCTG  
 GGTCCGGTTGTTGAT

**Restriction Sites:** Please inquire

**ACCN:** NM\_033165

**Insert Size:** 900 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).



[View online »](#)

<b>OTI Annotation:</b>	The ORF of this clone has been fully sequenced and found to contain one SNP compared with NM_033165.1.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u><a href="#">NM_033165.1</a></u> , <u><a href="#">NP_149355.1</a></u>
<b>RefSeq Size:</b>	987 bp
<b>RefSeq ORF:</b>	615 bp
<b>Locus ID:</b>	2253
<b>UniProt ID:</b>	<u><a href="#">P55075</a></u>
<b>Cytogenetics:</b>	10q24.32
<b>Protein Families:</b>	Druggable Genome, Secreted Protein
<b>Protein Pathways:</b>	MAPK signaling pathway, Melanoma, Pathways in cancer, Regulation of actin cytoskeleton
<b>Gene Summary:</b>	<p>The protein encoded by this gene is a member of the fibroblast growth factor (FGF) family. FGF family members possess broad mitogenic and cell survival activities, and are involved in a variety of biological processes, including embryonic development, cell growth, morphogenesis, tissue repair, tumor growth and invasion. This protein is known to be a factor that supports androgen and anchorage independent growth of mammary tumor cells. Overexpression of this gene has been shown to increase tumor growth and angiogenesis. The adult expression of this gene is restricted to testes and ovaries. Temporal and spatial pattern of this gene expression suggests its function as an embryonic epithelial factor. Studies of the mouse and chick homologs revealed roles in midbrain and limb development, organogenesis, embryo gastrulation and left-right axis determination. The alternative splicing of this gene results in four transcript variants. [provided by RefSeq, Jul 2008]</p> <p>Transcript Variant: This variant (A) lacks an in-frame exon and uses an alternate splice site, compared to variant F. The encoded isoform (A) is shorter than isoform F. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>