

Product datasheet for **SC305814**

Collagen XI alpha 2 (COL11A2) (NM_080680) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Collagen XI alpha 2 (COL11A2) (NM_080680) Human Untagged Clone
Tag:	Tag Free
Symbol:	Collagen XI alpha 2
Synonyms:	DFNA13; DFNB53; FBCG2; HKE5; OSMEDA; OSMEDB; PARP; STL3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC305814 representing NM_080680. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGAGCGGTGCAGCCGCTGCCATCGCCTCCTCCTACCTCTGGTGCTGGGGCTGAGCGCGGCC
CCAGGCTGGGCAGGTGCACCCCTGTGGATGTGCTCCGGGCCCTGAGGTTCCCTCCCTCCCTGATGGT
GTCCGGAGAGCGAAAGGCATCTGTCCAGCTGATGTGGCCTACCGAGTGGCAGCAGCTGCCAGCTCAGT
GCACCCACTCGCCAGCTTTTCCAGGAGGATTTCCCAAAGATTTCTCTGCTGACTGTTGTCCGGACC
CGCCCTGGTCTCCAAGCTCCCTCCTGACTCTCTACAGTGCCAGGGTGTCCGACAGCTGGGCTGGAG
CTGGGCCGACCTGTCCGCTTCTGTATGAAGACCAGACTGGGCGGCTCAACCTCCCTCTCAGCCAGTC
TTCCGAGGCCCTCAGCCTAGCAGATGGCAAAGTGGCACCGTGTGGCTGTGGCTGTGAAGGGCCAGTCTGC
ACCTCATTGTTGACTGCAAGAAGCGAGTCACCCGGCCTCTCCCCGAAGTGTCTCGTCCAGTATTGGAC
ACCCATGGAGTGATCATCTTTGGTGCCTTATTCTGGATGAAGAAGTCTTTGAGGGTGATGTCCAGGAG
CTGGCCATTGTCCAGGGGTCCAGGCAGCCTATGAATCATGTGAACAGAAGGAGCTGGAATGCGAGGGG
GGCCAGAGGAAAGACCCCAAACACAGCCTCACAGAGCCAGAGATCTCCACAGCAGCAACCATCA
AGACTTCACAGGCCACAAAATCAGGAACCCAGAGCCAGCCACTGAGTCTCTACTATGACTACGAG
CCCCCTATTATGATGTGATGACTACGGGACAACCCCTGATTATCAGGACCCACCCAGGTGAAGAG
GAAGAAATCCTGGAGTCGAGCCTTTGCCACCCCTTGAGGAGGAGCAGACAGATCTCCAGGTCCCCCC
ACAGCCGACAGGTTCCAGGCAGAGGAATATGGGGAGGGTGGCACAGACCCCTGAAGGGCCCTACGAT
TACACCTATGGCTATGGGGATGATTATCGTGAGGAGACAGAGCTTGCCCTGCCCTCTCTGCGGAGACA
GCCCACTCAGGAGCCGCTGCCATGGACCCGAGGGCTGAAGGGAGAGAAAGGAGAGCCTGCAGTGTG
GAACCTGGTATGCTCGTGGAGGGCCCCCTGGCCAGAAAGCCCTGCGGGATTGATTGGTCCCCCTGGC
ATCCAGGGGAACCCAGGCCAGTTGGAGACCCTGGAGAGAGGGGGCCCCCTGGCCGAGCAGGGCTCCCT
GGATCAGATGGGGCTCCTGGTCTCCTGGCACATCTCATGCTCCATTCCGGTTTGGCAGTGGTGGG
GGTGACAAGGGCCCTGTGGTGGCGGCCAGGAGGCTCAGGCCAGGCGATCTGCAGCAGGCGAGGCTG
GCCTCCGTGGACCCCTGGCCCATGGGATACACAGGGGCCCTGGACCCTTGGCCAACCTGGGAGC
```



[View online >](#)

CCTGGCCTGAAAGGAGAGTCTGGAGACTTAGGACCTCAGGGCCCCAGAGGACCTCAGGGCCTCACAGGC
 CCTCTGGCAAGGCTGGGCGAAGGGGCCGGCAGGTGCTGATGGAGCCCAGGGATGCCTGGAGATCCT
 GGAGTGAAGGTTGACCGAGGTTTTGATGGACTCCCAGGGCTCCCTGGAGAGAAGGGCCATAGGGGTGAT
 ACTGGTCCCAGGGCCTTCTGGTCCCCCTGGTGGATGGAGAGAGGGGAGATGACGGGGAGATTGGG
 CCTCGAGGGCTGCCTGGAGAGTCGGGACCTCGAGGTCTCCTTGGCCCCAAAGGCCACCTGGTATTCCT
 GGACCCCTGGCGTCCGAGGCATGGATGGTCCCCAGGGCCCCAAAGGGAGCTTGGACCCAGGGAGAG
 CCAGACCTCTGGACAACAGGGCACCCCTGGGACCCAGGGTCTTCCCGGGCCCCAGGGTGCCATCGGC
 CCTCATGGAGAGAAGGGTCTCAAGGGAAGCCAGGGCTCCCCGGCATGCCTGGCTCAGACGACCCCGG
 GGTCAACCAGGGAAGGAAGTCCCTGGAACCAAGGAAACCAGGGTCCCTCTGGACCTCAGGGACCT
 CTAGGATACCCAGGACCTCGAGGGGTCAAGGGTGTGGACGGAATTCGGGGTCTGAAGGTGATAAGGGT
 GAGAAGGGTGAAGATGGCTTTCCTGGTTCAAAGGTGACATAGGCGTGAAGGTGACAGGGGCGAAGTT
 GGAGTCCCTGGTCCAGGGGAGAGGATGGTCTGAGGGGCCAAAGGGACGCACTGGACCGACTGGAGAC
 CCTGGGCCCCAGGGCTCATGGGCGAGAAGGGCAAGCTGGGTGTTCTGGTCTGCCTGGTATCCTGGA
 CGTCAGGGACCCAAGGGTCCCTAGGATTCCTGGCTTCTGGTCCAGTGGAGAGAAGGGAGCCCGG
 GGCTGTCCGGGAAGTCAGGGCTCGGGGAGAAGGGGCCACGGGTCCACGGGTTCAGCGGGGACCC
 CGAGGTGCCACTGGGAAGTCTGGAGCTAAGGGAACATCTGGTGGTATGGCCCCATGGGCCCTGGA
 GAGAGGGGCTCCCTGGACCTCAGGGTCCCAACGGGTTTCTGGACCGAAAGGACCCCGGGCCCCCT
 GGAAGGATGGGCTGCCGGGACACCCAGGCCAAAGAGGAGAAGTGGGTTTCAAGGGAAGACCGGCCCC
 CCTGGTCTCCAGGAGTGGTGGGACCTCAGGGAGCAGCAGGAGAAACCGGCCCTATGGGGGAGAGAGT
 CACCCAGGCCCCCGGGGCCCTGGAGAGCAGGGACTACCTGGGACAGCTGGAAGGAAGGAACAAG
 GGTGACCTGGTCCCCCTGGGGCCCCAGGAAGGATGGTCTGCTGGTCTGAGGGGATCCAGGAGAG
 AGAGGCTCCCAGGCACTGCTGGTGGACCTGGTTTGAAGGGGAATGAAGTCCGCTGCCCCCTGGC
 CTTCCAGGCTCCCCTGGGAACAGGTCAGCAGGATCAGGGGGACCCATTGGTCCGCCAGGGGCCCA
 GGCCCGCAGGGTCCCCCTGGAGCAGCAGGAGAAAGGTGTCCAGGTGAGAAGGGCCCCATTGGCCCG
 ACTGGCCGAGATGGAGTGCAGGGTCTGTGGGGCTTCTGGTCTGCTGGGCTCCAGGTGTGGTGGG
 GAGGATGGAGACAAGGGTGAAGTGGGGGACCCCGACAGAAGGGCACCAAGGGAACAAGGGTGAACAT
 GGCCCTCTGGACCCCTGGACCCATTGGTCTGTGGGGCAGCCTGGAGCAGCGGGAGCAGATGGGGAG
 CCCGGAGTCCGGGACCCAGGGACACTTTGGAGCCAAGGTGATGAAGGAACAAGAGGATCAATGGG
 CCCCCAGGACCCATTGGCTACAGGTTTGGCAGGCCCTCTGGGAGAAAGGGAGAAACAGGAGATGTG
 GGTCTATGGGACCACCTGGCCCCCAGGACCTCGAGGTCCAGCTGGACCCAATGGCGTATGGCCCA
 CAAGTCCCCAGGAGGTGTTGGGAACCTGGGTCCCCCTGGAGAGAAGGGGAACAGGAGAGTCAGGA
 TCTCCAGGGATCCAGGGGAGCCAGGTGTCAAGGGTCCACGCGGGGAACCTGGAGAGAAGGAGATCG
 GGGCAGCCAGGAGAGCCAGGGCCACCAGGGCTAAAGGCCCCACAGGCGATGATGGCCCCAAGGGAAC
 CCTGGTCTGTTGGTTTTCTGGTGAACCTGGCCCCCTGGAGAAGGTGGCCCTCGGGGCCAGGATGGT
 GCTAAGGGTGACCGAGGGCAGGATGGTGAAGCCAGGACAGCCTGGATCCCCGGTCCCACCGGGGAGAA
 GGACCCCAAGGGCACTTGGAAAGCAGGTCCTGCTGGCTCGCTGGTCCGAGGGGCGACAAGGAGGG
 AAGGGAGCCAAGGGAGATCCTGGCGCTATAGGTGCCCCGGGAAGACAGGCCCGGTGGTCTGCAGGC
 CCAGCAGGGAACTGGCCCTGATGGTCTGAGGGGGCTCCAGGCTCAGTGGGTGAGCAAGGCCACCT
 GGAGTACAGGCCAGGCTGGGCCCCAGGTCCTGTGGACCCCAAGGGCTCCCTGGTCTCCGGGGGAT
 GCTGGAGCCAAGGGAGAGAAGGGCCACCCAGGTCCTATTGGACTGATTGGGCCCCCGGGTGAAGGGA
 GAGAAGGGAGATCGGGGACTTCTGGGCCCTCAGGGCTCCCTGGGCGAGAAGGGTGAAGTGGTATCCCA
 GGAGCATCCGGCCCCATTGGTCTGGAGGTCCCCCGGCCTCCCGGACCTGCTGGCCCCAAGGAGCC
 AAAGGAGCCACAGGCCAGGGGACCAAGGGAGAGAAGGGTGTGACAGGGCCCTCCAGGACACCCGGT
 CCCCCAGGCGAGGTGATCCAGCCACTGCCATTAGATGCCAAGAAGACTCGGCGCTCGGTGGATGGA
 AGCCGTGATGCAGGAAGATGAGGCCATACCGACCGGGGAGCCCCGGCAGTCTGGGGGGCTGGAG
 GAGATCTTTGGTCACTGACTCCCTGCGGGAGGAGATCGAGCAGATGAGGCGGCAACAGGGACCCAG
 GACAGCCCTGCTCGACCTGCCAGGACCTGAAGCTGTGCCACCCAGAGCTTCCGATGGAGAGTACTGG
 GTCGACCCCAACAGGGCTGTGCTCGGGATGCCTTCCGAGTTTTCTGCACTTACAGCAGGGGGTGGAG
 ACCTGTGTGACGCTAGGGATGACGTACGCGAGTTCTTACGTGGACTCAGAGGGCTCCCCAGTGGGT
 GTGGTCCAGCTCACCTTCTGCGGCTGCTCAGCGTCTCAGCCACCAGGACGTCTCTACCCCTGTCT
 GGAGCAGCCCGTACGGTCCCCTGAGACTCCGTGGGGCAATGAGGATGAGCTGAGCCCGGAGACTAGC
 CCTATGTCAAAGAATTCAGAGATGGCTGCCAGACACAGCAAGGCCGGACGGTGTGGAGGTGCGAAGC

```
CCTGTGCTGGAGCAGCTGCCAGTCTGGATGCCTCCTTCTCAGACCTGGGAGCCCCACCGAGCGGGGA
GGGGTGTCTGCTGGGGCCTGTCTGCTTCATGGGATAG
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```

Restriction Sites: Sgfl-Mlul

ACCN: NM_080680

Insert Size: 5211 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_080680.2](#)

RefSeq Size: 6425 bp

RefSeq ORF: 5211 bp

Locus ID: 1302

UniProt ID: [P13942](#)

Cytogenetics: 6p21.32

Protein Families: Druggable Genome, Transmembrane

Protein Pathways: ECM-receptor interaction, Focal adhesion

MW: 171.8 kDa

Gene Summary: This gene encodes one of the two alpha chains of type XI collagen, a minor fibrillar collagen. It is located on chromosome 6 very close to but separate from the gene for retinoid X receptor beta. Type XI collagen is a heterotrimer but the third alpha chain is a post-translationally modified alpha 1 type II chain. Proteolytic processing of this type XI chain produces PARP, a proline/arginine-rich protein that is an amino terminal domain. Mutations in this gene are associated with type III Stickler syndrome, otospondylomegaepiphyseal dysplasia (OSMED syndrome), Weissenbacher-Zweymuller syndrome, autosomal dominant non-syndromic sensorineural type 13 deafness (DFNA13), and autosomal recessive non-syndromic sensorineural type 53 deafness (DFNB53). Alternative splicing results in multiple transcript variants. A related pseudogene is located nearby on chromosome 6. [provided by RefSeq, Jul 2009]

Transcript Variant: This variant (1) represents the longest transcript and encodes the longest isoform (1). There are no publicly available human transcripts representing the full-length exon combination of this variant, but the region of variation is supported by experimental data in PMIDs 8663204 and 8838804, by homology data in mouse, and the full-length sequence is represented in accession U32169.1: AAC50214.1. **Sequence Note:** The RefSeq transcript and protein were derived from genomic sequence to make the sequence consistent with the reference genome assembly. The extent of this transcript is supported by transcript alignments.