

Product datasheet for **SC305877**

Asialoglycoprotein Receptor 2 (ASGR2) (NM_080913) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Asialoglycoprotein Receptor 2 (ASGR2) (NM_080913) Human Untagged Clone
Tag:	Tag Free
Symbol:	Asialoglycoprotein Receptor 2
Synonyms:	ASGP-R2; ASGPR2; CLEC4H2; HBXBP; HL-2
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL5</u>
E. coli Selection:	Ampicillin (100 ug/mL)

Fully Sequenced ORF: >OriGene sequence for NM_080913 edited
GCAGGCCTTGCCCGACCAGCCCCTCCTCACTCTCCTCTCCCCTGTGAGCTCCACCTGC
CCCAGTTCTCCTGGCTTTAACCCCTCCTTGCCCAAGGCCAGGGTTGCCTGCGGGAGCCAG
GTGTCCGCTCTCCACACCTTTCACAGCCCCAGCCCTCAGAGCAACCTCAGCCCAGCCAG
CCCAGCTCCAGCTCCAGCTCCAGCCCGGCCCCATCATGGCCAAGGACTTCAAGATATC
CAGCAGCTGAGCTCGGAGGAAAATGACCATCCTTTCCATCAAGGGCCACCTCCTGCCAG
CCCCTGGCACAGCGTCTCTGCTCCATGGTCTGCTTCAGTCTGCTTGCCCTGAGCTTCAAC
ATCCTGCTGCTGGTGGTCTGTGTGACTGGTCCCAAAGTGCACAGCTGCAAGCCGAG
CTGCGGAGCCTGAAGGAAGCTTTCAGCAACTTCTCCTCGAGCACCTGACGGAGGTCCAG
GCAATCAGCACCCACGGAGGCAGCGTGGGTGACAAGATCATCCCTAGGAGCCAAGCTG
GAGAAACAGCAGCAGGACCTGAAAGCAGATCACGATGCCCTGCTCTTCCATCTGAAGCAC
TTCCCCGTGGACCTGCGCTTCGTGGCCTGCCAGATGGAGCTCCTCCACAGCAACGGCTCC
CAAAGGACCTGCTGCCCGTCAACTGGGTGGAGCACAAGGCAGCTGCTACTGGTTCTCT
CACTCCGGAAGGCCTGGGCTGAGGCGGAGAAGTACTGCCAGCTGGAGAACGCACACCTG
GTGGTCACTCAACTCCTGGGAGGAGCAGAAATTCATTGTACAACACACGAACCCCTTCAAT
ACCTGGATAGGTCTCACGGACAGTGTGGCTCTTGAAATGGGTGGATGGCACAGACTAT
AGGCACAACACAAGAACTGGGCTGTCACTCAGCCAGATAATTGGCACGGGCACGAGCTG
GGTGGAAGTGAAGACTGTGTTGAAGTCCAGCCGGATGGCCGCTGGAACGATGACTTCTGC
CTGCAGGTGTACCGCTGGGTGTGTGAGAAAAGGCGGAATGCCACGGCGAGGTGGCCTGA
CCCCAGCACACCTCTGGTAACCCATAACCCACACCTGCCAGCTCTGGCTTCTCTGTTG
AGGATTTTGAGGAAGGAAGAAACACTGAGACAGGGTATGGGGAAGAGCTGAGCAAAGA
GAGAAAGGAGGTAGTTTAAGAGTCCCTGACCCTGGAGGACTGAGATCCCACCTCCTTCTG
TAATTCATTGTAATTATTATAATCGTCAGCCTTCAATGGCGTAGGAAAGAAGAAACAA
ATGCTTGAAAAAAAAAAAAAAAAAAAA



[View online »](#)

5' Read Nucleotide Sequence:	>OriGene 5' read for NM_080913 unedited GGCACTTGATACGACTCCTATAGGGCGGCTGTGTTTATTGGCACGAGGCAGGCCTTGCC CGGACCAGCCCCTCCTCCACTCTCCTCTCCCCTGTGAGCTCCACCTGCCCCAGTTCTCCT GGCTTTAACCCCTCCTTTGGCCAAGGCCAGGGTTGCCTGCGGGAGCCAGGTGTCCGCTCTC CACACCTTTCACAGCCCCAGCCCTCAGAGCAACCTCAGCCCAGCCAGCCAGCTCCAGC TCCAGCTCCAGCCCGGGCCCCATCATGGCCAAGGACTTTCAAGATATCCAGCAGTGAGC TCGGAGGAAAATGACCATCCTTTCCATCAAGGGCCACCTCCTGCCAGCCCCTGGCACAG CGTCTCTGCTCCATGGTCTGCTTCAGTCTGCTTGCCCTGAGCTTCAACATCCTGCTGCTG GTGGTCATCTGTGTGACTGGGTCCCAAAGTGCACAGCTGCAAGCCGAGCTGCGGAGCCTG AAGGAAGCTTTCAGCAACTTCTCCTCGAGCACCTGACGGAGGTCCAGGCAATCAGCACC CACGGAGGCAGCGTGGGTGACAAGATCACATCCCTAGGAGCCAAGCTGGAGAAACAGCAG CAGGACCTGAAAGCAGATCAGATGCCCTGCTCTTCCATCTGAAGCACTCCCGTGGAC CTGCGCTTCGTGGCTGCCAGATGGAGCTCCTCCACAGCAACGGCTCCCAAAGGACCTGC TGCCCCGTCAACTGGGTGGAGCACCAAAGCAGCTGCTACTGGTTCTCTACTCCGGGAAG GCCTGGGCTGAGCGGAGAAGTACTGCCAGCTGGAGAACGCACACCTGGTGGTCATCAACT CCTGGGAGGAGCAGACTATTGTACAACACACGACCCCTCATACCTGATAGGTCTCACGG ACAGTGATGGCTTCTTGAATGGGTGGATG
Restriction Sites:	Please inquire
ACCN:	NM_080913
Insert Size:	1400 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_080913.1 , NP_550435.1
RefSeq Size:	1333 bp
RefSeq ORF:	864 bp
Locus ID:	433
UniProt ID:	P07307
Cytogenetics:	17p13.1

Protein Families: Druggable Genome, Transmembrane

Gene Summary: This gene encodes a subunit of the asialoglycoprotein receptor. This receptor is a transmembrane protein that plays a critical role in serum glycoprotein homeostasis by mediating the endocytosis and lysosomal degradation of glycoproteins with exposed terminal galactose or N-acetylgalactosamine residues. The asialoglycoprotein receptor may facilitate hepatic infection by multiple viruses including hepatitis B, and is also a target for liver-specific drug delivery. The asialoglycoprotein receptor is a hetero-oligomeric protein composed of major and minor subunits, which are encoded by different genes. The protein encoded by this gene is the less abundant minor subunit. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. [provided by RefSeq, Jan 2011]
Transcript Variant: This variant (2), also known as H2c and L-H2, differs in the 5' UTR and uses two alternate splice sites in the 5' coding region, but maintains the reading frame, compared to variant H2'. The encoded isoform (b) is shorter than isoform a.