

Product datasheet for **SC306303**

PIG3 (TP53I3) (NM_147184) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PIG3 (TP53I3) (NM_147184) Human Untagged Clone
Tag:	Tag Free
Symbol:	TP53I3
Synonyms:	PIG3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC306303 representing NM_147184. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTT TAGTGAACCGTCAGAATTTTGT AATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCC CGCATCGCC
ATGTTAGCCGTGCACTTTGACAAGCCGGGAGGACCGGAAAACCTCTACGTGAAGGAGGTGGCCAAGCCG
AGCCCGGGGGAGGGTGAAGTCCTCCTGAAGGTGGCGGCCAGCGCCCTGAACCGGGCGGACTTAATGCAG
AGACAAGGCCAGTATGACCCACCTCCAGGAGCCAGCAACATTTTGGGACTTGAGGCATCTGGACATGTG
GCAGAGCTGGGGCTGGCTGCCAGGACACTGGAAGATCGGGGACACAGCCATGGCTCTGCTCCCGGT
GGGGGCCAGGCTCAGTACGTCACTGTCCCCGAAGGGCTCCTCATGCCTATCCAGAGGGATTGACCTG
ACCCAGGCTGCAGCCATCCAGAGGCCTGGCTCACCGCCTCCAGCTGTTACATCTGTGGGAAATGTT
CAGGCTGGAGACTATGTGCTAATCCATGCAGGACTGAGTGGTGTGGGCACAGCTGTATCCAACACC
CGGATGGCTGGAGCTATTCTCTGGTCACAGCTGGCTCCCAGAAGAAGCTTCAAATGGCAGAAAAGCTT
GGAGCAGCTGCTGGATTCAATTACAAAAAGAGGATTTCTCTGAAGCAACGCTGAAATTCACCAAAGGT
GCTGGAGTTAATCTTATTCTAGACTGCATAGGCGGATCCTACTGGGAGAAGAACGTCAACTGCCTGGCT
CTTGATGGTCGATGGTTCTCTATGGTCTGATGGGAGGAGGTGACATCAATGGGCCCTGTTTTCAAAG
CTACTTTTTAAGCGAGGAAGTCTGATCACCAGTTTGTGAGGTCTAGGGACAATAAGTACAAGCAAATG
CTGGTGAATGCTTTCACGGAGCAAATTCGCCTCACTTCTCCACGGAGGGCCCCAACGTCTGCTGCCG
GTTCTGGACAGAATCTACCCAGTGACCGAAATCCAGGAGGCCATAAGTACATGGAGGCCAACAGAAG
ATAGGCAAGATCGTCCTGGAAGTCCCCAGTGA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```

Restriction Sites:	Sgfl-MluI
Plasmid Map:	<input type="checkbox"/>
ACCN:	NM_147184



Insert Size:	999 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_147184.3
RefSeq Size:	1643 bp
RefSeq ORF:	999 bp
Locus ID:	9540
UniProt ID:	Q53FA7
Cytogenetics:	2p23.3
Protein Families:	Druggable Genome
Protein Pathways:	p53 signaling pathway
MW:	35.5 kDa

Gene Summary:

The protein encoded by this gene is similar to oxidoreductases, which are enzymes involved in cellular responses to oxidative stresses and irradiation. This gene is induced by the tumor suppressor p53 and is thought to be involved in p53-mediated cell death. It contains a p53 consensus binding site in its promoter region and a downstream pentanucleotide microsatellite sequence. P53 has been shown to transcriptionally activate this gene by interacting with the downstream pentanucleotide microsatellite sequence. The microsatellite is polymorphic, with a varying number of pentanucleotide repeats directly correlated with the extent of transcriptional activation by p53. It has been suggested that the microsatellite polymorphism may be associated with differential susceptibility to cancer. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.

[provided by RefSeq, May 2011]

Transcript Variant: This variant (2) differs in the 5'UTR compared to variant 1. Variants 1 and 2 encode the same isoform (1).