

Product datasheet for **SC306453**

Nesprin3 (SYNE3) (NM_152592) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Nesprin3 (SYNE3) (NM_152592) Human Untagged Clone
Tag:	Tag Free
Symbol:	SYNE3
Synonyms:	C14orf49; C14orf139; KASH3; LINC00341; NCRNA00341; Nesp3; NET53
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >SC306453 representing NM_152592.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGCACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGCATCGCC
ATGACTCAGCAGCCCCAGGACGACTTTGACAGGAGCGTGGAGGATGCCAGGCATGGATGAAGGCTGTG
CAGGACCAGCTGCAGGTCAATGACAACACGACGGACCCCGCGGCCCTGGAGGCCAGGCTGTGGGAG
ACCGAGAAAATATGCCAGCTGGAGCCCGAGGGGGTGTGAGGGTGGACCTCGTGCTACGGATGGCTGAA
GCCCTCTTGGCATGCTGCCCTGGGGACCAGAAGCCCGGGATCCTGGCCCGGCTGAAGGACATCAAGGCC
CAATGGGAGGAGACAGTACCTACATGACTCACTGTACAGCCGCATCGAGTGGGTGTGGCTGCACTGG
AGCGAGTACCTGCTGGCCCGAGATGAGTTCTACCGCTGGTTCCAGAAGATGATGGTCACTGGAGCCC
CACATCGAGCTCCAGCTGGGCTGAAGGAGAAGCAGTGGCAGCTGAGCCACGCCAGGTGCTGCTGCAC
AACGTGGACAACAGGCGGTGCTCCTGGACCGGCTGCTGGAGGAGGCAGCCTCCCTGTTCAACAGGATC
GGGACCCCGAGCTGGACGAAGATGCCAGAAGAGAATGAAGGCTGAGTACGATGACGTGAAGGCCAAG
GCCAGAAGCGTGTAGATCTGCTGGAGCAGGTGGCCCGGAGCATGAGGAGTACCAGGCAGTGTGGAC
GAGTTCCAATGTGGCTGAAGGCGGTGGTGGAGAAGGTGAATGGCTGCCTGGGGCCGAATGCAAGCTG
CCCATCACGCAGCGCCTCTCCACACTGCAGGACATTGCCAAAGATTTTCCAGGGGCGAGGAGTCTCTG
GAGACGCTGGAGGAGCAGTCTGCCGGTGTCAATCGGAACACCTCTCCTTTGGGTGCAGAGAAGATCACC
GGAGAAGTGAAGAGATGAGGAAAGTTCTGGAGAAGCTGCGCGCCCTCTGGGAGGAGGAGGAGGAGCGG
CTGCGGGGCTGCTCCGGTCCAGGGGAGCTGGGAGCAGCAGATTAAGCAGCTGGAGGCTGAGCTCAGT
GAGTTCAGGATGGTCTCGAGAGGCTGGCCAGGAGGGCTGCAGCTGCGGCGAAAGCGGGGACCGAG
GACGAGCTGGTGGCACACTGGAGACGCTACTCGGAACACGGGCGGCGCTGGCTCGGAGGAGCCCGG
GTGGACCGGCTGCAAGCCAGCTGAAGGAGCTCATCGTCTTCCCTCACAACTGAAGCACTCTCTGAT
AGTGTCAATCGCTACCATCCAGGAGTATCAGAGCCTGAAGGTGAAGAGCGGAGGCTGCGCAATGCCGCG
GCGGTGGAGCTGTGGCAGCATTTCAGCGGCTCTGCAGGATCTGCAGCTGTGGAAGGCCCTGGCCAG
CGGCTCTTGGAGGCTCACTGCCAGCTGCCGACCTGCCTTCCCTTACACCTTCTGCCAGATCGAG
GCAGCCCTGATGGAAGCTCCCGCTGAAAGAGCTGCTGACGATGCTGCAGCTGAAGAAAGACCTCTG
ATTGGCATCTTTGGCCAGGAGAGGCCACGGCACTCTGGAGCAGGTGGCAGGTTCCATGAGGGACAGA
GACCTGCTGCATAACAGCCTCTGCAGAGGAAAAGCAAAGTGCAGAGCCTGCTCGCTCAGCACAAAGAC
TTTGGAGCAGCTTTTGGCCCTGCAGAGGAAGCTCTTGGACCTCCAGGTGAGGGTCCAAGCCGAGAAG
GGGCTTACAGCGGACCTTCTGAAAACAGGCCAGCTCTCAAGTTGCAGGGGCTGCAGGAAGAGGGG
CTGGACTTGGGGCACAGATGGAGGCTGCAAGGCCCTGTTCCAGGAGAACCCCAACCACAGCACAAA
ATGGACCAGCTTCTCCGACTTCCAGGCCCTGCAGAGGTCTCTGGAGGACCTTGTGGACAGGTGTGCG
CAGAGTGTGCAGGAGCACTGCACCTTACGCCACCAGCTGCTGGAGCTGCGGCAGTGGATCGTTGTGACC
ACGCAAAAGCTGGAGGCACACGGGGAGAGGGCGGGCCCGGGGATGCCGAGTCCCAAGAGGCCGAGTTT
GAGAGGCTGGTGGCAGAAATCCCGGAGAAGGAGGCCAGCTGTCCCTGGTGAAGCGCAGGGCTGGCTG
GTGATGGAGAAGTCTTCCCGAGGGTGTGCCGTGGTGCAGGAGGAGCTCAGGGAGCTGGCAGAGTCTG
TGGCGGGCCTTGGGCTGCTGGAAGAAAGTCTGCTGAGCCTCATCAGAACTGGCATCTGCAGAGGATG
GAAGTGGATTGGGGAAGAAAATGGTTTTCAACCAACAACATCCCAAAGTCAGGATTTCTCATCAATCCC
ATGGATCCTATTTCCAGGCATCGTCGACGCGCAAATCTTCTACAGGAAGAAGAAGGGAGCCATGAAGAT
TTCTCCAGCTCCTGAGGAATTTGGGCAAGTGTGAGGTGGAAAACCTCAAGCTGTTAGAATCATC
GCAATGAGAACTTCTACAGCTGAGGACTTGGAGACCAGAAAATCGAAGTGCAGGAGCTGGAGGCTCGG
GTGCCAGAAGGTGAGCATCTCTTTGAGAACCTCTTCTGCTCGGGCCAGCAAGGGGGACCTCGGATGAG
CTGGAAGATCTGCGCTACCAGTGGATGCTGTACAAGTCCAAGTGAAGGACTCTGGCCACCTGCTGACA
CAAAGTCTCCAGGGGAGCCGACTGGATTCCAAAAGACTCGGCGGTGGCAGGACTGGGCTCCCTCTTC
CGGAGGGCGTGTGTGGCGCTCCCACTGCAGCTGCTTCTGCTGCTGTTCTCTCTCTGCTGTTCTCTG
CTCCCAATCAGGGAAGAGGACCCGAGCTGCACCCTGGCCAACAACCTCGCCCGCTCTTACGCTCATG
CTGCGCTACAATGGCCACCACCACCTAA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTAAACGGCCGGC
  
```

Restriction Sites: SgfI-MluI

Plasmid Map:	□
ACCN:	NM_152592
Insert Size:	2928 bp
OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_152592.3
RefSeq Size:	3277 bp
RefSeq ORF:	2928 bp
Locus ID:	161176
UniProt ID:	Q6ZMZ3
Cytogenetics:	14q32.13
Protein Families:	Transmembrane
MW:	112.2 kDa

Gene Summary:

As a component of the LINC (Linker of Nucleoskeleton and Cytoskeleton) complex involved in the connection between the nuclear lamina and the cytoskeleton. The nucleocytoplasmic interactions established by the LINC complex play an important role in the transmission of mechanical forces across the nuclear envelope and in nuclear movement and positioning. Probable anchoring protein which tethers the nucleus to the cytoskeleton by binding PLEC which can associate with the intermediate filament system. Plays a role in the regulation of aortic epithelial cell morphology, and is required for flow-induced centrosome polarization and directional migration in aortic endothelial cells.[UniProtKB/Swiss-Prot Function]