

Product datasheet for **SC306614**

HS6ST3 (NM_153456) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	HS6ST3 (NM_153456) Human Untagged Clone
Tag:	Tag Free
Symbol:	HS6ST3
Synonyms:	HS6ST-3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>NCBI ORF sequence for NM_153456, the custom clone sequence may differ by one or more nucleotides

ATGGATGAAAGGTTCAACAAGTGGCTGCTGACGCCGGTCTCACTCTCCTCTTCGTGGTCATCATGTACC
AGTACGTGTCCCCCTCTGCACAGCTCCTGCACCAACTTCGGGGAGCAGCCCGCGCGGGGAGGCCGG
CCCGCCCGCCGTCCCGGGTCCCGCCCGCGGGCTCAGGCGCCGCGGAGGAGTGGGAGCGCGGCCCCAG
TTGCCCCCGCGCCCGGGGGCCCCGAGGGACCTCGGGGGGCCGCGCGCGGAGGAGGAGGACGAGG
AGCCCGGAGACCCCGGGAGGGGAGGAAGAGGAGGAGGAAGACGAGCCGACCCGAGGCCCGGAAAA
CGGCTCCCTGCCCGATTCTGTCGCGCTTCAACTTCAGCCTGAAGGACCTGACCCGCTTCGTGGATTTT
AACATCAAAGGGCGGACGTGATCGTGTCTCCACATCCAGAAGACGGGGGACCACTTTCGGCCGGC
ACCTGGTGAAGAATCCGGCTGGAGCAGCCTTGTAGCTGCAAAGCGGGTCAGAAGAAGTGCACCTGCCA
CCGGCCTGGCAAGAAGGAGACGTGGCTCTTCTCCCGCTTCTCCACCGGCTGGAGCTGCGGGCTGCACGCC
GACTGGACGGAGCTACCAACTGCGTGCCGGCCATCATGGAGAAGAAGGACTGTCCCCGCAACCACAGCC
ACACCAGGAATTTCTATTACATCACAATGTTACGGGATCCAGTGTACGTTACCTGAGCGAGTGGAACA
TGTCCAGAGAGGGGCCACTTGAAAACCTCTTTCATATGTGTGATGGAAGAAGCCCCACCCAGATGAG
CTGCCTACCTGCTACCCTGGGGATGACTGGTCTGGGTCAGCTTGCGGGAGTTTATGATTGCACCTACA
ACCTGGCTAACAATCGCCAGGTGCGCATGCTGGCTGACCTCAGCCTGGTGGGCTGCTATAACTTGACTTT
CATGAACGAGAGTGAAAGAAACACCATCCTGTTGCAGAGTGCAAAGAACAACCTGAAGAATGGCCTTC
TTTGGGCTCACTGAGTTCAGAGGAAGACACAGTTTCTCTTTGAGAGAATTCACCTCAAGTTTCATCT
CCCCCTTCACACAGTTCAACATCACGCGGGCTTCAACGTGGAGATCAACGAGGGTGCCCGCAACGCAT
TGAGGATCTAACTTCTGGACATGCAGCTTTACGAGTATGAAAAGATCTCTCCAGCAGCGCTACAC
CACACCAAGCAGCTAGAGCACCAGAGGGACCGCCAGAAGCGGGGAGGAGCGGAGGCTGCAGCGAGAGC
ACAGGGACCACTAGTGGCCAAAGAAGATGGGGCTGCAGAAGGGACTGTCACCGAGGACTACAACAGCCA
GGTGGTGAGATGGTGA



[View online »](#)

Restriction Sites:	Please inquire
ACCN:	NM_153456
OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_153456.2 , NP_703157.2
RefSeq Size:	7817 bp
RefSeq ORF:	1416 bp
Locus ID:	266722
UniProt ID:	Q8IZP7
Cytogenetics:	13q32.1
Protein Families:	Transmembrane
Protein Pathways:	Heparan sulfate biosynthesis

Gene Summary:

Heparan sulfate (HS) sulfotransferases, such as HS6ST3, modify HS to generate structures required for interactions between HS and a variety of proteins. These interactions are implicated in proliferation and differentiation, adhesion, migration, inflammation, blood coagulation, and other diverse processes (Habuchi et al., 2000 [PubMed 10644753]).[supplied by OMIM, Mar 2008]