

Product datasheet for **SC306693**

KIR5.1 (KCNJ16) (NM_170741) Human Untagged Clone

Product data:

| | |
|---------------------------|---|
| Product Type: | Expression Plasmids |
| Product Name: | KIR5.1 (KCNJ16) (NM_170741) Human Untagged Clone |
| Tag: | Tag Free |
| Symbol: | KCNJ16 |
| Synonyms: | BIR9; KIR5.1 |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-Entry (PS100001) |
| E. coli Selection: | Kanamycin (25 ug/mL) |
| Fully Sequenced ORF: | >SC306693 representing NM_170741. Blue=Insert sequence Red=Cloning site Green=Tag(s) |

```
GCTCGTTT TAGTGAACCGTCAGAATTTTGT AATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCC CGGATCGCC
ATGCTAAAAATGGTTCTAACTGAAAACCCAAACCAAGAAATAGCAACAAGTCTAGAATTCCTACTACTA
CAAACTCACCTGGATCCCTAAGGGCACAGCAAAGAATGAGCTATTACGGCAGCAGCTATCATATTATC
AATGCGGACGCAAAATACCCAGGCTACCCGCCAGAGCACATTATAGCTGAGAAGAGAAGAGCAAGAAGA
CGATTACTTCACAAAGATGGCAGCTGTAATGTCTACTTCAAGCACATTTTGGAGAATGGGAAGCTAT
GTGTTGACATCTTCACCACTCTGTGGACACCAAGTGGCGCCATATGTTTGTGATATTTCTTTATCT
TATATTCTCTCGTGGTTGATATTTGGCTCTGTCTTTTGGCTCATAGCCTTTCATCATGGCGATCTATTA
AATGATCCAGACATCACACCTTGTGTTGACAACGTCCATTCTTTACAGGGGCCTTTTGTCTCCCTA
GAGACCCAAACCACCATAGGATATGGTTATCGCTGTGTTACTGAAGAATGTTCTGTGGCCGTGCTCATG
GTGATCCCTCCAGTCCATCTTAAGTTGCATCATAAATACCTTTATCATTGGAGCTGCCTTGGCCAAAATG
GCAACTGCTCGAAAGAGAGCCCAAAACCATTCGTTTCAGCTACTTTGCACTTATAGGTATGAGAGATGGG
AAGCTTTGCCCTCATGTGGCGCATTGGTGATTTTCGGCCAAACCACGTGGTAGAAGGAACAGTTAGAGCC
CAACTTCTCCGTATACAGAAGACAGTGAAGGGAGGATGACGATGGCATTAAAGACCTCAAATAGTC
AACGACCAAAATCATCCTGGTCACCCCGGTAACCTATTGTCCATGAAATTGACCATGAGAGCCCTCTGTAT
GCCCTTGACCGCAAAGCAGTAGCCAAAGATAACTTTGAGATTTTGGTGACATTTATCTATACTGGTGAT
TCCACTGGAACATCTCACC AATCTAGAAGCTCCTATGTTCCCGAGAAATTCCTCTGGGGCCATAGGTTT
AATGATGTCTTGGAAGTTAAGAGGAAGTATTACAAAGTGAAGTCTTACAGTTTGAAGGAAGTGTGGAA
GTATATGCCCCCTTTTGCAGTGCCAAGCAATTGGACTGGAAAAGACCAGCAGCTCCACATAGAAAAAGCA
CCACCAGTTTCGAGAATCCTGCACGTGGACACCAAGGCGAGACGAAGGTCATTTAGTGCAGTTGCCATT
GTCAGCAGCTGTGAAAACCTGAGGAGACCACCACTTCCGCCACACATGAATATAGGAAACACCTTAT
CAGAAAGCTCTCCTGACTTTAAACAGAATCTCTGTAGAATCCCAAATGTAG
ACGGGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGCGC
```



View online »

| | |
|-------------------------------|--|
| Restriction Sites: | Sgfl-Mlul |
| Plasmid Map: | □ |
| ACCN: | NM_170741 |
| Insert Size: | 1362 bp |
| OTI Disclaimer: | Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP). |
| OTI Annotation: | This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA. |
| Components: | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water). |
| Reconstitution Method: | <ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C. |
| RefSeq: | NM_170741.2 |
| RefSeq Size: | 4000 bp |
| RefSeq ORF: | 1362 bp |
| Locus ID: | 3773 |
| UniProt ID: | Q9NPI9 |
| Cytogenetics: | 17q24.3 |
| Protein Families: | Druggable Genome, Ion Channels: Potassium, Transmembrane |
| MW: | 51.9 kDa |
| Gene Summary: | <p>Potassium channels are present in most mammalian cells, where they participate in a wide range of physiologic responses. The protein encoded by this gene is an integral membrane protein and inward-rectifier type potassium channel. The encoded protein, which tends to allow potassium to flow into rather than out of a cell, can form heterodimers with two other inward-rectifier type potassium channels. It may function in fluid and pH balance regulation. Alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Apr 2014]</p> <p>Transcript Variant: This variant (2) differs in the 5' UTR compared to variant 1. Variants 1, 2, 3, 5 and 6 all encode the same isoform (a).</p> |