

## Product datasheet for **SC307011**

### Thyroid Peroxidase (TPO) (NM\_175719) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Thyroid Peroxidase (TPO) (NM_175719) Human Untagged Clone
Tag:	Tag Free
Symbol:	Thyroid Peroxidase
Synonyms:	MSA; TDH2A; TPX
Vector:	<u>pCMV6 series</u>



[View online »](#)

**Fully Sequenced ORF:** >NCBI ORF sequence for NM\_175719, the custom clone sequence may differ by one or more nucleotides

```

ATGAGAGCGCTCGCTGTGCTGTCTGTACGCTGGTTATGGCCTGCACAGAAGCCTTCTTC
CCCTTCATCTCGAGAGGGAAAGAAGCTCCTTTGGGGAAAGCCTGAGGAGTCTCGTGTCTCT
AGCGTCTTGGAGGAAAGCAAGCGCCTGGTGGACACCGCCATGTACGCCACGATGCAGAGA
AACCTCAAGAAAAGAGGAATCCTTTCTCCAGCTCAGCTTCTGTCTTTTCCAAACTTCTCT
GAGCCAAACAAGCGGAGTGATTGCCCGAGCAGAGATAATGGAACATCAATACAAGCG
ATGAAAAGAAAAGTCAACCTGAAAACCTCAACAATCACAGCATCCAACGGATGCTTTATCA
GAAGATCTGCTGAGCATATTGCAAACATGTCTGGATGTCTCCCTTACATGCTGCCCCCA
AAATGCCCAAACACTTGCTGGCGAACAATAACAGGCCCATCACAGGAGCTTGCAACAAC
AGAGACCACCCAGATGGGGCGCCTCCAACACGGCCCTGGCACGATGGCTCCCTCCAGTC
TATGAGGACGGCTTCAGTCAGCCCCGAGGCTGGAACCCCGGCTTCTGTACAACGGGTTTC
CCACTGCCCCCGTCCGGGAGGTGACAAGACATGTCATTCAAGTTTCAAATGAGGTTGTC
ACAGATGATGACCGCTATTCTGACCTCCTGATGGCATGGGGACAATAACATCGACCAGAC
ATCGCGTTCACACCACAGAGCACCAGCAAAGCTGCCTTCGGGGGAGGGGCTGACTGCCAG
ATGACTTGTGAGAACCAAACCCATGTTTTCCCATACAACCTCCCGGAGGAGGCCCGGCCG
GCCGCGGGCACCCGCTGTCTGCCCTTCTACCGCTCTTCGGCCGCCTGCGGCACCCGGGAC
CAAGGCGCGCTCTTTGGGAACCTGTCCACGGCCAACCCGCGGCAGCAGATGAACGGGTTG
ACCTCGTTCCTGGACGCGTCCACCGTGTATGGCAGCTCCCGGCCCTAGAGAGGCAGCTG
CGGAACGGACAGTGCAGGAGGCTGCTCCGCGTCCACGCGCGCCTCCGGGACTCCGGC
CGCGCCTACCTGCCCTTCGTGCCGCCACGCGCGCCTGCGGCTGTGCGCCGAGCCCGGC
ATCCCCGGAGAGACCCCGGGCCCTGCTTCTGGCCGAGACGGCCGCGCCAGCGAGGTC
CCCTCCCTGACGGCACTGCACACGCTGTGGTGCAGCAGCACAACCCGCTGGCCGCGCG
CTCAAGGCCCTCAATGCGCACTGGAGCGCGGACGCCGTGTACCAGGAGGCGCGAAGGTC
GTGGGCGCTCTGCACCAGATCATCACCTGAGGGATTACATCCCCAGGATCCTGGGACCC
GAGGCCTTCCAGCAGTACGTGGGTCCCTATGAAGGCTATGACTCCACCGCCAACCCCACT
GTGTCCAACGTGTTCTCCACAGCCGCTTCCGCTTCGGCCATGCCACGATCCACCCGCTG
GTGAGGAGGCTGGACGCCAGCTTCCAGGAGCACCCGACCTGCCCGGGCTGTGGTGCAC
CAGGCTTTCTTCCAGCCATGGACATTACTCCGTGGAGGTTACAATGAGTGGAGGGAGTTC
TGCGCCCTGCCTGCCTGGAGACCCCGCTGACCTGAGCACAGCCATCGCCAGCAGGAGC
GTGGCCGACAAGATCCTGGACTTGTACAAGCATCTGACAACATCGATGTCTGGCTGGGA
GGCTTAGCTGAAAACCTCCTCCCAAGGGCTCGGACAGGGCCCTGTTTGCCTGTCTCATT
GGGAAGCAGATGAAGGCTCTGCGGGACGGTACTGGTTTTGGTGGGAGAACAGCCACGTC
TTCACGGATGCACAGAGGCGTGAGCTGGAGAAGCACTCCCTGTCTCGGGTCACTGTGAC
AACACTGGCCTCACCAGGCTGCCATGGATGCCTTCCAAGTCGGCAAATCCCCGAAGAC
TTTGAGTCTTGTGACAGCATCACTGGCATGAACCTGGAGGCTGGAGGGAAACCTTTCT
CAAGACGACAAGTGTGGCTTCCCAGAGAGCGTGGAGAATGGGGACTTTGTGCACTGTGAG
GAGTCTGGGAGGCGCGTGTGGTGTATTCTGCCGGCACGGGTATGAGCTCCAAGGCCGG
GAGCAGTCACTTGACACCAGGAAGGATGGGATTTCCAGCCTCCCTCTGCAAAGATGTG
AACGAGTGTGCAGACGGTGCACCCCCCTGCCACGCCTCTGCGAGGTGCAGAAACACC
AAAGGCGGCTTCCAGTGTCTCTGCGCGGACCCCTACGAGTTAGGAGACGATGGGAGAACC
TGCGTAGACTCCGGGAGGCTCCCTCGGGTACTTGGATCTCCATGTCGCTGGCTGCTCTG
CTGATCGGAGGCTTCGACGGTCTCACCTCGACGGTATTGTCAGGTGGACACGCACTGGC
ACTAAATCCACACTGCCATCTCGGAGACAGGCGGAGGAACCTCCGAGCTGAGATGCGGA
AAGCACCAGGCCGTAGGGACCTCACCGCAGCGGGCCGAGCTCAGGACTCGGAGCAGGAG
AGTGCTGGGATGGAAGGCCGGGATACTCACAGGCTGCCGAGGCCCTCTGA

```

**Restriction Sites:** Please inquire  
**ACCN:** NM\_175719

<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>OTI Annotation:</b>	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<u><a href="#">NM_175719.1</a></u> , <u><a href="#">NP_783650.1</a></u>
<b>RefSeq Size:</b>	2969 bp
<b>RefSeq ORF:</b>	2631 bp
<b>Locus ID:</b>	7173
<b>UniProt ID:</b>	<u><a href="#">P07202</a></u>
<b>Cytogenetics:</b>	2p25.3
<b>Protein Families:</b>	Druggable Genome, ES Cell Differentiation/IPS, Transmembrane
<b>Protein Pathways:</b>	Autoimmune thyroid disease, Cytokine-cytokine receptor interaction, Hematopoietic cell lineage, Jak-STAT signaling pathway, Metabolic pathways, Tyrosine metabolism
<b>Gene Summary:</b>	<p>This gene encodes a membrane-bound glycoprotein. The encoded protein acts as an enzyme and plays a central role in thyroid gland function. The protein functions in the iodination of tyrosine residues in thyroglobulin and phenoxy-ester formation between pairs of iodinated tyrosines to generate the thyroid hormones, thyroxine and triiodothyronine. Mutations in this gene are associated with several disorders of thyroid hormonogenesis, including congenital hypothyroidism, congenital goiter, and thyroid hormone organification defect IIA. Multiple transcript variants encoding distinct isoforms have been identified for this gene, but the full-length nature of some variants has not been determined. [provided by RefSeq, May 2011]</p> <p>Transcript Variant: This variant (2) lacks an alternate in-frame exon in the central coding region, compared to variant 1, resulting in an isoform (b, also known as TPO2) that is shorter than isoform a.</p>