

Product datasheet for SC307551

CREM (NM_183011) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	CREM (NM_183011) Human Untagged Clone
Tag:	Tag Free
Symbol:	CREM
Synonyms:	CREM-2; hCREM-2; ICER
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC307551 representing NM_183011. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTT TAGTGAACCGTCAGAATTTTGT AATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCC GCGATCGCC
ATGAGCAAATGTGCAAGGAAAAATATATTAAGACAAATCCAAGACAAATGACCATGAAACAGTTGAA
TCCAGCATGATGGAAGTATAACAGCTTCTTTGACAGAGAGCAAGTCTGCTCATGTGCAGACTCAGACT
GGCCAAAATCAATCCCTGCTTTAGCTCAGGTAGCAGCAATTGCAGAGACAGATGAATCTGCAGAATCA
GAAGGTGTAATTGATTCTATAAACGTAGAGAAATCCTTTACGAAGACCCTCTTATAGGAAAATACTG
AATGAAGTGTCTCTGATGTGCCTGGTGTCCCAAGATTGAAGAAGAGAGATCAGAGGAAGAAGGAACA
CCACCTAGTATTGCTACCATGGCAGTACCAACTAGCATATATCAGACTAGCACGGGCAATACATTGCT
ATAGCCCAAGGTGGAACAATCCAGATTTCTAACCCAGGATCTGATGGTGTTCAGGGACTGCAGGCATTA
ACAATGACAAATTCAGGAGCTCCTCCACCAGGTGCTACAATTGTACAGTACGCAGCACAATCAGCTGAT
GGCACACAGCAGTTCTTTGTCCCAGGCAGCCAGGTTGTTGTTCAAGCTGCCACTGGTGACATGCCAACT
TACCAGATCCGAGCTCCTACTGTGCTTTGCCACAGGGAGTGGTATGGCTGCATCGCCCGGAAGTTTG
CACAGTCCCAGCAGCTGGCAGAAGAAGCAACACGCAACGAGAGCTGAGGCTAATGAAAAACAGGGAA
GCTGCCCGGAGTGTGCGAGGAAGAAGAAGAATATGTCAAATGTCTTAAAAATCGTGTGGCTGTGCTT
GAAAAACAAAACAAGACTCTCATTGAGGAACTCAAGCCCTCAAAGATCTTTATTGCCATAAAGTAGAG
TAA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```

Restriction Sites:	Sgfl-MluI
Plasmid Map:	<input type="checkbox"/>
ACCN:	NM_183011



[View online »](#)

Insert Size:	900 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_183011.1</u>
RefSeq Size:	2519 bp
RefSeq ORF:	900 bp
Locus ID:	1390
UniProt ID:	<u>Q03060</u>
Cytogenetics:	10p11.21
Protein Families:	Druggable Genome, Transcription Factors
MW:	32.5 kDa

Gene Summary:

This gene encodes a bZIP transcription factor that binds to the cAMP responsive element found in many viral and cellular promoters. It is an important component of cAMP-mediated signal transduction during the spermatogenetic cycle, as well as other complex processes. Alternative promoter and translation initiation site usage allows this gene to exert spatial and temporal specificity to cAMP responsiveness. Multiple alternatively spliced transcript variants encoding several different isoforms have been found for this gene, with some of them functioning as activators and some as repressors of transcription. [provided by RefSeq, Jul 2008]

Transcript Variant: This variant (21), also known as CREM 10, differs in the 5' UTR, 3' UTR, and contains an additional segment in the coding region, compared to variant 1. This results in a shorter isoform (21, also known as u) with a distinct C-terminus, compared to isoform 1. This isoform represents the tau2 activator isoform. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.