

## Product datasheet for **SC307553**

### CREM (NM\_183013) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	CREM (NM_183013) Human Untagged Clone
Tag:	Tag Free
Symbol:	CREM
Synonyms:	CREM-2; hCREM-2; ICER
Mammalian Cell Selection:	None
Vector:	<u><a href="#">pCMV6-XL5</a></u>
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>OriGene ORF sequence for NM_183013 edited ATGAGCAAATGTGCAAGGAAAAATATATTAAGACAAATCCAAGACAAATGACCATGGAA ACAGTTGAATCCCAGCATGATGGAAGTATAACAGCTTCTTTGACAGAGAGCAAGTCTGCT CATGTGCAGACTCAGACTGGCCAAAATTCAATCCCTGCTTTAGCTCAGGTAGCAGCAATT GCAGAGACAGATGAATCTGCAGAATCAGAAGGTGTAATTGATTCTCATAAACGTAGAGAA ATCCTTTCACGAAGACCCTTTATAGGAAAATACTGAATGAACTGTCTCTGATGTGCCT GGTGTTCCTCAAGATTGAAGAAGAGAGATCAGAGGAAGAAGGAACACCACCTAGTATTGCT ACCATGGCAGTACCAACTAGCATATATCAGACTAGCACGGGCAATACAATGAGGAACT GAACTTGCCCAAGTCACATGGCTGCTGCCACTGGTGACATGCCAACTTACCAGATCCGA GCTCCTACTGCTGCTTTGCCACAGGGAGTGGTGATGGCTGCATCGCCCGAAGTTTGCAC AGTCCCCAGCAGCTGGCAGAAGAAGCAACACGCAACGAGAGCTGAGGCTAATGAAAAAC AGGGAAGCTGCCCGGAGTGTGCGCAGGAAGAAGAAAGAATATGTCAAATGTCTTGAAAAAT CGTGTGGCTGTGCTTGAAAAACAAAACAAGACTCTCATTGAGGAACTCAAGGCCCTCAAA GATCTTTATTGCCATAAAGTAGAGTAA



[View online »](#)

<b>5' Read Nucleotide Sequence:</b>	>OriGene 5' read for NM_183013 unedited NTTTACATGCCCGCCCGTTGTCGCATAGGGCGGTAGGCATGTACAGTGGGCAGGTCTATA TAAGCAGAGCTCGTTTAGAGAACCATCAGAATTTTGTAAACGACTCACTATAGGGCGGC CGCGAATTCATGAGCAAATGTGCAAGGGAAAAATATATTAAGACAAATCCAAGACAAAT GACCATGGAAACAGTTGAATCCCAGCATGATGGAAGTATAACAGCTTCTTTGACAGAGAG CAAGTCTGCTCATGTGCAGACTCAGACTGGCCAAAATTCATCCCTGCTTTAGCTCAGGT AGCAGCAATTGCAGAGACAGATGAATCTGCAGAATCAGAAGGTGAATTGATTCTATAA ACGTAGAGAAATCCTTTACGAAGACCCTTATAGGAAAATACTGAATGAACTGTCCTC TGATGTGCCTGGTGTCCCAAGATTGAAGAAGAGAGATCAGAGGAAGAAGGAACACCACC TAGTATTGCTACCATGGCAGTACCAACTAGCATATATCAGACTAGCACGGGGCAATACAA TGAGGAAACTGAACTGCCCAAGTCACATGGCTGCTGCCACTGGTGACATGCCAACTTA CCAGATCCGAGCTCCTACTGCTGCTTTGCCACAGGGAGTGGTGATGGCTGCATCGCCCGG AAGTTTGCACAGTCCCCAGCAGCTGGCAGAAGAAGCAACACGCAAACGAGAGCTGAGGCT AATGAAAACAGGGAAGCTGCCCGGAGTGTGCGAGGAAGAAAGAAAGATATGTCANATG TCTTGAAAATCGTGTGGCTGTGCTTGAAAACCAAACAAGACTCTCATTNGAGAACTCAA GGCCCTCANAGATCTTTATTGCCATANAGTAGAGTAAGTAACTCGACTCTAGATTGCGGCC
<b>Restriction Sites:</b>	Please inquire
<b>ACCN:</b>	NM_183013
<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>OTI Annotation:</b>	The open reading frame of this TrueClone was fully sequenced and found to be a perfect match to the protein associated to this reference.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<a href="#">NM_183013.1</a> , <a href="#">NP_898831.1</a>
<b>RefSeq Size:</b>	2687 bp
<b>RefSeq ORF:</b>	747 bp
<b>Locus ID:</b>	1390
<b>UniProt ID:</b>	<a href="#">Q03060</a>
<b>Cytogenetics:</b>	10p11.21
<b>Protein Families:</b>	Druggable Genome, Transcription Factors

**Gene Summary:**

This gene encodes a bZIP transcription factor that binds to the cAMP responsive element found in many viral and cellular promoters. It is an important component of cAMP-mediated signal transduction during the spermatogenetic cycle, as well as other complex processes. Alternative promoter and translation initiation site usage allows this gene to exert spatial and temporal specificity to cAMP responsiveness. Multiple alternatively spliced transcript variants encoding several different isoforms have been found for this gene, with some of them functioning as activators and some as repressors of transcription. [provided by RefSeq, Jul 2008]

Transcript Variant: This variant (19), also known as hCREM type1 alpha, differs in the 5' UTR, 3' UTR, and coding region, compared to variant 1. This results in a shorter isoform (19, also known as s) with a distinct C-terminus, compared to isoform 1. This isoform represents the type alpha repressor isoform. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.