

Product datasheet for SC307605

CLECSF6 (CLEC4A) (NM_194448) Human Untagged Clone

Product data:

Product Type: Expression Plasmids Product Name: CLECSF6 (CLEC4A) (NM_194448) Human Untagged Clone Tag: Tag Free Symbol: CLECSF6 CD367; CLECSF6; DCIR; DDB27; HDCGC13P; hDCIR; LLIR Synonyms: **Mammalian Cell** Neomycin Selection: Vector: pCMV6-Entry (PS100001) E. coli Selection: Kanamycin (25 ug/mL) >NCBI ORF sequence for NM_194448, the custom clone sequence may differ by one or more **Fully Sequenced ORF:** nucleotides ATGACTTCGGAAATCACTTATGCTGAAGTGAGGTTCAAAAATGAATTCAAGTCCTCAGGCATCAACACAG CCTCTTCTGCAGAGACAGCCTGGAGCTGTTGCCCAAAGAATTGGAAGTCATTTAGTTCCAACTGCTACTT TATTTCTACTGAATCAGCATCTTGGCAAGAAGACAGTGAGAAGGACTGTGCTAGAATGGAGGCTCACCTGCTG GTGATAAACACTCAAGAAGAGCAGGATTTCATCTTCCAGAATCTGCAAGAAGAATCTGCTTATTTTGTGG GGCTCTCAGATCCAGAAGGTCAGCGACATTGGCAATGGGTTGATCAGACACCATACAATGAAAGTTCCAC ATTCTGGCATCCACGTGAGCCCAGTGATCCCCAATGAGCGCTGCGTTGTGCTAAATTTTCGTAAATCACCC AAAAGATGGGGCTGGAATGATGTTAATTGTCTTGGTCCTCAAAGGTCAGTTTGTGAGATGATGAAGATCC ACTTATGA Please inquire **Restriction Sites:** ACCN: NM 194448



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

	LECSF6 (CLEC4A) (NM_194448) Human Untagged Clone – SC307605
OTI Disclaimer:	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <u>custsupport@origene.com</u> or by calling 301.340.3188 option 3 for pricing and delivery.
	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Met	 hod: 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM 194448.1, NP 919430.1</u>
RefSeq Size:	1075 bp
RefSeq ORF:	498 bp
Locus ID:	50856
UniProt ID:	<u>Q9UMR7</u>
Cytogenetics:	12p13.31
Protein Families:	Druggable Genome, Transmembrane

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

CLECSF6 (CLEC4A) (NM_194448) Human Untagged Clone – SC307605

Gene Summary:This gene encodes a member of the C-type lectin/C-type lectin-like domain (CTL/CTLD)
superfamily. Members of this family share a common protein fold and have diverse functions,
such as cell adhesion, cell-cell signalling, glycoprotein turnover, and roles in inflammation and
immune response. The encoded type 2 transmembrane protein may play a role in
inflammatory and immune response. Multiple transcript variants encoding distinct isoforms
have been identified for this gene. This gene is closely linked to other CTL/CTLD superfamily
members on chromosome 12p13 in the natural killer gene complex region. [provided by
RefSeq, Jul 2008]

Transcript Variant: This variant (4), also known as LLIRv2, lacks an in-frame segment of the coding region, compared to variant 1. It encodes the shortest isoform (4), that is missing a region thought to be responsible for oligomerization, compared to isoform 1.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US