

## Product datasheet for **SC308003**

### **NRP2 (NM\_201266) Human Untagged Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	NRP2 (NM_201266) Human Untagged Clone
Tag:	Tag Free
Symbol:	NRP2
Synonyms:	NP2; NPN2; PRO2714; VEGF165R2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**Fully Sequenced ORF:** >SC308003 representing NM\_201266.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGGATCGCC
ATGGATATGTTTCCTCTCACCTGGGTTTTCTTAGCCCTCTACTTTTCAAGACACCAAGTGAGAGGCCAA
CCAGATCCACCGTGGGAGGTCGTTTGAATTCAAAGATGCTGGCTATATCACCTCTCCCGTTACCCC
CAGGACTACCCCTCCACCAGAAGTGCAGTGGATTGTTTACGCCCCGAACCAACAGAAAGATTGTC
CTCAACTTCAACCCTCACTTTGAAATCGAGAAGCAGACTGCAAGTATGACTTTATCGAGATTCCGGAT
GGGACAGTGAATCCGCAGACCTCCTGGGCAAACACTGTGGGAACATCGCCCCGCCACCATCATCTCC
TCGGGCTCCATGCTCTACATCAAGTTCACCTCCGACTACGCCCGCAGGGGGCAGGCTTCTCTGCGC
TACGAGATCTTCAAGACAGGCTCTGAAGATTGCTCAAAAACTTCAAGCCCAACGGGACCATCGAA
TCTCTGGGTTTCTGAGAAGTATCCACACAAGTGGACTGCACCTTTACCATCTGGCCAAACCAAG
ATGGAGATCATCTCGAGTTCCTGATCTTTGACCTGGAGCATGACCTTTGCAGGTGGGAGAGGGGGAC
TGCAAGTACGATTGGCTGGACATCTGGGATGGCATTCCACATGTTGGCCCTGATTGGCAAGTACTGT
GGGACCAAAACACCCCTCGAATTCGTTTATCGACGGGGATCCTCTCCCTGACCTTTACACGGACATG
CGGTGGCCAAGGATGGCTTCTCTGCGCGTACTACCTGGTCCACCAAGGCCACTAGAGAACTTTCAG
TGCAATGTTTCTCTGGGCATGGAGTCTGGCCGGATTGCTAATGAACAGATCAGTGCCTCATCTACCTAC
TCTGATGGGAGGTGGACCCCTCAACAAAGCCGGCTCCATGGTGTGACAAATGGCTGGACCCCAACTTG
GATTCACAAAGGAGTATCTCCAGGTGGACCTGCGCTTTTTAACCATGCTCACGGCCATCGCAACACAG
GGAGCGATTTCCAGGGAAACACAGAATGGCTACTATGTCAAATCTACAAGTGGAAAGTCAAGTCAAT
GGAGAGGACTGGATGGTGTACCGCATGGCAAAAACACAAGGATTTTCAAGCCAACAACGATGCAACT
GAGGTGGTCTGAACAAGCTCCACGCTCCACTGCTGACAAGGTTGTTAGAATCCGCCCTCAGACTGG
CACTCAGGTATCGCCCTCCGGCTGGAGCTCTTCGGCTGCCGGGTACAGATGCTCCCTGCTCCAACATG
CTGGGATGCTCTCAGGCCTCATTGCAGACTCCAGATCTCCGCCTTTCCACCCAGGAATACCTCTGG
AGCCCCAGTGCAGCCCGCTGGTGCAGCAGCCGCTCGGGCTGGTCCCTCGAATCCCTCAGGCCAGCCC
GGTGAGGAGTGGCTTCCAGGTAGATCTGGGAACACCAAGACAGTGAAGGTGTCATCATCCAGGGAGCC
CGCGGAGGAGACAGTACTGCTGTGGAAGCCAGAGCATTGTGCGCAAGTTCAAAGTCTCTACAGC
CTAAACGGCAAGGACTGGGAATACATTCAGGACCCAGGACCCAGCAGCCAAAGTGTTCGAAGGGAAC
ATGCACTATGACACCCCTGACATCCGAAGGTTTGACCCATTCCGGCACAGTATGTGCGGTATACCCG
GAGAGGTGGTCCCGGCCGGGATTTGGATGCGGCTGGAGGTGCTGGGCTGTGACTGGACAGACTCCAAG
CCACGGTAGAGACGCTGGGACCCACTGTGAAGAGCGAAGAGACAACCACCCCTACCCACCGAAGAG
GAGGCCACAGAGTGTGGGGAAGTGCAGCTTTGAGGATGACAAAGATTTGCAGTCCCTTCGGGATTC
AATTGCAACTTCGATTTCTCGAGGAGCCCTGTGGTTGGATGATGACCATGCCAAGTGGCTCCGGACC
ACCTGGGCCAGCAGCTCCAGCCAAACGACCCGGACGTTTCCAGATGACAGGAATTTCTGCGGCTGCAG
AGTGACAGCCAGAGAGAGGGCCAGTATGCCCGGCTCATCAGCCCCCTGTCCACCTGCCCGAAGCCCG
GTGTGCATGGAGTTCAGTACCAGGCCACGGCCGGCCGGGGTGGCGCTGCAGGTGGTGGCGGAAGCC
AGCCAGGAGAGCAAGTTGCTGTGGGTCACTCGTAGGACCAGGGCGCGAGTGAAGCACGGGCGGATC
ATCCTGCCCAGTACGACATGGAGTACCAGATTGTGTTTCAGGGAGTATAGGGAAGGACGTTCCGGA
GAGATTGCCATTGATGACATTCGGATAAGCACTGATGTCCCACTGGAGAAGTGCATGGAACCCATCTCG
GCTTTTGCAGGTGAGAATTTTAAAGTGGACATCCAGAAATACATGAGAGAGAAGGATATGAAGTGAA
ATTGATGATGAATACGAGGTGGACTGGAGCAATTTCTTCTCTGCAACCTCAGGGTCTGGCAGCCCTCG
ACCGACAAAGAAAAGAGCTGGCTGTACACCCTGGATCCCATCCTCATCACCATCATCGCCATGAGCTCA
CTGGGCGTCTCTGGGGCCACCTGTGCAGGCCTCTGCTCTACTGCACCTGTTCTACTCGGGCTG
AGCTCCCGAAGTGCACCACACTGGAGAAGTACAAGTTCGAGCTCTACGATGGCCTTAAGCACAGGTC
AAGATGAACCACCAAAAGTGTCTCCGAGGCATGA
ACGGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGCGC
  
```

**Restriction Sites:** SgfI-MluI

**Plasmid Map:** □

<b>ACCN:</b>	NM_201266
<b>Insert Size:</b>	2796 bp
<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>OTI Annotation:</b>	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u><a href="#">NM_201266.1</a></u>
<b>RefSeq Size:</b>	6671 bp
<b>RefSeq ORF:</b>	2796 bp
<b>Locus ID:</b>	8828
<b>UniProt ID:</b>	<u><a href="#">O60462</a></u>
<b>Cytogenetics:</b>	2q33.3
<b>Protein Families:</b>	Druggable Genome, Transmembrane
<b>MW:</b>	104.8 kDa
<b>Gene Summary:</b>	<p>This gene encodes a member of the neuropilin family of receptor proteins. The encoded transmembrane protein binds to SEMA3C protein {sema domain, immunoglobulin domain (Ig), short basic domain, secreted, (semaphorin) 3C} and SEMA3F protein {sema domain, immunoglobulin domain (Ig), short basic domain, secreted, (semaphorin) 3F}, and interacts with vascular endothelial growth factor (VEGF). This protein may play a role in cardiovascular development, axon guidance, and tumorigenesis. Multiple transcript variants encoding distinct isoforms have been identified for this gene. [provided by RefSeq, Jul 2008]</p> <p>Transcript Variant: This variant (1), also known as NRP2a(22), represents the longest transcript, and encodes the longest isoform (1).</p>