

## Product datasheet for **SC308004**

### **NRP2 (NM\_201267) Human Untagged Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	NRP2 (NM_201267) Human Untagged Clone
Tag:	Tag Free
Symbol:	NRP2
Synonyms:	NP2; NPN2; PRO2714; VEGF165R2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**Fully Sequenced ORF:** >SC308004 representing NM\_201267.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGGATCGCC
ATGGATATGTTTCTCTCACCTGGGTTTTCTTAGCCCTCTACTTTTCAAGACACCAAGTGAGAGGCCAA
CCAGATCCACCGTCCGAGGTCGTTTGAATTCAAAGATGCTGGCTATATCACCTCTCCCGTTACCCC
CAGGACTACCCCTCCACCAGAAGTGCAGTGGATTGTTACGCCCCGAACCCAACAGAAAGATTGTC
CTCAACTTCAACCCTCACTTTGAAATCGAGAAGCAGACTGCAAGTATGACTTTATCGAGATTCCGGAT
GGGACAGTGAATCCGCAGACCTCTGGGCAAACACTGTGGGAACATCGCCCCGCCACCATCATCTCC
TCGGGCTCCATGCTCTACATCAAGTTCACCTCCGACTACGCCCGCAGGGGGCAGGCTTCTCTGCGC
TACGAGATCTTCAAGACAGGCTCTGAAGATTGCTCAAAAACTTCAACAAGCCCCAAGGGACCATCGAA
TCTCTGGGTTTCTGAGAAGTATCCACACAAGTGGACTGCACCTTTACCATCTGGCCAAACCAAG
ATGGAGATCATCTCGAGTTCCTGATCTTTGACCTGGAGCATGACCTTTGCAGGTGGGAGAGGGGGAC
TGCAAGTACGATTGGCTGGACATCTGGGATGGCATTCCACATGTTGGCCCCCTGATTGGCAAGTACTGT
GGGACCAAAACACCCCTCGAATTCGTTTATCGACGGGGATCCTCTCCCTGACCTTTACACGGACATG
CGGTGGCCAAGGATGGCTTCTCTGCGCGTACTACCTGGTCCACCAAGGCCACTAGAGAACTTTCAG
TGCAATGTTTCTCTGGGCATGGAGTCTGGCCGGATTGCTAATGAACAGATCAGTGCCTCATCTACCTAC
TCTGATGGGAGGTGGACCCCTCAACAAAGCCGGCTCCATGGTGTGACAAATGGCTGGACCCCAACTTG
GATTCACAAAGGAGTATCTCCAGGTGGACCTGCGCTTTTTAACCATGCTCACGGCCATCGCAACACAG
GGAGCGATTTCCAGGGAAACACAGAATGGCTACTATGTCAAATCTACAAGTGGAAAGTCAAGTCAAT
GGAGAGGACTGGATGGTGTACCGCATGGCAAAAACCAAGGATTTCAAGCCAACAACGATCGCAACT
GAGGTGGTCTGAACAAGCTCCACGCTCCACTGCTGACAAGTTTGTAGAAATCCGCCCTCAGACCTGG
CACTCAGGTATCGCCCTCCGGCTGGAGCTCTTCGGCTGCCGGGTACAGATGCTCCCTGCTCCAACATG
CTGGGATGCTCTCAGGCCTCATTGCAGACTCCAGATCTCCGCCTTTCCACCCAGGAATACCTCTGG
AGCCCCAGTGCAGCCCGCTGGTCAGCAGCCGCTCGGGCTGGTCCCTCGAATCCCTCAGGCCAGCCC
GGTGAGGAGTGGCTTCCAGGTAGATCTGGGAACACCCAAGACAGTGAAGGTGTCATCATCCAGGGAGCC
CGCGGAGGAGACAGTACTGCTGTGGAAGCCAGAGCATTGTGCGCAAGTTCAAAGTCTCTACAGC
CTAAACGGCAAGGACTGGGAATACATTCAGGACCCAGGACCCAGCAGCCAAAGTGTTCGAAGGGAAC
ATGCACTATGACACCCCTGACATCCGAAGTTTGACCCATTCCGGCACAGTATGTGCGGTATACCCG
GAGAGGTGGTCCCGCGGGGATTGGGATGCGGCTGGAGGTGCTGGGCTGTGACTGGACAGACTCCAAG
CCACGGTAGAGACGCTGGGACCCACTGTGAAGAGCGAAGAGACAACCACCCCTACCCACCGAAGAG
GAGGCCACAGAGTGTGGGGAAGTGCAGCTTTGAGGATGACAAAGATTTGCAGCTCCCTTCGGGATTC
AATTGCAACTTCGATTTCTCGAGGAGCCCTGTGGTTGGATGATGACCATGCCAAGTGGCTCCGGACC
ACCTGGGCCAGCAGCTCCAGCCAAACGACCCGGACGTTTTCCAGATGACAGGAATTTCTGCGGCTGCAG
AGTGACAGCCAGAGAGAGGGCCAGTATGCCCGGCTCATCAGCCCCCTGTCCACCTGCCCGAAGCCCG
GTGTGCATGGAGTTCAGTACCAGGCCACGGCCGGCCGGGGTGGCGCTGCAGGTGGTCCGGGAAGCC
AGCCAGGAGAGCAAGTTGCTGTGGTTCATCCGTGAGGACCAGGGCGCGAGTGAAGCACGGGCGGATC
ATCCTGCCAGTACGACATGGAGTACCAGATTGTGTTGAGGGAGTATAGGGAAGGACGTTCCGGA
GAGATTGCCATTGATGACATTCGATAAGCACTGATGTCCCACTGGAGAAGTGCATGGAACCCATCTCG
GCTTTTGCAGGGGCACCCCTCTGCCAGGGACCGACCCACAGTGGACACGGTGGCCATGCAGCCATC
CCAGCCTACTGGTATTACGTAATGGCCGCCGGGGCGCCGTGCTGGTGTGGTCTCCGTGCGCTGGCC
CTGGTGTCCACTACCACCGTTCCGCTATGCGGCCAAGAAGACCGATCACTCCATCACCTACAAAACC
TCCCACTACCAACGGGGCCCCCTGGCGGTGGAGCCACCCTAACCTAAGCTAGAGCAAGACCGT
GGCTCGCACTGCTGA
ACGGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGCGC
  
```

**Restriction Sites:** SgfI-MluI  
**Plasmid Map:** □  
**ACCN:** NM\_201267

<b>Insert Size:</b>	2706 bp
<b>OTI Disclaimer:</b>	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:custsupport@origene.com">custsupport@origene.com</a> or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a></p>
<b>OTI Annotation:</b>	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<a href="#">NM_201267.1</a>
<b>RefSeq Size:</b>	4148 bp
<b>RefSeq ORF:</b>	2706 bp
<b>Locus ID:</b>	8828
<b>UniProt ID:</b>	<a href="#">O60462</a>
<b>Cytogenetics:</b>	2q33.3
<b>Protein Families:</b>	Druggable Genome, Transmembrane
<b>MW:</b>	101.4 kDa

**Gene Summary:**

This gene encodes a member of the neuropilin family of receptor proteins. The encoded transmembrane protein binds to SEMA3C protein {sema domain, immunoglobulin domain (Ig), short basic domain, secreted, (semaphorin) 3C} and SEMA3F protein {sema domain, immunoglobulin domain (Ig), short basic domain, secreted, (semaphorin) 3F}, and interacts with vascular endothelial growth factor (VEGF). This protein may play a role in cardiovascular development, axon guidance, and tumorigenesis. Multiple transcript variants encoding distinct isoforms have been identified for this gene. [provided by RefSeq, Jul 2008]

Transcript Variant: This variant (5), also known as NRP2b(0), includes an alternate 3' sequence, compared to variant 1. This results in a shorter isoform (5) with a distinct C-terminus, compared to isoform 1.