

Product datasheet for **SC308049**

Galectin 8 (LGALS8) (NM_201545) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Galectin 8 (LGALS8) (NM_201545) Human Untagged Clone
Tag:	Tag Free
Symbol:	LGALS8
Synonyms:	Gal-8; PCTA-1; PCTA1; Po66-CBP
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL4</u>
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

Fully Sequenced ORF: >OriGene sequence for NM_201545 edited
 GCACBAGCCGGGAACCTGACGGCACTTAGCTGCTGACAAACAACCTGCTCCGTGGAGCG
 CCTGAAACACCAGTCTTTGGGGCCAGTGCCTCAGTTTCAATCCAGGTAACCTTTAAATGA
 AACTTGCCTAAAACTTAGGTCATACACAGAAGAGACTCCAATCGACAAGAAGCTGGAAA
 AGAATGATGTTGTCCTTAAACAACCTACAGAATATCATCTATAACCCGGTAATCCCGTTT
 GTTGGCACCATTCTGATCAGCTGGATCCTGGAACCTTGATTGTGATACGTGGGCATGTT
 CCTAGTGACGCAGACAGATTCCAGGTGGATCGCAGAATGGCAGCAGCATGAAACCTCGA
 GCCGATGTGGCCTTTCATTTCAATCCTCGTTTCAAAGGGCCGGCTGCATTGTTTGCAAT
 ACTTTGATAAATGAAAAATGGGGACGGGAAGAGATCACCTATGACACGCCTTTCAAAGA
 GAAAAGTCTTTGAGATCGTGATTATGGTCTGAAGGACAAAATCCAGGTGGCTGTAAT
 GGAAAACATACTCTGCTCTATGGCCACAGGATCGGCCAGAGAAAATAGACACTCTGGGC
 ATTTATGGCAAAGTGAATATCACTCAATTGGTTTTAGCTTCAGCTCGGACTTACAAAGT
 ACCCAAGCATCTAGTCTGGAAGTACAGAGATAAGTAGAGAAAATGTTCCAAAGTCTGGC
 ACGCCCCAGCTTCTAGTAATAGAGGAGGAGACATTTCTAAAATCGCACCAGAAGTCTGC
 TACACCAAGAGCAAAGATTGCGACTGTCAATCACACTTTGACTTGCACAAAATACCACCT
 ATGAACTATGTGCAAGAGGCTGCCATTGCTGCAAGGTTGAACACCCCATGGGCCCT
 GGACGAACTGTCGTCTTAAAGGAGAAGTGAATGCAAATGCCAAAAGCTTTAATGTTGAC
 CTACTAGCAGGAAAATCAAAGGATATTGCTCTACACTTGAACCCACGCCTGAATATTTAA
 GCATTTGTAAGAAATCTTTTCTCAGGAGTCTGGGGAGAAGAAGAGAGAAAATATTACC
 TCTTTCCATTTAGTCTGGGATGTACTTTGAGATGATAATTTATTGTGATGTTAGAGAA
 TTCAAGGTTGCAGTAAATGGCGTACACAGCCTGGAGTACAACACAGATTTAAAGAGCTC
 AGCAGTATTGACACGCTGAAAATTAATGGAGACATCCACTTACTGGAAGTAAGGAGCTGG
 TAGCTACCTACACAGCTGCTACAAAACCAAATACAGAATGGCTTCTGTGATACTGGC
 CTTGCTGAAACGCATCTCACTGTATTCTATTGTTTATATTGTTAAAATGAGCTTGTGCA
 CCATTAGGTCCTGCTGGGTGTTCTCAGTCTTGCATGAAGTATGGTGGTGTCTAGCACT
 GAATGGGAAAAGTGGGGCAGCAACACTTATAGCCAGTTAAAGCCACTCTGCCCTCTCTC
 CTACTTTGGCTGACTCTTCAAGAATGCCATTCAACAAGTATTTATGGAGTACCTACTATA
 ATACAGTAGCTAACATGTATTGAGCACAGATTTTTTTGGTAAAAGTGTGAAGAGCTAGG
 ATATACTTGGTGAACAAACAGTATGTTCCCTGTTCTCTTGAGCTTCGACTCTTCTG
 TGGCTACTGCTGCGCACTGCTTTTTCTACAGGCATTACATCAACTCCTAAGGGTCTCTC
 TGGGATTAGTTATGCAGATATTAATCACCCGAAGACACTAAGTACAGAAGACACAAGT
 CCTTCCCCAGTGATCACTGTCAATACCAGTGTCTACCGTATCCCATCACTGAGGACTGA
 TGTTGACTGACATCATTTTCTTTATCGTAATAACATGTGGCTCTATTAGCTGCAAGCTT
 TACCAAGTAATTGGCATGACATCTGAGCACAGAAATTAAGGCAAAAAACCAAAGCAAAAC
 AAATACATGGTGTGAAATTAACCTTGTGATGCCAAGCCCAAGGCAGCTGATTTCTGTGATT
 TGAAGTTAGGGCAAAATCAGAGTCTACACAGACGCTACAGAAAGTTTCAGGAAGAGGCAA
 GATGCATTCAATTTGAAAGATATTTATGGGCAACAAAGTAAGGTCAAGGATTAGACTTCAG
 GCATTCATAAGGCAGGCACTATCAGAAAGTGTACGCCAACTAAGGGACCCACAAAGCAGG
 CAGAGTAATGCAGAAATCTGTTTTGTTCCCATGAAATCACCAATCAAGGCCTCCGTTCT
 TCTAAAGATTAGTCCATCATCATTAGCAACTGAGATCAAAGCACTTCCACTTTACGTG
 ATTAATCAAACCTGTATCAGCAAGTTAAAAAAAAAAAAAAAAAAAA

Restriction Sites: Please inquire

ACCN: NM_201545

Insert Size: 2400 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_201545.1 , NP_963839.1
RefSeq Size:	2815 bp
RefSeq ORF:	1080 bp
Locus ID:	3964
UniProt ID:	O00214
Cytogenetics:	1q43
Gene Summary:	<p>This gene encodes a member of the galectin family. Galectins are beta-galactoside-binding animal lectins with conserved carbohydrate recognition domains. The galectins have been implicated in many essential functions including development, differentiation, cell-cell adhesion, cell-matrix interaction, growth regulation, apoptosis, and RNA splicing. This gene is widely expressed in tumoral tissues and seems to be involved in integrin-like cell interactions. Alternatively spliced transcript variants encoding different isoforms have been identified. [provided by RefSeq, Jul 2008]</p> <p>Transcript Variant: This variant (4) differs in the 5' UTR, compared to variant 1. Variants 1 and 4 encode a longer isoform (a). Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments. CCDS Note: This CCDS representation uses the 5'-most in-frame start codon, which is conserved in higher primates. An alternative downstream start codon, which is more widely conserved, also exists. It is possible that leaky scanning by ribosomes would allow the downstream start codon to be used, at least some of the time. The use of the downstream start codon would result in a protein that is 1 aa shorter at the N-terminus. There is no experimental evidence showing which start codon is preferentially used in vivo.</p>