

Product datasheet for **SC308456**

ZNF320 (NM_207333) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	ZNF320 (NM_207333) Human Untagged Clone
Tag:	Tag Free
Symbol:	ZNF320
Synonyms:	ZFPL
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >SC308456 representing NM_207333.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGCTCTTTCTCAGGGTCTACTGACATTCAGGGATGTGGCCATAGAATTCTCTCAGGAGGAGTGAAAA
TGCTTGACCCCTGCTCAGAGGACTCTATACAGAGACGTGATGCTGGAGAATTATAGGAACCTGGTCTCC
CTGGATATCTCTTCCAAATGCATGATGAATACATTGTCAATCAACAGGGCAAGGCAATACAGAAGTGATC
CACACAGGGACATTGCAGAGACAAGCAAGTTATCACATTGGAGCATTGCTCCCAGGAAATGAGAAA
GACATTCATGACTTTGTGTTTCAGTGGCAAGAAGATGAAACAAATGACCATGAAGCACCCATGACAGAA
ATAAAAAAGTTGACTAGTAGTACAGACCGATATGATCAAAGGCATGCTGGAAACAAGCCTATTAAAGGT
CAGCTTGAATCAAGATTTTATTTGCATTGCGAAGACATAGGAGAATTCATACTGGAGAGAAACCTTAC
AAATGTGAAGAATGTGAGAAAGTTTTCAGTTGCAAAATCACATCTTGAAATACATAGGATAATTCATACT
GGAGAGAAACCATACAAATGTAAGGTTTTCGACAAAGGCTTTTAAGCATGATTCACACCTGGCAAAACAT
ACTAGAATTCACAGGGGAGACAAACATTACACATGTAATGAATGTGGCAAGGTTTTTGATCAAAAAGCA
ACCTTTCATGTCATCATAGAAGTCATACTGGAGAGAAACCTTATAAGTGAATGAGTGTGGCAAGACC
TTAGTCAGACATCACACCTTGTGTACCATCATAGACTGCATACTGGAGAGAAACCTTACAAATGTAAT
GAGTGTGGCAAGACCTTCGCTCGAAATTCAGTCTCGTAATTCATAAGGCAGTTCATACTGCAGAGAAA
CCCTATAAGTGAATGAATGTGGCAAGGTTTTTAAGCAACGAGCAACTCTTGAGGACATCGTAGAGTT
CACACTGGAGAGAAACCTTACAGATGTGAAGAATGCGACAAAGTTTTTCAGTCGCAATCACATCTTGAA
AGACATAGGAGGATTCATACTGGAGAGAAACCATACAAATGTAAGGTTTGTGACAAGGCTTTCCGGAGT
GATTCACGTCTTGACAGACATCAGAGAGTTCATACTGGAGAGAGACCTTACACATGTAATGAATGTGGC
AAGGTTTTTAGTACAAAAGCGTACCTCGCATGTCATCAAAAACCTCATACTGGAGAGAAACCTTACGAA
TGTGAAGAATGTGACAAAGTTTACATTGCAAAATCACACCTTGAAGAGACATAGGAGGATTCATACAGGA
GAGAAACCTCACAGTGTGGTATTGTGGTAAAGCCTTTAATTCACCTTCACACCTTATTAGGCATCAG
AGAATCCATACTGGACAGAAATCTTACAAATGTCATCAGTGTGGCAAGGCTTTAGTCTGAGGTCACTC
CTTGACAGAACATCAGAAATTCCTTTGGAGACAATTGTTTCAAGTGAATGAGTATAGCAAAACCATCA
AGCATTAAATGA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites: SgfI-MluI

ACCN: NM_207333

Insert Size: 1530 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_207333.2</u>
RefSeq Size:	6145 bp
RefSeq ORF:	1530 bp
Locus ID:	162967
UniProt ID:	<u>A2RRD8</u>
Cytogenetics:	19q13.41
MW:	59.3 kDa
Gene Summary:	ZNF320 encodes a Kruppel-like zinc finger protein. Members of this protein family are involved in activation or repression of transcription.[supplied by OMIM, Jul 2002] Transcript Variant: This variant (1) encodes the longer isoform (1). Variants 1-5 encode the same protein (isoform 1). Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.