

Product datasheet for SC308526

ALKAL1 (NM 207413) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: ALKAL1 (NM 207413) Human Untagged Clone

Tag: Tag Free Symbol: ALKAL1

Synonyms: AUGA; AUGB; FAM150A; UNQ9433

Mammalian Cell

Selection:

None

Vector: pCMV6-XL5

E. coli Selection: Ampicillin (100 ug/mL)

Fully Sequenced ORF: >OriGene sequence for NM_207413 edited

ATCATGCAAAATG

Restriction Sites: Please inquire **ACCN:** NM_207413

Insert Size: 600 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: The ORF of this clone has been fully sequenced and found to be a perfect match to

NM_207423.1.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

ALKAL1 (NM_207413) Human Untagged Clone - SC308526

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 207413.1</u>, <u>NP 997296.1</u>

RefSeq Size: 1102 bp
RefSeq ORF: 390 bp
Locus ID: 389658
UniProt ID: Q6UXT8
Cytogenetics: 8q11.23

Gene Summary: Ligand for receptor tyrosine kinase LTK and perhaps receptor tyrosine kinase ALK; activation

of ALK is reported conflictingly.[UniProtKB/Swiss-Prot Function]