

Product datasheet for **SC308733**

HSPC302 (TBCK) (NM_033115) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	HSPC302 (TBCK) (NM_033115) Human Untagged Clone
Tag:	Tag Free
Symbol:	TBCK
Synonyms:	HSPC302; IHPRF3; TBCKL
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >SC308733 representing NM_033115.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGCATCGCC
ATGTTTCCCCTGAAGGACGCTGAAATGGGAGCCTTACCTTCTTTCGCTCGGCTCTGCCACATGATGTT
TGTGGAAGCAATGGACTTCCCTCACACCAAATCCATCAAATTTTAGGGCGCTTCAAATCCTTAAA
ACCATCACCCATCCCAGACTCTGCCAGTATGTGGATATTTCTAGGGGAAAGCATGAACGACTAGTGGTC
GTGGCTGAACATTGTGAACGTAGTCTGGAAGACTTGCTTCGAGAAAGGAAACCTGTGAGGTATCCCTCG
TACTTGGCCCCTGAGTAATTGCACAGGGAATTTCAAACCCTGATCACATGCCAAGTAAAAACCA
TTGCCCTCTGGCCCCAAATCAGATGTATGGTCTCTTGGAAATATTTTATTTGAGCTTTGTGTGGGAAGA
AAATTATTTAGAGCTTGGATATTTCTGAAAGACTAAAATTTTGGCTTACTTTGGATTGTGTAGATGAC
ACTTTAATAGTTCTGGCTGAAGAGCATGGTTGTTGGACATTATAAAGGAGCTTCTGAACTGTGATA
GATCTTTTGAATAAGTGCCTTACCTTCCATCCTTCTAAGAGGCCAACCCAGATGAATTAATGAAGGAC
AAAGTATTCAGTGAGGTATCACCTTTATATACCCCTTTACCAAACCTGCCAGTCTGTTTTATCTTCT
CTGAGATGTGCTGATTTAACTCTGCCTGAGGATATCAGTCAGTTGTGAAAGATATAAATGATTAC
CTGGCAGAAAGATCTATTGAAGAAGTATTACCTTTGGTGTGGTGGAGGTGACTTGGAGAAAGAG
CTTGTCACAAGGAAATCATTTCGATCCAACCCTATCTGCACACTCCCAATTTCTCTTTGAGGAT
GGTGAAAGCTTTGGACAAGTTCGAGATAGAAGCTCGCTTTTAGATGATACCCTGTGACATTGTCGTTA
TGCCAGCTAAGAAATAGATTGAAAGATGTTGGTGGAGAAGCATTTTACCCTTACTTGAAGATGACCAG
TCTAATTTACCTCATTCAAACAGCAATAATGAGTTGTCTGCAGCTGCCACGCTCCCTTAAATCATCAGA
GAGAAGGATACAGAGTACCACTAAATAGAATTATTCTCTCGACAGGCTGCTAAAGGCTTATCCATAT
AAAAAAACCAAATCTGGAAAGAAGCAAGAGTTGACATTCCTCTTATGAGAGGTTTAACTGGGCT
GCTCTTCTGGGAGTTGAGGGAGCTATTTCATGCCAAGTACGATGCAATTGATAAAGACACTCCAATTCCT
ACAGATAGACAAATTGAAGTGGATATTCCTCGCTGTCATCAGTACGATGAACTGTTATCATCACCAGAA
GGTCATGCAAAATTTAGGCGTGTATTAAGCCTGGGTAGTGTCTCATCCTGATCTTGTGTATTGGCAA
GGTCTTGACTCACTTTGTCTCCATTCTATATCTAACTTCAATAATGAAGCCTTGGCTTATGCATGT
ATGTCTGCTTTTATCCCAAATACCTGTATAACTTCTTCTTAAAGACAACCTCACATGTAATACAAGAG
TATCTGACTGTCTCTCTCAGATGATTGCATTTTCATGATCCAGAGCTGAGTAATCATCTCAATGAGATT
GGTTTCATTCCAGATCTATGCCATCCCTTGGTTTCTTACCATGTTTACTCATGATTTTCCACTACAC
AAAATTTCCACCTCTGGGATACCTTACTACTTGGGAATTCCTCTTCCATTCTGTATTGGAGTAGCA
ATTCTTACGACAGCTGCGGACCGCTTTTGGCTAATGGCTTAAATGAGTGTATTCTTCTCTCTCCGAT
TTACCAGAAATTGACATTGAACGCTGTGTGAGAGAATCTATCAACCTGTTTTGTTGGACTCCTAAAAGT
GCTACTTACAGACAGCATGCTCAACCTCCAAGCCATCTTCTGACAGCAGTGGAGGCAGAAGTTCGGCA
CCTTATTTCTCTGCTGAGTGTCCAGATCCTCCAAGACAGATCTGTCAAGAGAATCCATCCCATTAAT
GACCTGAAGTCAGAAGTATCACACGGATTTACAGCAGAGGACCTGATTGACTTGTGTGAGCTCACAGTG
ACAGGCCACTTCAAACACCCAGCAAGAAAACAAAGTCCAGTAAACCAAAGCTCCTGGTGGTTGACATC
CGGAATAGTGAAGACTTTATTCGTGGTCACATTTACAGGAAGCATCAACATTCATTTCAGTGTGCCTTC
ACTGCAGAAGGGGAGCTTACCCAGGCCCTTACACTGCTATGCTCCAGAACTTCAAAGGGAAGTCAAT
GTCATCGTGGGGCATGTGGCAAAACACACAGCTGAGTTTGCAGCTCACCTTGTGAAGATGAAATATCCA
AGAATCTGTATTCTAGATGGTGGCATTAAATAAAATAAAGCCAACAGGCCTCCTCACCATCCATCTCCT
CAAATATGA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites: Sgfl-Mlul
Plasmid Map: □
ACCN: NM_033115
Insert Size: 2493 bp

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_033115.4
RefSeq Size:	5120 bp
RefSeq ORF:	2493 bp
Locus ID:	93627
UniProt ID:	Q8TEA7
Cytogenetics:	4q24
Domains:	TBC, pkinase, RHOD, S_TKc
Protein Families:	Druggable Genome, Protein Kinase
MW:	93.7 kDa
Gene Summary:	<p>This gene encodes a protein that contains a protein kinase domain, a Rhodanase-like domain and the Tre-2/Bub2/Cdc16 (TBC) domain. The encoded protein is thought to play a role in actin organization, cell growth and cell proliferation by regulating the mammalian target of the rapamycin (mTOR) signaling pathway. This protein may also be involved in the transcriptional regulation of the components of the mTOR complex. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Mar 2014]</p> <p>Transcript Variant: This variant (4) lacks two in-frame exons in the 5' coding region compared to variant 1. This results in a shorter protein (isoform c) compared to isoform a. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>