

Product datasheet for **SC309528**

NUP98 (NM_139132) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	NUP98 (NM_139132) Human Untagged Clone
Tag:	Tag Free
Symbol:	NUP98
Synonyms:	ADIR2; NUP96; Nup98-96; NUP196
Vector:	<u>pCMV6 series</u>
Fully Sequenced ORF:	>NCBI ORF sequence for NM_139132, the custom clone sequence may differ by one or more nucleotides

```

ATGTTTAAACAAATCATTGGAAACACCCTTTGGGGTGGCACAGGTGGCTTTGGCACAAC
TCAACATTTGGACAGAATACTGGCTTTGGCACTACTAGTGGAGGGCATTGGAAACATCT
GCATTTGGTTCTAGCAACAATACTGGAGGCCTCTTTGAAATTCACAGACTAAACCAGGA
GGATTGTTTGAACAGTTCATTTAGCCAGCCAGCTACCTCCACAAGCACTGGCTTTGG
TTTGGTACGTCAACAGGAACAGCAAATACCTTGTGGAACTGCAAGCACAGGGACCAGT
CTCTTCTCATCCAAAACAATGCCTTTGCACAAAATAAACCAACTGGCTTTGGCAATTT
GGAACCAGTACTAGCAGTGGAGGACTCTTTGGAACCACAATACCACCTCTAATCCTTTT
GGCAGCACATCTGGCTCCCTCTTTGGGCCAAGTAGTTTTACAGCTGCTCCTACTGGGACT
ACTATTAATTTAACCCCTCCAACCTGGTACAGATACTATGGTCAAAGCTGGAGTTAGCACT
AACATAAGTACCAAGCACCAGTGTATTACTGCTATGAAAGAATATGAAAGCAAGTCACTA
GAGGAACCTCGTTTAGAGGATTATCAGGCTAACAGGAAGGGCCACAGAACCAGGTGGGA
GCAGGTACCACAACCTGGCTTGTGGGTCTTCCAGCCACTCCAGCGCAACAGGACTC
TTCAGCTCCTCCACCACTAATTCAGGCTTGCATATGGTCAGAACAAAACCTGGCTTTGGA
ACTAGTACAACCTGGATTTGGAACAAATCCAGGTGGTCTCTTTGGCCAACAGAATCAGCAG
ACTACCAGCCTCTTCAGCAAACCAATTTGGCCAGGCTACAACCACCCAGAACACTGGCTTT
TCCTTTGGTAATACCAGCACCATAGGACAGCCAAGCACCAACACCATGGGATTATTTGGA
GTAACCCAAGCCTCACAGCCTGGAGGTCTTTTTGGGACAGCTACAACACCAGCACTGGG
ACAGCATTTGGAACAGGAACAGGTCTCTTTGGGACAGCAATACTGGATTTGGTGTCTGT
GGTTCGACCCTGTTTGGCAATAACAAGCTTACTACATTTGGAAGCAGCACAACCAGTGCA
CCTTCATTTGGTACAACCAGTGGCGGGCTCTTTGGTTTTGGCACAATAACCAGTGGGAAT
AGTATTTTTGGAAGTAAACCAGCACCTGGGACTCTTGGAACTGGGCTTGGTGCAGGATTT
GGAACAGCTCTTGGTGTGGACAGGCATCTTTGTTTGGGAACAACCAACCTAAGATTGGA
GGGCTCTTGGTACAGGAGCCTTTGGGGCCCTGGATTTAATACTACGACAGCCACTTTG
GGCTTTGGAGCCCCCAGGCCCCAGTAGCTTTGACAGATCCAAATGCTTCTGCTGCCAG
CAGGCTGTTCTCCAGCAGCACATCAATAGTCTAACATACTCACCTTTTGGAGACTCTCT
CTCTCCGGAATCCGATGTCAGACCCTAAGAAGAAGGAAGAGAGATTGAAACCAACAAAT
CCAGCAGCCCAGAAGGCTCTTACTACACCTACTCATTATAAACTGACACCCCGCCCTGCC
ACTAGAGTCCGGCCAAAGGCTTTACAAACAACAGGCACAGCCAAGTCACATCTCTTTGAT
GGGCTGGATGACGATGAACCATCCCTAGCCAATGGAGCATTTCATGCCAAGAAGAGCATT

```



[View online »](#)

AAGAAGTTGGTTTTGAAGAACCTTAATAATAGCAATCTCTTTTCTCCTGTTAATCGTGAT
 TCAGAAAATCTAGCTTACCATCTGAATATCCAGAAAATGGAGAGAGATTTAGTTTCTTA
 AGCAAACCTGTTGATGAGAATCACCAGCAGGATGGAGATGAAGATTCCTTGTTCACAT
 TTTTATACTAACCTATTGCCAACCTATTCTCAAACCCAGAAAAGTGTGAAATAAA
 CACAGCAACAGCAACAGTGTGGATGATACCATTGTTGCATTAACATGCGTGTGCTTTG
 CGAAATGGGCTGGAAGGAAGCAGTGAAGAAACGCTTTTTCATGATGAGTCACTTCAGGAT
 GACCGAAGAAAATAGAAAATAATTCTTACCATATGCACCCAGCAGGTATTATTCTCACT
 AAGGTTGGTTACTATACTATTCCATCTATGGATGACCTTGCTAAAATTACCAATGAAAA
 GGAGAGTGCATTGTCTCTGATTTCACTATTGGTCGAAAAGTTATGGTTCAATCTATTTT
 GAAGGAGATGTGAATTTGACAAATCTAAATTTGGATGATATTGTGCATATCCGGAGGAAA
 GAAGTAGTTGTCTACTTAGATGATAACCAAAAACCACCTGTGGTGAAGGGCTAAATAGG
 AAGGCTGAAGTTACATTGGATGGAGTTTGGCCAACAGATAAAACATCTCGTTGTTAATA
 AAGAGCCCAGATCGCTTGTGATATCAACTATGAAGGAAGATTGGAAGCAGTTTCAAGG
 AAACAGGGAGCTCAATTCAAAGAATACCGCCTGAAACTGGTTCTTGGGTGTTAAGGTC
 TCCATTTTTCTAAGTATGGCCTCAGGATTCTGATGAAGAGGAGGAGGAGCATCCGTCT
 AAAACTAGTACAAAGAAGTTGAAGACTGCTCCTTGCCTCTGCAAGCCAGACTACGCC
 TTGCAGATGGCTCTTAATGGCAAACCTGCACCTCCACCTCAGAGCCAGAGCCAGAGGTG
 GAGCAGTTAGGGAGGGTTGTGGAACCTGGACAGTGACATGGTAGATATACCCAGGAGCCA
 GTTTTGGATACCATGTTAGAAGAGAGCATGCCTGAGGATCAGGAACCTGTGTCTGCCTCA
 ACACATATTGCATCTTCACTGGGAATTAATCCACATGCTTACAGATCATGAAAGCATCA
 TTGCTTACTGATGAAGAAGATGTAGATATGGCACTGGATCAACGCTTCAGTCGCCTGCCT
 TCCAAAGCAGATACTTCTCAAGAAATCTGTTCTCCAGACTCCCCATTTACAGATCCCAC
 TCGTCGAAAACCTCGTTCACTAGTTGGTGGTTACTACAATCAAAATTTACAAGTGGAGCT
 TTTCTTTACCAAGTGTCTGTGCAAGAATGTGTAATCCAGAGCAGCATCTTTAATG
 AATATCCCATCCACATCCTCTTGGTCTGTCCCTCCACCCCTGACTTCTGTGTTACAATG
 CCCAGCCCAGCCCTGAGGTTCCGTTGAAAACAGTGGGTACACGTAGGCAACTAGGCCTA
 GTCCCTCGTGAAGTCTGTACCTATGGCAAGGGAAAACCTTGTGATGGACATGGCCCTA
 TTCATGGGACGCTCATTTCTGTGTTGGTGGGGCCCAACTGGACTCTTGCTAATAGTGG
 GAACAGCTGAATGGCTCTCATGAACTAGAAAATCATCAGATTGCCGATTCATGGAGTTT
 GGATTCCTGCCAATCCAGTAGCTGTTAAACCCCTAACTGAGTCCCATTCAAAGTTCAC
 TTAGAAAACCTCAGTTTGAACAAGAAAGCCAGATGAAGACATGAAATTAATCAGACA
 CCTCTGGAGCTCAAATTAACACAGCACTGTCCATGTGGATGAACTGTGCTCTCATT
 GTCCCCAATCTGGGAGTTGCTGTCAATCATGACTATGCAGATTGGGTTAAGAAGCATCA
 GGAGACTTACCAGAAGCACAATTTGGAAGCACTGGAGCCTGACATGGACACTATGTGAA
 GCCCTATGGGGCCACCTGAAGGAGCTTGACAGCCAGCTAAATGAACCCCGTGAATACATT
 CAAATTCGGAGCGAAGAAGAGCTTTCTCCCGTGGCTATCCTGTACTGCCACACCTCAG
 ATTGAAAGGGAAGTCTCCTTAACCCAAAAAACAGCCCTGTGGAGGCTGTATTAGCTAC
 CTCACAGGCAAAAGGATCAGTGAAGGCTGCTCTCTGGCCAGCAGTCCGGGAGCTGCTCACCATG
 CTTGCTCTCTTTTATCTCAGTTTGTGGGTAGCCAGTCACTCCGGGAGCTGCTCACCATG
 CAGTTGGTGGACTGGCATCAGCTCCAAGCAGACTCCTTCCATCCAGGATGAGAGACTGCGC
 ATCTTTGCTCTGTGGCTGGAAAACCGGTGTGGCAGCTCTCAGAAAAGAAGCAATAAAC
 GTGTGCTCCAGTTGGATTGAAACGCTCCCTGGCTATCCATCTTTGGTATTTGCTTCCA
 CCAACAGCTCCATTTCTAGGGCGCTCAGCATGTATGAAGAAGCATTTGAGAATACCTCT
 GACAGTGACAGATATGCCTGCTCCCACTTCTTCTGATCTGGAGGTTCTGGCTGTGTG
 ATAGCGGAGGAGCAAACTCACAGACCACTTCGAGATGTCTGCTTTACCTTCTAAAA
 CTCTACAGTGACAGCATACGTGAGAAGGCTGTTGAGAGCTGCTTACCCGGCACTGCCAG
 CTGTTGGAGACCCCTGAATCTTGGGCTAAAGAGACTTTCTTACCCAGAAGCTCCGTGTA
 CCTGCCAAATGGATCCACGAGGCCAAAGCTGTGCGAGCACACATGGAATCTGACAAGCAC
 TTAGAGGCCCTTTGCTTATTTAAGGCTGAGCACTGGAACCGCTGCCACAAGCTCATCATC
 CGACACTTAGCTTCTGATGCCATCATTAAATGAGAATATGACTACCTGAAGGGGTTCTTG
 GAAGACCTGGCACCTCCAGAGCGCAGCAGCCTAATTCAGGATTGGGAAACATCTGGGCTT
 GTTACCTGGACTATATTAGAGTCATTGAAATGCTCCGCATATACAGCAGGTGGATTGC

TCAGGTAATGACCTGGAGCAGTTACACATCAAAGTGACTTCACTGTGCAGTCGGATAGAG
 CAGATTCAGTGTTACAGTGCTAAAGATCGCCTGGCTCAGTCAGACATGGCCAAACGTGTA
 GCCAACCTGCTGCGCGTGGTGTGAGTCTGCATCATCCTCCTGATAGAACCTCCGACTCA
 ACACCAGACCCTCAGCGAGTCCCTTTGCGCCTCTTGGCTCCCCACATTGGCCGGCTTCCC
 ATGCCTGAGGACTATGCCATGGACGAAGTGGCAGCCTTACCCAGTCCTATCTGCGAGAA
 CTGGCTGTTGGGAGCCTGTGA

Restriction Sites:	Please inquire
ACCN:	NM_139132
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_139132.2</u> , <u>NP_624358.2</u>
RefSeq Size:	6628 bp
RefSeq ORF:	5181 bp
Locus ID:	4928
UniProt ID:	<u>P52948</u>
Cytogenetics:	11p15.4
Protein Families:	Druggable Genome

Gene Summary:

Nuclear pore complexes (NPCs) regulate the transport of macromolecules between the nucleus and cytoplasm, and are composed of many polypeptide subunits, many of which belong to the nucleoporin family. This gene belongs to the nucleoporin gene family and encodes a 186 kDa precursor protein that undergoes autoproteolytic cleavage to generate a 98 kDa nucleoporin and 96 kDa nucleoporin. The 98 kDa nucleoporin contains a Gly-Leu-Phe-Gly (GLGF) repeat domain and participates in many cellular processes, including nuclear import, nuclear export, mitotic progression, and regulation of gene expression. The 96 kDa nucleoporin is a scaffold component of the NPC. Proteolytic cleavage is important for targeting of the proteins to the NPC. Translocations between this gene and many other partner genes have been observed in different leukemias. Rearrangements typically result in chimeras with the N-terminal GLGF domain of this gene to the C-terminus of the partner gene. Alternative splicing results in multiple transcript variants encoding different isoforms, at least two of which are proteolytically processed. Some variants lack the region that encodes the 96 kDa nucleoporin. [provided by RefSeq, Feb 2016]

Transcript Variant: This variant (4) lacks an alternate in-frame exon in the 3' coding region, compared to variant 1. The encoded isoform (4) has the same N- and C-termini, but is shorter than isoform 1. This isoform (4) may undergo proteolytic processing similar to that of isoform 1.