

Product datasheet for **SC309582**

WHSC1 (NM_133334) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	WHSC1 (NM_133334) Human Untagged Clone
Tag:	Tag Free
Symbol:	NSD2
Synonyms:	KMT3F; KMT3G; MMSET; REIIBP; TRX5; WHS; WHSC1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >SC309582 representing NM_133334.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGCATCGCC
ATGGAATTTAGCATCAAGCAGAGTCCCCTTTCTGTTCCAGAGTGTGTAAAGTGCATAAAGATGAAGCAG
GCACCAGAAATCCTCGGCAGTGCCAACGGGAAGACTCCGAGCTGCGAGGTGAACCGCAGTGTCTGTG
TTCTCAGCAAAGCCAGCTCTCCAGTAGCCTGCAGGAGGGGTCATGCAGAAAGTTAACGGCCACGAC
GCCCTGCCCTTTATTCCAGCCGACAAGCTGAAAGATCTTACTTCCCGGTGTTTAAATGGAGAACCCGGC
GCACACGATGCCAACTGCGTTTTGAGTCCCAGGAAATGAAAGGGATTGGGACACCCCTAACACTACC
CCTATCAAAAATGGCTCTCCAGAAATTAAGCTGAAATACCAAAACATACATGAATGGGAAGCCTCTC
TTTGAATCTTCCATTTGTGGTGACAGTGTCTGATGTGTCTCAGTCAGAAGAAAATGGACAAAACCA
GAAAACAAGGCGAGAAGGAACAGGAAGAGGAGCATAAAAATGACTCCTTGTGGAGCAGGGCCTTGTG
GAAGCAGCTCTTGTGTCTAAGATCTCAAGTCTTCAGATAAAAAGATTCCAGCTAAGAAAGAGTCTTGT
CCAAACTGGAAGAGACAAAGACCACCTGTTGAAATACAACGTTGGTGATTTGGTGTGGTCCAAAGTG
TCGGGTTACCCCTTGGTGGCCTTGATGGTTTCTGCAGATCCACTCCTTCAGCTATACCAAACCTAAA
GGTCAGAAAAAGAGTGCACGCCAGTATCACGTACAGTTCTTTGGTGACGCCCCAGAAAGAGCTTGGATA
TTTGAGAAGAGCCTCGTAGCTTTTGAAGGAGAAGGACAGTTTGAAAAATTATGCCAGGAAAGTGCCAAG
CAGGCACCCACGAAAGCTGAGAAAATTAAGCTATTGAAACCAATTTACGGGAAATGAGGGCCAGTGG
GAAATGGGCATTGTTCAAGCAGAAGAAGCTGCAAGCATGTCAAGTGGAGGAGCGGAAAGCCAAAGTTACC
TTTCTCTATGTGGGGACAGCTTATCTCAACCTCAAGTAGCCAAGGAGGCTGGCATTGCTGCAGAG
TCTTTGGGAGAAATGGCAGAATCCTCAGGAGTCAAGTGAAGAAGCTGCTGAAAACCCCAAGTCTGTGAGA
GAAGAGTGCATTTCCATGAAGAGAAGCGGAGGGCCAAACTGTGTAGCTGCAGAGACCCCTGGAGAGT
CACCCCGACATAGGGAAGAGTACTCCTCAAAGACGGCAGAGGCTGACCCAGAAAGAGGAGTAGGGTCT
CCTCCTGGGAGGAAGAAGACCACAGTCTCCATGCCACGAAGCAGGAAGGGAGATGCAGCATCCCAGTTT
TTGGTCTTCTGTCAAAAACACAGGGATGAGGTGGTAGCTGAGCACCCAGATGCTTCAGGTGAGGAGATT
GAAGAGCTGCTCAGGTCACAGTGGAGTCTGCTGAGTGAGAAGCAGAGAGCAGCTACAACACCAAGTTT
GCCCTGGTGGCCCTGTCCAGGCTGAAGAAGACTCTGGTAATGTAATGGGAAAAAAGAAACACACA
AAGAGGATACAGGACCTACAGAAGATGCTGAAGCTGAGGACACACCCAGGAAAAGACTCAGGACGGAC
AAGCACAGTCTTCGGAAGAGAGACACAATCACTGACAAAACGGCCAGAACAAGCTTTACAAGGCCATG
GAGGCAGCCTCCTCGCTCAAGAGCCAGGACGAAACGAAAATCTGTCTGATGCATGTAACCAGTGAAG
AAGCGAAATCGGGCTTCCACGGCAGCATCTTCAGCTCTGGGTTTAGCAAAGTTTATCTCTTCTGCA
TCCTTAACTGAGAATGAGCTTTTGTGGGAGCCACACCAGTCAAGTTGGATTGAAACCAGCTGCTCTG
TACTGCACTTAG
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites: SgfI-MluI

Plasmid Map: □

ACCN: NM_133334

Insert Size: 1944 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_133334.2</u>
RefSeq Size:	8390 bp
RefSeq ORF:	1944 bp
Locus ID:	7468
UniProt ID:	<u>O96028</u>
Cytogenetics:	4p16.3
Protein Families:	Druggable Genome, Transcription Factors
Protein Pathways:	Lysine degradation
MW:	71.4 kDa
Gene Summary:	<p>This gene encodes a protein that contains four domains present in other developmental proteins: a PWWP domain, an HMG box, a SET domain, and a PHD-type zinc finger. It is expressed ubiquitously in early development. Wolf-Hirschhorn syndrome (WHS) is a malformation syndrome associated with a hemizygous deletion of the distal short arm of chromosome 4. This gene maps to the 165 kb WHS critical region and has also been involved in the chromosomal translocation t(4;14)(p16.3;q32.3) in multiple myelomas. Alternative splicing of this gene results in multiple transcript variants encoding different isoforms. Some transcript variants are nonsense-mediated mRNA (NMD) decay candidates, hence not represented as reference sequences. [provided by RefSeq, Jul 2008]</p> <p>Transcript Variant: This variant (7) is missing most of the exons from the 3' end compared to variant 1. It has a different 3' UTR and encodes a shorter isoform (3) with a different C-terminus compared to isoform 1.</p>